The Delegation Divide: An Open Index of AI-Agent Delegability across Occupations and Countries

Cristian Espinal Maya* Santiago Jiménez Londoño†

October 20, 2026

SYNTHETIC — NOT RESULTS

Abstract

52.3% of task time in world employment is delegable to AI agents in 2026, and 22.2% is fully delegable. Existing measures score the *exposure* of occupations to generative AI: whether a language model can cut the time a task takes. They do not measure *delegability*: whether an AI agent with tool use and computer use can carry a task out end to end. They are also built on the United States O*NET classification, which most countries do not use. We build the Agent Delegability Index (ADI). We rate all 18,796 O*NET 30.2 task statements on a frozen three-level rubric (augmentation, partial delegation, full delegation) with frontier language models, validate the ratings against three independent human raters on 1,500 tasks (Krippendorff's $\alpha = –$), map tasks to 433 ISCO-08 unit groups, and aggregate to 151 countries with ILOSTAT employment by occupation. Three findings. First, delegable employment rises with income: 50.6% in middle-income countries against 57.6% in high-income countries, a slope of 2.72 percentage points per log point of GDP per capita. We call this the *delegation divide*. Second, among countries with observed AI usage, the standardized gap between technical delegability and usage is 0.19 standard deviations wider in middle-income countries than in high-income countries. Third, ADI converges with exposure indices ($r = 0.65$ with Eloundou et al.; 0.72 with Felten et al.) but reorders occupations where physical presence, accountability or system access bar an agent. We release the index, the country atlas, the prompts and an MCP server at `https://github.com/Cespial/delegation-divide`.

1 Introduction

52.3% of task time in world employment is delegable to an AI agent in 2026, and 22.2% can be handed over in full. These two numbers are the output of the Agent Delegability Index (ADI), an open index that rates every task statement of the United States Occupational Information Network (O*NET) on how much of it a software agent can execute, maps the ratings to the International Standard Classification of Occupations (ISCO-08), and weights them by employment in 151 countries. This paper describes how the index is built, validates it against human raters and existing measures, and reports its first finding: a *delegation divide* between rich and poor countries.

Two gaps motivate the index. The first is conceptual. The measures that dominate the literature on artificial intelligence and work score *exposure*: whether a large language model can reduce the time a worker needs for a task by at least half (Eloundou et al., 2024), or how closely the abilities an occupation requires track progress in AI applications (Felten et al., 2021; Webb, 2020). Exposure was the right construct for a chatbot. It is not the right construct for an agent. Since 2025, publicly

*Universidad Nacional de Colombia, Facultad de Minas. ORCID 0009-0000-1009-8388. Corresponding author.
†Universidad EAFIT. ORCID 0009-0007-9862-7133.

available systems run code, browse the web, operate a desktop, read and write files and work for hours on a multi-step goal (Kwa et al., 2025). The policy question has moved from "can the model help with this task?" to "can the worker hand this task over?" That is delegation, and the two differ in kind: a model can halve the time a radiologist spends on a report without being able to sign it, and an agent can file a tax return that no model could have sped up much, because the time was never in the drafting. Observed usage indices measure a third thing again, adoption, which depends on prices, regulation and habit as much as on capability (Anthropic, 2025; Lee et al., 2026; Henseke, 2026).

The second gap is geographic. Almost every task-level measure is built on O*NET and its Standard Occupational Classification (SOC), which only the United States uses for its statistics. The rest of the world reports employment in ISCO-08 (International Labour Office, 2012). Studies that reach other countries do so through coarse bridges, usually at the one-digit level, or through a single national crosswalk (Gmyrek et al., 2025; Murugan et al., 2026; Carbonero et al., 2023). The International Labour Organization (ILO) index of generative-AI exposure is the exception that works natively in ISCO-08 (Gmyrek et al., 2025), but it measures exposure, not delegation. Nobody has measured delegability to agents in the classification that most countries use.

ADI fills both gaps at once. The design is simple to state. Each of the 18,796 task statements in O*NET 30.2 (National Center for O*NET Development, 2026) is rated by frontier language models with a fixed rubric at one of four levels: no meaningful role, augmentation, partial delegation or full delegation (Section 2). The rubric is frozen and preregistered; its hash is in Appendix A. Three human raters score a stratified sample of 1,500 tasks blind to the models and to each other; agreement between humans and the model consensus is $\alpha = -$ (Krippendorff's alpha, ordinal), against a preregistered acceptance threshold of 0.60. Tasks are weighted by importance and frequency within their O*NET occupation and carried to 433 of the 436 ISCO-08 unit groups through a documented chain of crosswalks (Appendix B). Occupation scores are then weighted by employment from the ILO statistics database (ILOSTAT) to give a delegability share for each of 151 countries with occupational employment data from 2019 onward.

We make five contributions, each meant to stand on its own.

1. **The Agent Delegability Index (ADI).** An open, versioned index of AI-agent delegability for 433 ISCO-08 unit groups and 151 countries, with three variants per occupation (share of task weight at partial delegation or above, share at full delegation, and expected share of working time delegable), bootstrap confidence intervals, and a permutation placebo. The world headline is 52.3% (partial or full delegation) and 22.2% (full delegation).

2. **A three-layer definition of delegation.** One citable sentence each for augmentation, partial delegation and full delegation, written for agents with tool use rather than for chat models, with four named barriers (physical, accountability, trust, access) recorded separately from the level. Section 2 gives the definitions and Table 1 places them against eight existing measures.

3. **A task-level crosswalk and country atlas in ISCO-08.** A reproducible bridge from O*NET-SOC 2019 tasks to ISCO-08 unit groups that keeps 403 distinct task sets (an earlier matrix in our own prior work collapsed the same occupations into nine), and an atlas of delegable employment for 151 countries at the finest ISCO level each country reports, with gender, age and informality breakdowns where household microdata allow.

4. **Human validation and convergence.** 1,500 tasks rated by three independent humans, agreement reported with quadratic-weighted kappa and Krippendorff's alpha, and preregistered

SYNTHETIC — NOT RESULTS

convergence tests against the exposure indices of Eloundou et al. (2024) and Felten et al. (2021) ($r = 0.65$ and 0.72), which show that ADI is related to exposure but is not the same construct.

5. **Open tools for people and for agents.** The full prompts, the raw model outputs, a Python package (`pip install adi-index`), static JSON per occupation, a `llms.txt` file and a Model Context Protocol (MCP) server with three tools (`lookup_occupation`, `country_profile`, `cite`), so that an AI agent that needs a delegability score can fetch it and cite it (Appendix C).

The first finding we name is the *delegation divide*. Delegable employment is not spread evenly across the world. It rises with income: the share of employment in delegable tasks is 57.6% in high-income countries and 50.6% in middle-income countries, and a country-level regression of delegability on log GDP per capita at purchasing power parity has a slope of 2.72 percentage points per log point (95% bootstrap interval 1.72 to 3.68). The reason is composition. Poorer countries concentrate employment in agriculture, crafts and elementary occupations, where the binding barrier is physical, and agents have no body. The divide has a second edge. Among countries with observed AI usage data, middle-income countries use agents less than their delegable task base predicts: the standardized gap between delegability and usage is 0.19 standard deviations wider than in high-income countries. Where delegation is technically possible, it is being realised first in the countries that already had the most of it.

The paper proceeds as follows. Section 2 defines the three layers and relates delegation to exposure. Section 3 describes the data and Section 4 the method, validation and inference. Section 5 presents the occupational index, Section 6 the country atlas and the divide, and Section 7 the comparison with observed adoption. Section 8 discusses limitations and ethics, and Section 9 concludes. Appendices give the rubric, the crosswalk, and instructions for citing and using the index.

2 From exposure to delegation

2.1 Three layers

ADI rates a task, not an occupation, and rates it at one of four levels. The reference technology is fixed: publicly available AI agents as of October 2026, that is, frontier language models with tool use, code execution, web browsing, computer use and file handling, with no body and no robotics. The rater judges what is technically feasible with that technology, not what employers do and not what the law allows. The four levels, in the wording of the frozen rubric (Appendix A), are:

L0, no meaningful role. The agent cannot perform or materially speed up any substantial part of the task.

L1, augmentation. A human performs the task while the AI assists step by step with drafts, searches or suggestions; the human stays in the loop at each step and produces the output.

L2, partial delegation. An agent can execute substantial sub-steps of the task end to end from a goal specification, while a human still has to perform at least one essential step or review and correct the work before use.

L3, full delegation. An agent can complete the whole task end to end, to the quality a competent worker would accept, given only the goal and access, so that the human's role is limited to assigning the task and accepting the result.

SYNTHETIC — NOT RESULTS




Figure 1: The delegation ladder. Four levels of the ADI rubric, from no meaningful role (L0) to full delegation (L3), with the human and the agent roles at each level and the four barriers that keep a task below L3. Figure generated by `figuras/fig1_escalera.py`.

The levels form a ladder (Figure 1). Each step adds one thing: at L1 the machine contributes, at L2 it executes, at L3 it finishes. What moves a task up the ladder is not model quality alone but the shape of the task: whether it can be specified as a goal, whether its inputs and outputs are digital, and whether someone other than the worker is allowed to accept the result. The rubric therefore records four barriers alongside the level: *physical* (the task needs presence or manipulation), *accountability* (law, licence or liability requires a human to perform or sign), *trust* (the task depends on in-person trust, care or persuasion) and *access* (the task depends on systems, data or places an agent would normally not reach). It also records the share of the task's working time an agent could take over and the minutes a competent human needs for one instance, which Section 4 uses to test whether full delegation peaks at intermediate task lengths.

2.2 Why delegation is not exposure

The exposure indices that most of the literature uses answer a different question. Eloundou et al. (2024) label a task as exposed if access to a large language model, alone or with software built on it, would reduce the time needed to complete the task with equal quality by at least 50%. Felten et al. (2021) link ten AI application areas to the 52 O*NET abilities and score an occupation by the abilities it needs; the result, the AI Occupational Exposure index (AIOE), does not refer to tasks at all. Webb (2020) measures overlap between patent texts and task descriptions. All three ask how much AI *touches* the work. ADI asks whether an agent can *do* the work.

The two constructs separate in both directions. A task can be highly exposed and not delegable: writing a radiology report is faster with a model, but a licensed radiologist must read the images and sign, so the task stays at L1 or L2 with an accountability barrier. A task can be delegable and barely exposed: reconciling a bank statement against an accounting ledger saved little time when the model could only talk, but an agent with access to both systems completes it end to end.

SYNTHETIC — NOT REAL DATA

Exposure measures the intensity of assistance on a task whose owner does not change. Delegation measures a change of owner.

Delegation is also not adoption. The Anthropic Economic Index (Anthropic, 2025; Handa et al., 2025) observes which O*NET tasks people actually bring to a model and, in later releases, which they hand to a coding agent. The Agentic Adoption Index (Lee et al., 2026) scores a task by how closely it matches the agent configurations practitioners publish on GitHub, a measure its authors call delegated exposure. Both record what has happened. ADI records what the technology permits, so it is an upper bound on delegation that adoption data can be compared against. The gap between the two is itself an object of study (Section 7), and it is where the delegation divide appears.

2.3 Comparison with existing measures

Table 1 places ADI next to the measures it builds on. The columns record what each index measures (construct), the unit it rates, who or what rates it, the occupational classification, the countries it covers, whether the data are open, and whether the construct refers to AI agents rather than to language models or to earlier automation. ADI is the only task-level index that is natively in ISCO-08, rated for agents, validated against independent human raters and released with tools for agents to query it.

3 Data

3.1 Tasks: O*NET 30.2

The unit of rating is the task statement of the Occupational Information Network (O*NET), release 30.2 (National Center for O*NET Development, 2026). The release contains 18,796 task statements for 923 O*NET-SOC 2019 occupations, each with its occupation title, and two ratings per task from incumbent surveys: importance (scale 1–5) and frequency (seven categories from yearly or less to hourly or more). We use the mean importance and the mean frequency category of each task as its weight within its occupation, following the task-weighting convention of Acemoglu and Autor (2011). Missing importance or frequency values are imputed with the median, as preregistered. Each task is rated once; a task that appears under several occupations keeps one rating and several weights.

3.2 Bridge to ISCO-08

Most countries report employment in the International Standard Classification of Occupations, ISCO-08 (International Labour Office, 2012), which has 436 unit groups at four digits. O*NET uses the United States Standard Occupational Classification (SOC). We bridge the two in three documented steps: O*NET-SOC 2019 to O*NET-SOC 2010 with the official O*NET Center crosswalk; O*NET-SOC 2010 to six-digit SOC 2010 by truncation; and SOC 2010 to ISCO-08 with the crosswalk of Hardy et al. (2018), published by the Institute for Structural Research (IBS). A SOC code that maps to k ISCO groups splits its weight $1/k$. The result covers 433 of the 436 unit groups with 403 distinct task sets; the three military groups (0110, 0210, 0310) have no O*NET tasks and are excluded, and seven residual groups without tasks of their own inherit the tasks of their three-digit parent and are flagged as imputed. Four O*NET-SOC 2019 occupations with no 2010 ancestor are assigned by hand. Appendix B lists every step, the two SOC codes rescued because the IBS file omits them, the seven imputed groups and the four manual assignments; the code is `datos/construir_crosswalk.py`.

SYNTHETIC — NOT RESULTS

Table 1: Measures of AI and work compared with ADI. [VERIFY] marks cells the authors have not yet checked against the source.

Measure	Construct	Unit	Rater	Classification	Countries	Open	Agents
Frey and Osborne (2017)	Probability of computerisation	Occupation (702)	70 hand-labelled occupations, Gaussian process classifier	SOC 2010	US	Y	N
Webb (2020)	Exposure to AI via patent–task text overlap	Task	Text-similarity algorithm	O*NET-SOC	US	Y	N
Felten et al. (2021) (AIOE)	Occupational exposure via abilities	Ability (52)	Expert links, AI progress scores	O*NET-SOC	US	Y	N
Eloundou et al. (2024)	$\geq$50% time reduction with LLM (α, β, ζ)	Task	Human annotators and GPT-4	O*NET-SOC	US	Y	N
Eisfeldt et al. (2023)	Generative-AI exposure of occupations and firms	Task	ChatGPT	O*NET-SOC	US	Y [VERIFY]	N
Gmyrek et al. (2025) (ILO)	Generative-AI exposure, refined	Task	Expert review and LLM [VERIFY]	ISCO-08	Global via ILO employment [VERIFY]	Y [VERIFY]	N
Anthropic (2025) (AEI)	Observed usage of Claude by task	Conversation mapped to task	Automated classifier	O*NET-SOC	US; country series in later releases	Y	Partial
Lee et al. (2026) (AAI)	Delegated exposure: match to published agent skills	Task	Embedding similarity to ∼888,000 agent skill files	O*NET-SOC	US (GitHub corpus is global)	[VERIFY]	Y
ADI (this paper)	Delegability to an agent, four levels and four barriers	Task (18,796)	Frontier LLMs; 3 human raters on 1,500 tasks	ISCO-08 (433 unit groups)	151	Y	Y

The bridge replaces the occupation–task matrix used in our earlier work on augmented human capital (Espinal Maya and Jiménez Londoño, 2026a,b), which mapped SOC to ISCO at one digit and so collapsed 440 Colombian occupations into nine task sets. Section 8 returns to the consequences.

3.3 Secondary task bank: ESCO

O*NET describes work in the United States. As a check on that origin, we also score the essential skills and competences that the European Skills, Competences, Qualifications and Occupations classification (ESCO, version 1.2) attaches to each of its occupations (European Commission, 2026). ESCO maps every occupation to an ISCO-08 unit group by construction, so it reaches the 436 groups without a crosswalk, and it is available in 28 languages. Its units are skills, not tasks, so we treat it as a robustness bank rather than as the primary source. The ESCO results are reported in Section 5 as a sensitivity check and matter most for agriculture, where O*NET has few tasks (Section 8).

SYNTHETIC — NOT RESULTS

Table 2: Coverage of the country atlas: countries with ILOSTAT employment by ISCO-08 occupation for a year from 2019 onward, by World Bank income group (FY2026). Resolution is the finest ISCO-08 level the country reports. **Synthetic placeholder values, not results.**

Income group	Countries	2-digit	1-digit	Median year	Employment (M)	With GDP pc
High	54	46	8	2024	637	54
Upper-middle	44	37	7	2024	616	44
Lower-middle	35	29	6	2024	918	35
Low	17	15	2	2022	170	17
Total	150	127	23	2024	2,341	150

3.4 Employment by occupation: ILOSTAT

Country weights come from the ILO statistics database, ILOSTAT, series on employment by sex and occupation (International Labour Organization, 2026), downloaded through its SDMX interface. At one digit, 173 countries report employment by ISCO-08 major group and 151 have a reference year of 2019 or later; these 151 countries form the atlas. At two digits, 144 countries report sub-major groups and 134 have a year of 2019 or later. We use the finest level each country reports, two digits where available and one digit otherwise, with the pooling rule of Section 4. Countries whose latest occupational data predate 2019 are excluded, as preregistered. Table 2, generated by `analisis/cobertura.py`, lists coverage by region and income group. The same database supplies the informality rate and mean monthly earnings by occupation where they exist, used in the atlas.

3.5 Income and adoption

Income groups follow the World Bank classification for fiscal year 2026, and GDP per capita is at purchasing power parity in constant 2021 international dollars (World Bank, 2026). Observed adoption comes from the Anthropic Economic Index (AEI), which reports usage of Claude by country per working-age adult in its latest release (Anthropic, 2025). For convergence tests we use the occupation-level scores of Eloundou et al. (2024), Felten et al. (2021), Webb (2020), Eisfeldt et al. (2023) and Gmyrek et al. (2025), each carried to ISCO-08 with the same bridge where it is not already in ISCO-08.

3.6 Household microdata

For breakdowns by sex, age and informality we use four household surveys that code occupation at four digits in national adaptations of ISCO-08: the Gran Encuesta Integrada de Hogares of Colombia (GEIH) (Departamento Administrativo Nacional de Estadística (DANE), 2026), the Pesquisa Nacional por Amostra de Domicílios Contínua of Brazil (PNADC) (Instituto Brasileiro de Geografia e Estatística (IBGE), 2026), the Encuesta Nacional de Ocupación y Empleo of Mexico (ENOE) (Instituto Nacional de Estadística y Geografía (INEGI), 2026) and the Encuesta Nacional de Hogares of Peru (ENAHO) (Instituto Nacional de Estadística e Informática (INEI), 2026). For Colombia we also use the 2023–2026 monthly series to relate delegability to wage dynamics (Section 7). Every input file is listed with its SHA-256 hash and download date in `datos/MANIFIESTO.jsonl`.

SYNTHETIC — NOT RESULTS




Figure 2: From task statements to a country atlas. Inputs on the left, validation steps below the main flow. Figure generated by `figuras/fig2_flujo.py`.

4 Method

Figure 2 summarises the pipeline: tasks are rated by models, consensus is taken across models, consensus is weighted into occupations, occupations are weighted into countries, and every step is validated or bootstrapped. The design was preregistered on the Open Science Framework before the first model call, with an embargo until January 2027; the hypotheses, the rubric hash and the sample seeds are in the registration and in `docs/OSF_PREREGISTRO_EN.md`.

4.1 Rubric

Each task is rated with the rubric reproduced in Appendix A. The prompt contains the reference technology, the four level definitions, the occupation title and the task text, and asks for a single JSON object with eight fields: level (0–3), share of the task's working time an agent could take over (0–100), minutes a competent human needs for one instance, four barrier flags (physical, accountability, trust, access) and a confidence label. The rubric contains no example tasks, so no task in the data can anchor the rating of another. The file was frozen at registration; its SHA-256 hash is `bcd076fb...0ea0e46` (full value in Appendix A), and the scoring script refuses to run the main pass unless the file on disk matches it. A pilot of at most 300 tasks (seed 20261020) checked JSON compliance and cost; pilot ratings are discarded.

4.2 Raters: language models

Models are queried one task per call, with no other task or rating in context, through the Claude Code command-line interface (`claude -p -output-format json`) rather than through a raw API. The primary rater is Claude Sonnet and the secondary rater is Claude Haiku; Claude Opus is run as

SYNTHETIC — NO

an optional third rater on the full task set if budget allows and otherwise on the validation sample. Every call is logged with the interface version, the model identifier returned by the interface, the prompt hash, the duration and the outcome in `docs/llm-llamadas.jsonl`, which doubles as the manuscript's declaration of AI use. The interface does not expose a temperature setting, so the ratings are not deterministic by construction. We therefore measure stability directly: a random subsample of 300 tasks is rated a second time by each model under identical prompts, and we report exact agreement and quadratic-weighted kappa between the two passes (Sonnet: 0.83; Haiku: 0.83). Two of the four raters are open-weights models queried through their providers' APIs at temperature zero (DeepSeek V4-Pro and Kimi K2.6); the two Claude models are queried through the Claude command-line interface, which does not expose temperature. Exact model identifiers and the interface version are recorded in `docs/MODELOS.md` before the main run. Calls whose output fails validation (malformed JSON, a level outside 0–3, a share outside 0–100) are retried up to five times; tasks that still fail are excluded for that model only, and the counts are reported (54 for Sonnet, 54 for Haiku).

4.3 Aggregation

Let t index tasks, m models, o ISCO-08 unit groups and c countries. The consensus level of a task is the modal level across models, with ties resolved to the lower level; the consensus share is the median share across models. Task weights w_{ot} are importance times mean frequency, normalised within the O*NET occupation, multiplied by the crosswalk weight ($1/k$ for a SOC code that maps to k ISCO groups) and renormalised so that $\sum_t w_{ot} = 1$ within each unit group. The primary occupation index is the share of task weight at partial delegation or above:

$$\mathrm{ADI}_o = \sum_t w_{ot}\, \mathbf{1}[\mathrm{level}_t \geq 2], \tag{1}$$

with two preregistered variants, the share at full delegation and the expected share of working time delegable:

$$\mathrm{ADI3}_o = \sum_t w_{ot}\, \mathbf{1}[\mathrm{level}_t = 3], \qquad \mathrm{ADIs}_o = \sum_t w_{ot}\, \frac{\mathrm{share}_t}{100}. \tag{2}$$

The country index is the employment-weighted mean over the occupational groups g the country reports:

$$\mathrm{ADI}_c = \frac{\sum_g e_{cg}\, \mathrm{ADI}_g}{\sum_g e_{cg}}, \tag{3}$$

where e_{cg} is ILOSTAT employment and g runs over two-digit sub-major groups if the country reports them for a year from 2019 onward and over one-digit major groups otherwise. Within a reported group, unit-group indices are averaged with employment weights pooled from the countries in the same World Bank income group that report finer detail; equal weights within the group are the preregistered sensitivity check. The world headline is the employment-weighted mean of ADI_c over the 151 included countries, and the income-group figures are the same mean within each group.

4.4 Human validation

Three raters with at least a university degree in economics, engineering or social science rate 1,500 tasks each. The sample is stratified by ISCO-08 major group in proportion to world employment, with a minimum of 60 tasks per group (`validacion/muestra.py`, seed 20261020); each rater receives the same tasks in an independent random order (seeds 20261021–20261023) in a spreadsheet that contains the rubric and no model output. Raters are blind to the models and to each other, are

SYNTHETIC — NOT RESULTS

trained on 20 practice tasks outside the sample, and are asked not to use AI tools while rating. We report quadratic-weighted kappa (Cohen, 1968) for each pair of raters and Krippendorff's alpha for ordinal data (Krippendorff, 2004) among the three humans (–; pairwise κ from – to –) and between the human majority and the model consensus (–; κ = –). The preregistered acceptance threshold for the primary rater is $\alpha \geq 0.60$; results are reported whatever the value. The 1,500 tasks give a 95% confidence-interval half-width below 0.03 for an alpha near 0.60.

4.5 Convergent validity

Hypothesis H3 states that occupation-level ADI correlates positively with the exposure scores of Eloundou et al. (2024) and the AIOE of Felten et al. (2021), with Pearson r between 0.40 and 0.80 for each: above 0.80 would mean ADI adds little beyond exposure, below 0.40 would question its validity. Both comparison indices are carried to ISCO-08 with the bridge of Section 3. We report Pearson and Spearman coefficients (Eloundou: $r = 0.65$, $\rho = 0.70$; Felten: $r = 0.72$, $\rho = 0.74$), and, as exploratory comparisons, the same statistics against Webb (2020), Eisfeldt et al. (2023), the ILO index (Gmyrek et al., 2025) and the Agentic Adoption Index (Lee et al., 2026).

4.6 Hypothesis tests

H1, the delegation divide, is an ordinary least squares regression of ADI_c on log GDP per capita at purchasing power parity, and a second specification with income-group dummies with high income as reference; the test on the slope is one-sided at $\alpha = 0.05$. H2, the adoption gap, standardises ADI_c and AEI usage per working-age adult to mean zero and unit variance over the countries with both and regresses the difference on income-group dummies; the one-sided test is that the middle-income coefficients are positive. H4, task length, is a logistic regression of full delegation on log human minutes and its square at the task level, with standard errors clustered by occupation and minutes winsorised at 1 and 4,800; the hypothesis is a positive linear and a negative quadratic coefficient.

4.7 Inference and placebo

Uncertainty from the rating step is propagated by a nonparametric bootstrap over tasks: 1,000 draws, tasks resampled within occupation, each draw recomputing Equations 1–3, the headline and the regression coefficients (Efron and Tibshirani, 1993). All intervals in the paper are 95% percentile intervals from this bootstrap unless stated otherwise. As a placebo, we shuffle task ratings across occupations 1,000 times, holding each occupation's task count and weights fixed, and recompute the occupational index; the observed dispersion of ADI_o across unit groups is compared with this null (<0.001). A rating that carried no occupation-specific information would produce occupational indices indistinguishable from the shuffled ones. Robustness checks preregistered as exploratory are reported model by model, with ESCO skills instead of O*NET tasks, with uniform task weights, and without the seven imputed groups.

5 The index

5.1 Tasks

Of the 18,796 task statements with a valid consensus, 16.9% are rated L0, 24.4% L1, 34.2% L2 and 24.4% L3, so that 58.7% of statements reach at least partial delegation before any weighting. Ties between models, resolved to the lower level as preregistered, affect 17.9% of tasks. The

SYNTHETIC — NOT RESULTS

Table 3: The ten most and ten least delegable ISCO-08 unit groups. ADI: task-weighted share at L2 or L3; ADI3: at L3; ADIs: weighted mean share of task time delegable, with 95% bootstrap interval (1,000 draws, tasks resampled within occupation). **Synthetic placeholder values, not results.**

ISCO	Unit group	ADI	ADI3	ADIs	95% CI (ADIs)	Tasks
Most delegable						
3342	Legal secretaries	94.5	33.7	67.6	[59.5, 75.8]	14
4322	Production clerks	93.4	55.1	75.3	[67.9, 82.3]	17
3252	Medical records and health information technicians	88.0	49.9	69.3	[61.1, 76.0]	33
1311	Agricultural and forestry production managers	88.0	43.8	69.7	[61.9, 76.6]	30
1312	Aquaculture and fisheries production managers	88.0	43.8	69.7	[62.6, 76.2]	30
3352	Government tax and excise officials	87.5	14.1	64.1	[57.9, 70.0]	21
1341	Child care services managers	87.4	42.6	68.1	[59.7, 76.3]	17
2633	Philosophers, historians and political scientists	87.2	51.4	70.2	[65.7, 75.2]	57
2631	Economists	86.8	33.6	68.2	[62.7, 73.8]	34
1211	Finance managers	86.7	40.1	68.2	[62.3, 74.2]	39
Least delegable						
7215	Riggers and cable splicers	21.0	0.0	26.9	[17.1, 37.6]	14
7213	Sheet-metal workers	19.9	9.8	29.0	[21.3, 36.3]	51
7126	Plumbers and pipe fitters	19.2	5.6	24.8	[17.6, 31.9]	44
7125	Glaziers	19.0	7.6	26.1	[17.6, 35.2]	27
9111	Domestic cleaners and helpers	18.9	7.8	31.3	[21.8, 41.9]	20
9112	Cleaners and helpers in offices, hotels and other establishments	17.9	4.5	28.2	[22.2, 33.8]	61
5153	Building caretakers	17.4	6.4	28.0	[19.1, 37.8]	21
9123	Window cleaners	17.4	6.4	28.0	[19.1, 38.9]	21
9122	Vehicle cleaners	17.3	0.0	25.3	[16.4, 35.4]	20
9129	Other cleaning workers	8.0	0.0	21.6	[14.2, 29.9]	22

models agree with each other at Krippendorff's $\alpha = 0.80$ (ordinal), and the two Claude raters at quadratic-weighted $\kappa = 0.81$.

5.2 Occupations

Table 3 lists the ten most and the ten least delegable of the 433 ISCO-08 unit groups covered by the crosswalk (7 of them inherit the tasks of their parent group). Figure 3 aggregates unit groups to the nine major groups with implied world employment weights. Professionals reach 67.7% and clerical support workers 65.3%, against 39.6% for craft and related trades and 36.1% for elementary occupations.

5.3 Barriers

Figure 4 decomposes the task weight that each barrier flags by major group (exploratory).

5.4 Task length (H4)

The probability that a task is fully delegable follows an inverted U in the log of the minutes a human needs for it: the logistic coefficients are 1.58 on log minutes (one-sided $p < 0.001$) and -0.22

SYNTHETIC — NOT RESULTS




Figure 3: ADI by ISCO-08 major group. Light bars: share of task weight at L2 or L3 (ADI); dark bars: share at L3 (ADI3). Whiskers: 95% bootstrap interval of ADI (1,000 draws, tasks resampled within occupation). Unit groups are averaged with implied world employment weights. Generated by `analisis/figuras.py`.

on its square ($p < 0.001$), over 18,796 tasks clustered in 923 O*NET occupations. The implied peak is at about 36.5 minutes of human work.

5.5 Robustness

The occupational index is not an artefact of the task-to-occupation assignment: the dispersion of ADI_o across unit groups (standard deviation 0.17) compares with a mean of 0.09 under the permutation null ($p < 0.001$). Model by model, the world headline is 53.6% with Sonnet, 57.4% with Haiku, 52.4% with DeepSeek and 55.7% with Kimi. With uniform task weights it is 53.4%, and without the imputed unit groups 52.3%.

6 The atlas: a delegation divide

6.1 The headline

Weighting each country by its employment, 52.3% of task time in world employment is delegable to AI agents (95% bootstrap interval 50.1–54.5), and 22.2% is fully delegable (20.4–24.0). The share-based variant, the employment-weighted mean share of task time an agent can carry, is 49.4%. The headline covers 150 countries and 2,341.1 million workers (Table 2); 127 countries report employment at two ISCO digits and 23 at one. With equal weights for the unit groups inside each reported group, the preregistered sensitivity check, it is 52.1%.

6.2 Delegability and income (H1)

Figure 5 maps ADI_c and Figure 6 plots it against GDP per capita. The share of employment in delegable tasks is 57.6% in high-income countries, 51.4% in upper-middle-income, 50.1% in lower-middle-income and 47.2% in low-income countries. The preregistered regression (Table 4, column 1)

SYNTHETIC — NOT REAL




Figure 4: Barriers that keep tasks below full delegation, by ISCO-08 major group: task weight flagged by each barrier (fraction of models that flag it, weighted as in the index). Barriers are not mutually exclusive and stack. Generated by `analisis/figuras.py`.

has a slope of 2.72 percentage points per log point of GDP per capita (one-sided $p < 0.001$; 95% bootstrap interval 1.72 to 3.68; $R^2 = 0.50$; 150 countries). With income-group dummies, low-income countries sit 8.80 points below high-income countries ($p < 0.001$). The slope with equal within-group weights is 3.02, and with the share-based index 2.0. A placebo in which tasks are shuffled across occupations reproduces the slope in a fraction <0.001 of draws.

6.3 Countries

Colombia stands at 51.7%, Mexico at 51.6% and Brazil at 52.4%, against 58.9% in the United States and 49.6% in India. The full country table, with bootstrap intervals and the equal-weight variant, is released as `salidas/adi_pais.csv`.

7 Validation against observed adoption

7.1 Human raters

Human–model agreement on the 1,500-task validation sample is $\alpha = -$ (ordinal) and quadratic-weighted $\kappa = -$; agreement among the three humans is $\alpha = -$. Stability across repeated calls on 300 tasks is $\kappa = 0.83$ for Sonnet and 0.83 for Haiku, with exact agreement of 65.0% and 65.0%.

7.2 Convergence with exposure indices (H3)

Across ISCO-08 unit groups, ADI correlates with the exposure measure of Eloundou et al. (2024) at $r = 0.65$ (Spearman $\rho = 0.70$) and with the AIOE of Felten et al. (2021) at $r = 0.72$ ($\rho = 0.74$). As exploratory comparisons, the correlation is 0.62 with Eisfeldt et al. (2023), 0.03 with the AI patent exposure of Webb (2020) and −0.68 with its robot exposure, and 0.43 with observed Claude exposure by occupation (Handa et al., 2025).

SYNTHETIC — NOT REAL DATA




Figure 5: The Agent Delegability Index by country (ADI$_c$): employment-weighted share of task time at L2 or L3, at the finest ISCO-08 level each country reports to ILOSTAT for a year from 2019 onward. Grey: no occupation data. Boundaries: Natural Earth 1:110m. Generated by `analisis/figuras.py`.

7.3 Observed usage and the adoption gap (H2)

For the 102 countries with Anthropic Economic Index usage per working-age person (Anthropic, 2025), delegability and usage correlate at $r = 0.82$. The standardized gap between delegability and usage is 0.19 standard deviations wider in middle-income than in high-income countries (one-sided $p = 0.044$); separately, 0.20 for upper-middle ($p = 0.065$) and 0.18 for lower-middle income ($p = 0.097$; Table 4, column 4).

8 Limitations and ethics

8.1 Technical delegability is not deployment

ADI measures what an agent can do with the technology of October 2026, given the goal and access. It does not measure what firms do, what regulators allow or what workers accept. A task at L3 may never be delegated because the agent is too expensive relative to local wages, because the systems it would need are not connected, or because nobody is willing to be accountable for its output. The index is therefore an upper bound on delegation, and the comparison with observed usage in Section 7 is a comparison of a ceiling with a floor. Readers who need a forecast of employment effects should combine ADI with adoption, prices and institutions, as Acemoglu (2025) does for exposure; the index alone supports none. The reference technology is also a moving target. We fix it by date and version the index (`v2026.1`) so that later releases can be compared with this one rather than silently replacing it.

SYNTHETIC




Figure 6: The delegation divide. ADI_c against GDP per capita at purchasing power parity (log scale), coloured by World Bank income group (FY2026), with the OLS line of the preregistered H1 regression. Generated by `analisis/figuras.py`.

8.2 O*NET describes work in the United States

The task statements, and the importance and frequency weights, come from surveys of United States workers. The same occupation elsewhere may contain different tasks, in different proportions, with different tools. The crosswalk to ISCO-08 carries the United States task mix to every country; it does not adapt it. The problem is sharpest in agriculture. O*NET has only 193 task statements that map to ISCO major group 6, skilled agricultural, forestry and fishery workers, which employs a large share of workers in low-income countries, and all 193 fall in the human-validation sample. Since the delegation divide (H1) depends on that group, we rerun the country regression with the ESCO skill bank in place of O*NET tasks for major group 6 and for all groups; the slope with ESCO is –, against 2.72 with O*NET. Informal and subsistence work, which household surveys capture better than labour-force statistics by occupation, is treated in the microdata breakdowns rather than in the headline.

8.3 Language models as raters

The raters are language models from a single developer, and the usage data in Section 7 come from the same developer's Anthropic Economic Index. Three risks follow. The first is bias: a model may rate tasks in its own domain, such as software, as more delegable than tasks it knows less well, and may share the blind spots of its training data about work outside rich countries. The human validation on 1,500 tasks bounds this bias at the level of agreement reported in Section 4, but three raters with university degrees are not a sample of the world's workers. The second is circularity: if

SYNTHETIC — NOT REAL DATA

Table 4: Country-level regressions. Columns (1)–(3): ADI_c in percent (H1); column (3) uses equal weights within reported groups (sensitivity). Column (4): standardized gap $z(\text{ADI}_c) - z(\text{usage}_c)$ with Anthropic Economic Index usage per working-age person (H2). Reference category: high income. Standard errors in parentheses; stars refer to the preregistered one-sided tests (* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$). **Synthetic placeholder values, not results.**

	(1) H1	(2) H1	(3) H1, equal weights	(4) H2 gap
log GDP per capita (PPP)	2.72***		3.02	
	(0.22)		(0.22)	
Upper-middle income		−4.05***		0.20
		(0.66)		(0.13)
Lower-middle income		−6.40***		0.18
		(0.70)		(0.14)
Low income		−8.80***		−1.07
		(0.90)		(0.26)
Constant	26.74	56.71	23.58	−0.05
	(2.16)	(0.44)	(2.17)	(0.08)
Countries	150	150	150	102
R^2	0.50	0.48	0.55	0.20

the same family of models both rates delegability and generates the usage data, agreement between the two could reflect a shared view of the world rather than validation. We address it by testing convergence against indices built by other methods and other raters (Eloundou et al., 2024; Felten et al., 2021; Gmyrek et al., 2025), by comparing with the Agentic Adoption Index, which uses no model rating (Lee et al., 2026), and by reporting the Colombian wage dynamics, which involve no model at all. The third is instability: the command-line interface exposes no temperature setting, so the same prompt can return different levels on different days. The test–retest statistics in Section 4 quantify this, and the consensus rule across models dampens it; the raw outputs of every pass are released so that others can recompute. Model-based rating of social facts has a short literature (Horton, 2023; Argyle et al., 2023; Korinek, 2023), and the known tendency of models to favour their own outputs (Zheng et al., 2023; Panickssery et al., 2024) is a reason to read every number here as a model's judgement, not a measurement of the world.

8.4 Preregistration

The hypotheses, rubric, model rule, sample seeds and analysis plan were registered before the first model call, under embargo until January 2027. The registration constrains what we can report as confirmatory; everything else is labelled exploratory. Deviations from the plan, including the change in the rater set described in Section 4, are dated in `docs/DESVIACIONES.md` and listed in the deviations appendix. A preregistration does not make a measurement right; it makes it checkable.

8.5 Ethics

An index of delegability describes work in the voice of the machine: which parts of a job it could take, and which it could not. That framing has costs. It can reduce a worker to the residue of tasks an agent cannot do, and it can read a barrier such as trust or care as a temporary obstacle rather than as the point of the job. We have tried to keep the four barriers visible rather than fold them into a single score, so that a reader can see why a task stays with a human and not only that it

SINTÉTICO — NO RESULTS

does. The divide we name is also not symmetrical in its meaning. In high-income countries, high delegability describes a labour market about to reorganise; in low-income countries, low delegability describes a labour market whose work agents cannot reach, which is not the same as protection. Who is delegated, who delegates, and who is left outside the scope of delegation are distributional questions, and the atlas is meant to put them on the table, not to settle them. We use no personal data; all inputs are public statistics, public classifications or anonymised household surveys used under their licences. The human raters are informed adults with university degrees who agreed to the protocol; their individual ratings are released only in aggregate.

9 Conclusion

52.3% of task time in world employment is delegable to AI agents, and 22.2% can be handed over in full. The share varies with income, from 47.2% in low-income to 57.6% in high-income countries. ADI measures technical delegability with the technology of October 2026, not deployment, and it will move as agents improve; the rubric, the code and the ratings are released so that the index can be rerun. We release the index for every ISCO-08 unit group, the country atlas, the rubric, the ratings and an MCP server at `https://github.com/Cespial/delegation-divide`.

References

Daron Acemoglu. The simple macroeconomics of AI. *Economic Policy*, 40(121):13–58, 2025. doi: 10.1093/epolic/eiae042.

Daron Acemoglu and David Autor. Skills, tasks and technologies: Implications for employment and earnings. In Orley Ashenfelter and David Card, editors, *Handbook of Labor Economics*, volume 4B, pages 1043–1171. Elsevier, 2011. doi: 10.1016/S0169-7218(11)02410-5.

Anthropic. The Anthropic Economic Index. `https://www.anthropic.com/economic-index`, 2025. Data releases 2025–2026 on Hugging Face, `Anthropic/EconomicIndex`.

Lisa P. Argyle, Ethan C. Busby, Nancy Fulda, Joshua R. Gubler, Christopher Rytting, and David Wingate. Out of one, many: Using language models to simulate human samples. *Political Analysis*, 31(3):337–351, 2023. doi: 10.1017/pan.2023.2.

Francesco Carbonero, Jeremy Davies, Ekkehard Ernst, Frank M. Fossen, Daniel Samaan, and Alina Sorgner. The impact of artificial intelligence on labor markets in developing countries: A new method with an illustration for Lao PDR and urban Viet Nam. *Journal of Evolutionary Economics*, 33:707–736, 2023. doi: 10.1007/s00191-023-00809-7.

Jacob Cohen. Weighted kappa: Nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin*, 70(4):213–220, 1968. doi: 10.1037/h0026256.

Departamento Administrativo Nacional de Estadística (DANE). Gran Encuesta Integrada de Hogares (GEIH): microdatos mensuales 2023–2026. `https://microdatos.dane.gov.co/`, 2026.

Bradley Efron and Robert J. Tibshirani. *An Introduction to the Bootstrap*. Chapman & Hall, New York, 1993.

Andrea L. Eisfeldt, Gregor Schubert, Miao Ben Zhang, and Bledi Taska. Generative AI and firm values. NBER Working Paper 31222, National Bureau of Economic Research, 2023. URL `https://www.nber.org/papers/w31222`.

SYNTHETIC — NOT RESULTS

Tyna Eloundou, Sam Manning, Pamela Mishkin, and Daniel Rock. GPTs are GPTs: Labor market impact potential of LLMs. *Science*, 384(6702):1306–1308, 2024. doi: 10.1126/science.adj0998.

Cristian Espinal Maya and Santiago Jiménez Londoño. [verify] augmented human capital: Measuring generative-AI augmentation of occupations in Colombia. Technical Report 2604.01066, arXiv, 2026a. URL https://arxiv.org/abs/2604.01066.

Cristian Espinal Maya and Santiago Jiménez Londoño. [verify] measuring augmentation with language models: Task-level evidence from household survey microdata. Technical Report 2604.02403, arXiv, 2026b. URL https://arxiv.org/abs/2604.02403.

European Commission. ESCO: European skills, competences, qualifications and occupations, version 1.2. https://esco.ec.europa.eu/, 2026. Occupations, essential skills and ISCO-08 mapping retrieved through the ESCO API.

Edward W. Felten, Manav Raj, and Robert Seamans. Occupational, industry, and geographic exposure to artificial intelligence: A novel dataset and its potential uses. *Strategic Management Journal*, 42(12):2195–2217, 2021. doi: 10.1002/smj.3286.

Carl Benedikt Frey and Michael A. Osborne. The future of employment: How susceptible are jobs to computerisation? *Technological Forecasting and Social Change*, 114:254–280, 2017. doi: 10.1016/j.techfore.2016.08.019.

Pawel Gmyrek, Janine Berg, Karol Kamiński, Filip Konopczyński, Agnieszka Ładna, Balint Nafradi, Konrad Rosłaniec, and Marek Troszyński. Generative AI and jobs: A refined global index of occupational exposure. ILO Working Paper 140, International Labour Organization, Geneva, 2025. URL https://www.ilo.org/publications/working-papers.

Kunal Handa, Alex Tamkin, Miles McCain, Saffron Huang, Esin Durmus, Sarah Heck, Jared Mueller, Jerry Hong, Stuart Ritchie, Tim Belonax, Kevin Kiyoung Troy, Dario Amodei, Jared Kaplan, Jack Clark, and Deep Ganguli. Which economic tasks are performed with AI? Evidence from millions of Claude conversations. Technical Report 2503.04761, arXiv, 2025. URL https://arxiv.org/abs/2503.04761.

Wojciech Hardy, Roma Keister, and Piotr Lewandowski. Educational upgrading, structural change and the task composition of jobs in Europe. *Economics of Transition*, 26(2):201–231, 2018. doi: 10.1111/ecot.12145.

Golo Henseke. From exposure to adoption: Generative AI in European workplaces. Technical Report 2604.18849, arXiv, 2026. URL https://arxiv.org/abs/2604.18849.

John J. Horton. Large language models as simulated economic agents: What can we learn from homo silicus? NBER Working Paper 31122, National Bureau of Economic Research, 2023. URL https://www.nber.org/papers/w31122.

Instituto Brasileiro de Geografia e Estatística (IBGE). Pesquisa Nacional por Amostra de Domicílios Contínua (PNAD Contínua): microdados. https://www.ibge.gov.br/, 2026.

Instituto Nacional de Estadística e Informática (INEI). Encuesta Nacional de Hogares (ENAHO): microdatos. https://proyectos.inei.gob.pe/microdatos/, 2026.

Instituto Nacional de Estadística y Geografía (INEGI). Encuesta Nacional de Ocupación y Empleo (ENOE): microdatos. https://www.inegi.org.mx/programas/enoe/, 2026.

SYNTHETIC — NOT RESULTS

International Labour Office. *International Standard Classification of Occupations: ISCO-08. Volume 1: Structure, group definitions and correspondence tables*. International Labour Office, Geneva, 2012. ISBN 978-92-2-125952-7.

International Labour Organization. ILOSTAT: Employment by sex and occupation (ISCO-08), annual. `https://ilostat.ilo.org/`, 2026. Indicator EMP_TEMP_SEX_OCU_NB, SDMX extraction of October 2026; informality and earnings by occupation from the same database.

Anton Korinek. Generative AI for economic research: Use cases and implications for economists. *Journal of Economic Literature*, 61(4):1281–1317, 2023. doi: 10.1257/jel.20231736.

Klaus Krippendorff. Reliability in content analysis: Some common misconceptions and recommendations. *Human Communication Research*, 30(3):411–433, 2004. doi: 10.1111/j.1468-2958.2004.tb00738.x.

Thomas Kwa, Ben West, Joel Becker, Amy Deng, Katharyn Thompson, Max Arnold, David Rein, Beth Barnes, et al. Measuring AI ability to complete long tasks. Technical Report 2503.14499, arXiv, 2025. URL `https://arxiv.org/abs/2503.14499`. METR.

Hyeongjae Lee, Jihyang Cheon, and Lanu Kim. Who delegates to AI? Evidence from agent configurations in GitHub. Technical Report 2608.20425, arXiv, 2026. URL `https://arxiv.org/abs/2608.20425`. Introduces the Agentic Adoption Index (AAI).

Arul Murugan, Tomás Aguirre, Abhishek Nagaraj, and Rishi Bommasani. The jagged global economy: Frontier AI unevenly exposes national economies. Technical Report 2607.05404, arXiv, 2026. URL `https://arxiv.org/abs/2607.05404`.

National Center for O*NET Development. O*NET 30.2 database. `https://www.onetcenter.org/database.html`, 2026. Task Statements, Task Ratings and Occupation Data files; sponsored by the U.S. Department of Labor, Employment and Training Administration.

Arjun Panickssery, Samuel R. Bowman, and Shi Feng. LLM evaluators recognize and favor their own generations. Technical Report 2404.13076, arXiv, 2024. URL `https://arxiv.org/abs/2404.13076`.

Michael Webb. The impact of artificial intelligence on the labor market. Technical Report 3482150, SSRN, 2020. URL `https://ssrn.com/abstract=3482150`.

World Bank. World Bank country and lending groups, fiscal year 2026; GDP per capita, PPP (constant 2021 international $). `https://datahelpdesk.worldbank.org/knowledgebase/articles/906519`, 2026. Indicator NY.GDP.PCAP.PP.KD, World Development Indicators.

Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Siyuan Zhuang, Zhanghao Wu, Yonghao Zhuang, Zi Lin, Zhuohan Li, Dacheng Li, Eric P. Xing, Hao Zhang, Joseph E. Gonzalez, and Ion Stoica. Judging LLM-as-a-judge with MT-Bench and Chatbot Arena. In *Advances in Neural Information Processing Systems 36 (NeurIPS 2023), Datasets and Benchmarks Track*, 2023. URL `https://arxiv.org/abs/2306.05685`.

SYNTHETIC — NOT RESULTS

A Scoring rubric

The rubric below is the file `scoring/prompts/rubrica_v1.md` as frozen at preregistration, reproduced character for character. Its SHA-256 hash is

`bcd076fb705f0f363f4a7eb2c2a403f16653f22f898eeb7d83bada74a0ea0e46`

and the scoring script (`scoring/puntuar.py`) refuses to run the main pass unless the file on disk matches this value. The prompt sent to the model is the text from "You are rating" onward, with `{occupation_title}` and `{task_text}` replaced by the O*NET occupation title and the task statement; the doubled braces in the output block are Python format escapes and reach the model as single braces. The same text, with no model output, is the second sheet of each human rater's workbook; the rater guide is `validacion/GUIA_EVALUADORES.md`.

```
# ADI scoring rubric v1 (frozen at preregistration)

You are rating ONE occupational task for how much of it a current AI agent could carry out.

**Reference technology (fixed): publicly available AI agents as of October 2026.** These are frontier language models with
tool use, code execution, web browsing, computer use (operating a desktop or browser) and file handling, able to work
autonomously on multi-step jobs that take a human several hours. They have **no physical body or robotics**. They act
only through software, documents, messages and digital systems the worker would normally be able to reach.

OCCUPATION: {occupation_title}
TASK: {task_text}

## Definitions (use exactly these)

- **L0 - No meaningful role.** The agent cannot perform or materially speed up any substantial part of the task.
- **L1 - Augmentation.** A human performs the task; the AI assists step by step (drafts, searches, suggestions). The human
  stays in the loop at each step and produces the output.
- **L2 - Partial delegation.** An agent can execute substantial sub-steps of the task end to end from a goal
  specification. A human still has to perform at least one essential step or review and correct the work before use.
- **L3 - Full delegation.** An agent can complete the whole task end to end, to the quality a competent worker would
  accept, given only the goal and access. The human's role is limited to assigning it and accepting the result.

Rate what is **technically feasible** with the reference technology, not what employers currently do, and not what is
legally allowed (the legal barrier is recorded separately below).

## Output

Return ONLY this JSON (no markdown, no commentary):
{{"level": <0|1|2|3>,
 "share_delegable": <int 0-100, percent of the task's working time an agent could take over>,
 "minutes_human": <int, typical minutes a competent human needs for one instance of the task>,
 "barrier_physical": <true|false, task needs physical presence or manipulation>,
 "barrier_accountability": <true|false, law, licence or professional liability requires a human to perform or sign>,
 "barrier_trust": <true|false, task depends on in-person trust, care or persuasion>,
 "barrier_access": <true|false, task depends on systems, data or places an agent would normally not reach>,
 "confidence": "<LOW|MEDIUM|HIGH>"}}
```

B Crosswalk O*NET to ISCO-08

This appendix documents the bridge from O*NET 30.2 task statements to ISCO-08 unit groups implemented in `datos/construir_crosswalk.py`. Every count below is printed by the script's log and is reproducible from the input files listed in `datos/MANIFIESTO.jsonl`.

B.1 Inputs

- O*NET 30.2 *Task Statements* (18,796 statements for 923 O*NET-SOC 2019 occupations), *Task Ratings* (scales IM, importance, and FT, frequency) and *Occupation Data* (titles) (National Center for O*NET Development, 2026).
- O*NET-SOC 2010 to O*NET-SOC 2019 crosswalk, O*NET Resource Center (CSV; 1,110 codes of 2010 to 1,012 codes of 2019).

SYNTHETIC — NOT RESULTS

- SOC 2010 to ISCO-08 crosswalk of Hardy et al. (2018), Institute for Structural Research (IBS), file `soc10_isco08.dta`: 1,131 rows linking 839 six-digit SOC 2010 codes to all 436 ISCO-08 unit groups.

B.2 Steps

1. **Task weights within O*NET occupation.** For each task, importance is the mean of the IM scale (1–5) and frequency is the mean category of the FT distribution (1–7, from yearly or less to hourly or more), computed as $\sum_k p_k k/100$ over the seven category percentages. Missing values are imputed with the median of each scale. The task weight is importance $\times$ frequency, normalised to sum to one within the O*NET-SOC 2019 occupation, following Acemoglu and Autor (2011).

2. **O*NET-SOC 2019 to O*NET-SOC 2010.** The official crosswalk is used in reverse. The six-digit SOC 2010 code is the 2010 O*NET-SOC code with its two-digit suffix removed. An O*NET-SOC 2019 code that descends from several 2010 codes (97 cases) divides its mapping weight equally among them.

3. **Rescue of SOC 2010 codes absent from the IBS file.** Two codes used by O*NET-SOC 2010 are not in the IBS crosswalk: 19-1020 (biological scientists, broad group used as a detailed code) and 29-2055 (surgical technologists). The rule tries, in order, the "all other" residual of the same broad group (code ending in 9), then the other detailed codes of the same broad group in ascending order, then the codes of the same minor group. It assigns 19-1020 to 19-1029, which the IBS file maps to ISCO 2131 (biologists, botanists, zoologists and related professionals), and 29-2055 to 29-2051, mapped to ISCO 3259 (health associate professionals not elsewhere classified). Both are documented here because the second is a group-level approximation rather than a conceptual match.

4. **New occupations without a 2010 ancestor.** Four O*NET-SOC 2019 codes were created after the 2010 taxonomy and have no row in the crosswalk: 15-1299.04 (penetration testers), 15-1299.05 (information security engineers), 15-1299.06 (digital forensics analysts) and 15-1299.07 (blockchain engineers). They are assigned by hand to SOC 2010 15-1199 (computer occupations, all other), which the IBS file maps to ISCO 2519 (software and applications developers and analysts not elsewhere classified) and 2529 (database and network professionals not elsewhere classified), with weight one half each.

5. **SOC 2010 to ISCO-08.** Each SOC 2010 code maps to k ISCO-08 unit groups with weight $1/k$. In the IBS file 683 codes map to one group, 102 to two, 30 to three and 24 to four or more (maximum 17). The mapping weight is multiplied by the within-occupation task weight to give the weight of each (ISCO group, task) pair, then renormalised within the ISCO group.

6. **Aggregation to pairs.** The same task reached through several O*NET occupations is summed into one pair per ISCO group. The result is 30,549 pairs covering 18,796 distinct tasks and 433 unit groups, with a median of 48 tasks per group (minimum 5, maximum 860), and 403 distinct task sets, since some groups share exactly the same O*NET sources.

B.3 Exclusions and imputations

Military. The three armed-forces groups, 0110 (commissioned armed forces officers), 0210 (non-commissioned armed forces officers) and 0310 (armed forces occupations, other ranks), have no O*NET tasks and are excluded from the index and from the country weights.

SYNTHETIC — NOT RESULTS

Seven imputed groups. Seven unit groups receive no task through the chain because their SOC counterparts are residual "all other" codes that the IBS file routes elsewhere. Each inherits the task set of its three-digit minor group (all non-imputed unit groups with the same first three digits), with weights renormalised, and is flagged `imputado = True` so that it can be dropped in the robustness check without imputed groups:

ISCO-08	Unit group
3413	Religious associate professionals
3511	Information and communications technology operations technicians
4213	Pawnbrokers and money-lenders
7133	Building structure cleaners
8155	Fur and leather preparing machine operators
8159	Textile, fur and leather products machine operators not elsewhere classified
9613	Sweepers and related labourers

B.4 Why not the earlier matrix

Our earlier work on augmented human capital (Espinal Maya and Jiménez Londoño, 2026a,b) bridged SOC to the Colombian adaptation of ISCO-08 at one digit and distributed tasks downward, so that 440 four-digit occupations shared nine task sets and the median task belonged to 77 occupations. That matrix cannot separate a surgeon from a statistician. The chain above keeps 403 distinct task sets across 433 groups and is the only bridge used in this paper. The occupation-level comparison indices of Section 4 are carried to ISCO-08 with the same chain, applied at the occupation rather than the task level.

C How to cite and use ADI

C.1 Citation

Please cite the paper for any use of the index, the atlas, the rubric or the tools.

```
@article{espinal2026delegation,
  title   = {The Delegation Divide: An Open Index of AI-Agent Delegability
             across Occupations and Countries},
  author  = {Espinal Maya, Cristian and Jim{\'e}nez Londo{\~n}o, Santiago},
  journal = {arXiv preprint},
  year    = {2026},
  url     = {https://github.com/Cespial/delegation-divide}
}
```

The repository carries the same entry in `CITATION.cff` and at the top of `README.md`; the dataset has its own DOI on Zenodo, listed in the README, which should be cited together with the paper when the data are used directly. The index is versioned: this paper describes `v2026.1`. Later versions re-rate tasks against a later reference technology and are not interchangeable with this one.

C.2 Files

The release contains, under `salidas/`:

- `adi_isco08.csv`: one row per ISCO-08 unit group with ADI_o, ADI3_o, ADIs_o, bootstrap intervals, the four barrier shares, the number of tasks, the imputation flag and the version.

SYNTHETIC — NOT RESULTS

- `adi_countries.csv`: one row per country with ADI_c and its variants, the ISCO level used, the reference year, the income group and the bootstrap interval.
- `adi_tasks.csv` and the raw model outputs per pass in `scoring/salidas/`, so that any aggregation rule can be recomputed.
- `claims.jsonl`: every number in this paper with its identifier, value, interval and the script that produces it. The LaTeX source reads numbers from this file only.

C.3 Static JSON

Each occupation and each country is also served as a static JSON document, so that a tool or an agent can fetch one record without downloading the dataset:

```
https://cespial.github.io/delegation-divide/adi/v2026.1/isco/2512.json
https://cespial.github.io/delegation-divide/adi/v2026.1/country/COL.json
```

The documents carry the version, the licence and the citation string in their body.

C.4 Python package

```
pip install adi-index
```

```
from adi_index import lookup, country, cite
lookup("2512")                  # ISCO-08 code
lookup("software developer")    # free-text title, matched on ESCO labels
country("COL")                  # ISO 3166-1 alpha-3
cite()                          # BibTeX string
```

The package ships the index as data and needs no network access; it exposes the same three operations as the server below.

C.5 MCP server

The Model Context Protocol (MCP) is an open standard that lets an AI agent call external tools. The server `adi-mcp` (PyPI; listed in the MCP registry) offers three tools:

`lookup_occupation` takes an ISCO-08 code, an ESCO occupation identifier or a free-text title and returns the occupation's levels, barriers, intervals and version.

`country_profile` takes an ISO 3166-1 alpha-3 code and returns the country's index, its variants, the ISCO level and year of the employment data, and the income group.

`cite` returns the BibTeX entry above and the dataset DOI, so that an agent that uses the index can cite it in its output.

A typical configuration for a Claude Code or similar client is:

```
{"mcpServers": {"adi": {"command": "uvx", "args": ["adi-mcp"]}}}
```

Every response includes the citation string.

SYNTHETIC — NOT RESULTS

C.6 llms.txt

The repository root and the dataset site carry `llms.txt` and `llms-full.txt`, which summarise the paper, the headline number, the file layout and the citation in a form meant to be read by language models. Agents that index repositories should start there.

C.7 Licences

Code is released under the MIT licence; data, figures and the rubric under Creative Commons Attribution 4.0 (CC BY 4.0). O*NET, ESCO, ILOSTAT and World Bank inputs keep their own licences and are redistributed only as derived aggregates.

SYNTHETIC — NOT RESULTS