

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

1.- IDENTIFICATION OF THE PRODUCT AND THE COMPANY

1.1 Classification of the product:

CASOLV 10

UFI: YY10-Y0JM-W00A-89PP

1.2 Relevant identified uses of the mixture and uses advised against:

Identified Uses:

Coalescent for paints and varnishes

Use: Industrial (SU0-3) and professional (SU22)

Uses advised against:

This product is not recommended for any use or industrial sector or professional consumption other than those previously listed as 'Intended or identified uses'.

Restrictions on the manufacture, marketing and use. Annex XVII to Regulation (EC) No 1907/2006: Unrestricted

1.3 Details of the supplier of the safety data sheet:

Coating Additive Specialties, S.L.

Mallorca 314, 4, 2

08037 Barcelona. SPAIN

Tel.: (+34) 637 708 640

info@casadditives.com

1.4 Emergency telephone number:

+34 637708640 8:00 - 14:00h

Toxicological Information Service (National Institute of Toxicology and Forensic Sciences):
Telephone (+34) 915 620 420 Information in Spanish (24h / 365d). Just for the purpose of providing health response in an emergency.

Poisons centers Spain:

• MADRID: National Institute of Toxicology - Toxicological Information Service

Telephone: +34 915620420

2.- HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

The classification of mixtures is carried out according to the following principles: a) when data (tests) are available for the classification of mixtures, it is generally done on the basis of these data, b) in the absence of data (tests) for the mixtures, interpolation or extrapolation methods are generally used to assess risk, using classification data available for similar mixtures, and c) in the absence of evidence and information applying interpolation or extrapolation techniques, methods are used to classify risk assessment based on the data of the individual components in the mixture.

Classification according to Regulation (EC) n°1272 / 2008 – 2021/849 (CLP):

WARNING: Eye Irrit.2: H319

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

Hazard classification	Mixture classification	Cat.	Route of exposure	Organs affected	Effects
<u>Physicochemical:</u> Not classified					
<u>Human health:</u> 	Eye Irrit.2: H319 c)	Cat.2	Ocular	Eyes	Irritation
<u>Environment:</u> Not classified					

The full text of hazard statements and risk phrases mentioned indicated in section 16.

Note: When a range of percentages is used in section 3, the health and environmental hazards describe the effects of the highest concentration of each component, but less than the maximum value indicated.

2.2 Label elements:



The product is labeled with the word WARNING accordance with Regulation (EU) No 1272/2008 – 2021/849(CLP)

Hazard statements:

H319 Causes serious eye irritation

Precautionary statements:

P102: Keep out of reach of children.

P337 + P313: If eye irritation persists: Seek medical advice/ attention.

P280: Wear gloves, clothing and goggles. In case of insufficient ventilation, wear respiratory protection.

P305 + P351 + P338 – P310: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Supplementary information:

In case of accident consult the Toxicological Information Medical Service.

Telephone: +34 915620420

Substances contributing to the classification

None in a percentage equal to or higher than the limit for its mention in the label.

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

2.3 Other hazards:

Dangers that are not taken into account for classification, but may contribute to the overall hazards of the mixture.

Other physico-chemical hazards: Other relevant adverse effects are not known.

Other risks and negative effects on human health: Prolonged exposure to vapor may cause temporary somnolence. In case of prolonged contact, the skin may become dry.

Other adverse effects to the environment: Does not contain substances meeting the PBT / vPvB criteria.

Endocrine disrupting properties: This product does not contain substances with endocrine disrupting properties identified or under evaluation.

3.- COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances:

Not applicable (mixture)

3.2. Mixtures:

This product is a mixture.

Chemical description:

Solvents mixture

Dangerous components:

Substances taking part in a percentage higher than the exemption limit:

30 < C < 40%

Ether glycol

REACH / CLP00



CLP:Attention: Eye Irrit.2:H319

Impurities:

It contains no other components or impurities which will influence the classification of the product.

Stabilizers: None

Reference to other sections:

For more information of dangerous components, see sections 8,11, 12 and 16.

Substances of high concern (SVHC):

List updated by ECHA on 10/06/2022

SVHC subject to authorization, included in Annex XIV of Regulation (EC) No 1907/2006:

None.

SVHC candidate to be included in Annex XIV of Regulation (EC) No 1907/2006: None

Persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB):

No substances that meet the PBT / vPvB criteria.

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

4.- FIRST AID MEASURES

4.1 Description of first aid:

Symptoms may occur after exposure, so, if direct exposure to the product, in cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to people found unconscious. Lifeguards should pay attention to self-protection and using personal protection recommended if there is a possibility of exposure. Wear protective gloves when administering first aid.

	Symptoms and effects, acute and delayed	Description of first aid
Inhalation	Inhalation of vapors may cause headaches, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.	Remove the patient out of the contaminated area into the fresh air. If breathing is irregular or stopped, administer artificial respiration. If unconscious, place in appropriate recovery position. Keep the patient warm clothes until medical attention arrives.
Dermal	In case of prolonged contact, the skin may become dry.	Remove contaminated clothing. wash thoroughly the affected area with plenty of cold water and neutral soap, or with another product suitable for skin cleansing.
Ocular 	Contact with the eyes produces redness and pain.	Remove contact lenses. Wash by irrigation the eyes with clean, fresh water for at least 15 minutes, pulling up the eyelids. If irritation persists, get medical attention if symptoms persist.
Ingestion	If ingested can cause sore throat, abdominal pain, drowsiness, nausea, vomiting and diarrhea.	Do not induce vomiting due to aspiration hazard. Keep the patient at rest.

4.2. Main symptoms and effects, both acute and delayed:

The main symptoms and effects are in sections: 4.1. and 11.1

4.3. Indications medical attention and special treatment to be dispensed immediately:

The information on the updated composition of the product has been sent to the Toxicology Information Service (Institute of Toxicology and Forensic Sciences). In case of accident call INTCF, Telephone: (+ 34) 915 620 420 (24h / 365d).

Information for doctor: Treatment should be directed at control of symptoms and the clinical condition of the patient.

Antidotes and contraindications: No specific antidote is known.

5.- FIREFIGHTING MEASURES

5.1. Extinguishing media: (RD.513/2017):

In case of fire in the surroundings, all extinguishing agents allowed.

5.2. Special hazards arising from the substance or mixture

As consequence of combustion or thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to health.

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

5.3. Advice for firefighters:

Special protection equipment: Depending on magnitude of fire, use protective suits against the heat, individual breathing equipment, gloves, protective glasses or face masks and boots may be necessary. If fire protection equipment is not available or not used, fight the fire from a protected location or a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.

Other recommendations: Cool with water the tanks, cisterns or containers close to sources of heat or fire. Take into account the wind direction. Prevent the products used to fight the fire from going into drains, sewers or watercourses.

6.- ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

Avoid direct contact with the product. Avoid breathing vapors. Keeping people unprotected against the direction of the wind position.

6.2. Environmental precautions:

Avoid contamination of drains, surface or subterranean water and soil. In case of large spills or if the product contaminates lakes, rivers or sewers, inform the appropriate authorities in accordance with local legislation.

6.3 Methods and materials for containment and cleaning up:

Pick up the spill with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc ...). Keep the remains in an appropriate closed container.

6.4. Reference to other sections:

For contact in case of emergency, see section 1.

For information about safe handling, see section 7.

For exposure controls and personal protection measures, see section 8.

For later elimination of waste, follow the recommendations in section 13

7.- HANDLING AND STORAGE.

7.1. Precautions for safe handling:

Comply with the law on prevention of occupational risks.

General recommendations:

Avoid any type of leakage or escape. Do not leave open containers.

Recommendations to prevent risks of fire and explosion:

The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction due to the supply of oxygen from the ambient air in which it is, therefore, not included in the scope of application of Directive 2014/34 / EU (RD.144 / 2016), relative to equipment and protection systems for use in potentially explosive atmospheres. The provisions of ITC MIE BT-29 regarding the particular requirements for electrical installations of the premises with risk of fire or explosion.

Recommendations to prevent toxicological risks:

Do not eat, drink or smoke while handling. After manipulation, wash hands with soap and water.

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

For exposure controls and personal protection measures, see section 8.

Recommendations to prevent contamination of the environment:

It is not considered a danger to the environment. In case of accidental spillage, follow the instructions of heading 6.

7.2. Conditions for safe storage, including any incompatibilities:

Prohibit entry to unauthorized persons. Keep out of the reach of children. The product should be stored isolated from heat. If possible avoid direct contact with sunlight. To avoid spills, the packages, once opened, they should be closed carefully and placed in a vertical position. For more information, see section 10.

Class of store: According to current legislation

Maximum storage time: 2 years

Temperature range: Min: 5 ° C Max: 40 ° C (recommended)

Remarks:

The product is not flammable or combustible within the meaning of the provisions of the ITC MIE APQ-1 (RD.656/2017)

Incompatible materials: Keep away from oxidizing agents.

Type of packaging: According to current legislation

Limit amount (Seveso III): Directive 2012/18/UE (RD.840/2015): Not applicable (classification criteria are not met).

7.3. Specific end uses:

There are no specific recommendations for use of this product other than those already mentioned.

8.- EXPOSURE CONTROL. PERSONAL PROTECTION.

8.1. Control parameters:

If a product contains ingredients with exposure limits, it may be necessary staff supervision, work environment or biological, to determine the effectiveness of the ventilation or other control measures and / or the necessity to use respiratory protective equipment.

Reference should be made to monitoring standards, such as EN689, EN482 and EN14042 relating to methods for assessing exposure by inhalation to chemical agents and exposure to chemical and biological agents.

Reference should also be used as national guidance document relating to methods of determining test substance hazardous.

Occupational exposure limits WEL: INSHT 2021 (RD.39/1997) (Spain, 2021)

Ether glycol (year 2007)

Daily occupational exposure limit value: 10 ppm; 67,5 mg/m³

Short-term occupational exposure limit value: 15 ppm; 101,2 mg/m³

Biological limit values (VLB): Not established

Derived No Effect Level (DNEL):

Derived No Effect Level (DNEL) is an exposure level that is considered safe, toxicity data derived by collecting specific guidance REACH. The DNEL value may differ from a limit corresponding to the same chemical occupational exposure (OEL). The OEL values can come recommended by a certain company, a government regulatory agency or organization experts. While also considered

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

protective of health, OELs are derived by a process different from REACH.

Derived No Effect Level workers: systemic effects, both acute and chronic

	DNEL Inhalation mg/m ³	DNEL Dermal mg/kg bw/d	DNEL Ingestion mg/kg bw/d
Ether glycol	s/r (a) 67,5 (c)	s/r (a) 83 (c)	- (a) - (c)

Derived No Effect Level workers: Local effects, Acute and Chronic:

	DNEL Inhalation mg/m ³	DNEL Dermal mg/cm ²	DNEL Eyes mg/cm ²
Ether glycol	101,2 (a) 67,5 (c)	s/r (a) s/r (c)	m/r (a) - (c)

Derived No Effect Level, general population: Not applicable (product for professional or industrial use)

(a) – Acute, short term exposure, (c) – Chronic, prolonged or repeated exposure.

(-) – DNEL not available (no REACH registration data)

s/r – DNEL not derived (no identified risk)

m/r – DNEL not derived (medium risk)

Predicted No Effect Concentration (PNEC):

Predicted No Effect Concentration, aquatic organisms: Fresh water, intermittent discharges marine and atmosphere:

	PNEC Fresh water mg/l	PNEC Marine mg/l	PNEC Intermittent mg/l
Ether glycol	1.1	0.11	-

Sewage treatment plant (STP) and sediments in freshwater and seawater:

	PNEC STP mg/l	PNEC Sediments mg/Kg dw/d	PNEC Sediments mg/Kg dw/d
Ether glycol	200	4.4	0.44

Predicted No Effect Concentration, terrestrial organisms: air, soil and human predators and effects:

	PNEC Air mg/m ³	PNEC Soil mg/Kg dw/d	PNEC Oral mg/Kg dw/d
Ether glycol	-	0.32	56

(-) – PNEC not available (no REACH registration data)

8.2. Exposure controls:

Technical measures

Provide adequate ventilation. To do this, you must make a good local ventilation and should have a good system of general extraction. If these measures are not sufficient to keep the vapor concentration below the exposure limits at work, appropriate respiratory equipment must be used.

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

Respiratory protection: Avoid inhalation of solvents

Protection of eyes and face: taps advised, eyewash fountains or bottles containing fresh water close to the working area.

Protection of hands and skin: advised taps or clean water sources in the vicinity of the working area. The use of protective creams may help to protect exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.

Occupational exposure controls: According to (EU) n°2016/425

As a general prevention and safety in the workplace, the use of personal protective equipment (PPE) Program, with the corresponding CE marking is recommended. For more information on individual protection equipment (storage, use, cleaning, maintenance, type and characteristics of PPE, protection class, marking, category, CEN, etc ..) should consult the brochures provided by manufacturers PPE.

- Mask: Mask for gases and vapors of organic compounds (EN14387): Class 1: low capacity up to 1000 ppm, Class 2: Medium capacity up to 5000 ppm, Class 3: high capacity up to 10000 ppm. To obtain an adequate level of protection, the filter class must be selected depending on the type and concentration of contaminants present, according to the manufacturer's specifications of filters. The breathing equipment with filters does not operate satisfactorily when the air contains high concentrations of vapor or oxygen content below 18% by volume. In the presence of high vapor concentrations, use self-contained breathing equipment (EN149).

- Goggles: Safety goggles with suitable (EN166) side shields. Cleaned daily and disinfected in accordance with the manufacturer's instructions

- Face shield: No

- Gloves: Gloves resistant to chemicals (EN374). The breakthrough time of the selected gloves must be in accordance with the period of intended use. When you can have frequent or prolonged contact, we recommend using protective gloves Level 5 or higher, with breakthrough time > 240 min. When you have waited only brief contact, he mended glove with a protection level 2 or higher, with a time of penetration > 30 min. Different factors (e.g. temperature), they do in practice the time of using gloves Chemical resistant protective product is well below the provisions EN374. Because of the wide variety of circumstances and possibilities, you must have the manual of glove manufacturers in mind. Use proper glove removal technique (without touching glove's outer surface) to avoid contact of the product with skin.

Gloves should be replaced immediately if signs of degradation are observed.

- Boots: No

- Apron: No

- Mono: Recommended

Thermal hazards:

Not applicable (the product is handled at room temperature)

Environmental exposure controls:

Avoid any spillage in the environment. Avoid emissions into the atmosphere.

Spills on the soil: Prevent contamination of soil

Spills in water: Do not allow into drains, sewers or water courses.

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

Water management law: This product does not contain any substances included in the list of priority substances in the field of water policy, according to the directive 2000/60/CE – 2013/39/EU

Emissions to the atmosphere: Due to volatility, emissions to the atmosphere may occur during handling and use, especially when used as a solvent. Prevent the emission of solvents into the atmosphere.

9.- PHYSICAL AND CHEMICAL PROPERTIES.

9.1. Information on physical and chemical properties:

Appearance:	Clear colorless liquid
Color:	< 10 Pt-Co
Odor:	Light solvent Odor
Density at 20/4 ° C:	0,999 g / cm ³ .
Miscibility in water:	Limited
Solidification point:	< -30°C
Flash Point:	Nonflammable
Viscosity:	10 - 14 s. (Ford Cup)
Acid Value:	0 - 0,005% Acetic Acid
Refractive Index at 20°C:	1,37 - 1,39

9.2. Additional Information:

VOC :	34.3 % weight.
VOC:	343,0 g/l

10.- STABILITY AND REACTIVITY.

10.1. Reactivity:

Metal Corrosively: Not corrosive to metals

Pyrophoric properties: Not pyrophoric

10.2. Chemical stability: Stable under storage and handling conditions

10.3 Possibility of hazardous reactions:

Possible dangerous reaction with oxidizing agents.

10.4. Conditions to avoid:

Heat: Keep away from heat sources.

Light: If possible, avoid direct contact with sunlight.

Air: The product is not affected by exposure to air, but it is recommended not to leave the containers open.

Pressure: Not applicable

Impact: The product is not sensitive to shocks, but as a general recommendation should avoid blows and rough handling, to avoid dents, and breakages of packaging especially when handling the product in large quantities and during loading and unloading operations

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

10.5. Incompatible materials:

Keep away from oxidizing agents.

10.6. Hazardous decomposition products:

As consequence of thermal decomposition, dangerous products can form: carbon monoxide

11.- TOXICOLOGICAL INFORMATION.

There is no experimental toxicological data on the preparation as such. The toxicological classification for this preparation has been done by the conventional calculation method of the Directive (EC) number 1272/2008 – 2021/849(CLP)

11.1 INFORMATION ON THE HAZARD CLASSES DEFINED IN EC REGULATION NO. 1272/2008

ACUTE TOXICITY:

Dose and lethal concentrations for individual ingredients:

Ether glycol

Oral LD50 3384 mg / Kg. (Rat) (OECD 401)

Dermal LD50 2764mg / kg (rabbit) (OECD 402)

Inhalation LC50 > 6000 mg / m³ for 4 hours (rat) (OECD 403)

Acute toxicity estimates (ATE) of individual components:

Ether glycol

Oral ATE: -

Dermal ATE: -

Inhalation ATE: -

(-) – Components assumed to be non-acutely toxic at the upper threshold of category 4 for the corresponding route of exposure are ignored.

No adverse effect level observed: Not available

Lowest observed adverse effect: Not available

INFORMATION OF EXPOSURE: Acute toxicity:

Inhalation: Not classified as a product with acute inhalation toxicity (based on available data, the classification criteria are not met)

Acute toxicity : ATE > 5000 mg/m³, Criterion: CLP: 3.1.3.6.

Dermal: Not classified as corrosive or irritant by contact with skin (based on available data, the classification criteria are not met)

Acute toxicity : ATE > 2000 mg/Kg bw, Criterion: CLP: 3.1.3.6.

Ocular: Not classified as a product with acute toxicity eye contact (no data)

Acute toxicity : Not available, Criterion: CLP:1.2.5.

Ingestion: Not classified as a product with acute oral toxicity (based on available data, the classification criteria are not met)

Acute toxicity : ATE > 2000 mg/kg, Criterion: CLP: 3.1.3.6.

GHS/CLP 3.1.3.6.: Classification according to individual ingredients of the mixture (addition formula)

GHS/CLP 1.2.5: Classification according to individual ingredients of the mixture (supplemental hazard information)

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

CORROSION / IRRITATION / SENSITISATION:

Corrosion / respiratory irritation: Not classified as corrosive or irritant by inhalation (based on available data, the classification criteria are not met).
Criterion: GHS/CLP: 1.2.6. / 3.8.3.4.

Skin Corrosion / Skin irritation: Not classified as corrosive or irritant by contact with skin (based on available data, the classification criteria are not met).
Criterion: GHS/CLP: 3.2.3.3.

Serious damage to eyes / Eye irritation: Eye Irrit. Cat.2: Irritant: Causes serious eye irritation
Criterion: GHS/CLP: 3.3.3.3.



Respiratory Sensitisation: Not classified as a sensitizer product by inhalation (based on available data, the classification criteria are not met).
Criterion: GHS/CLP: 3.4.3.3.

Skin sensitisation: Not classified as a sensitizer product by skin contact (based on available data, the classification criteria are not met).
Criterion: GHS/CLP: 3.4.3.3.

GHS/CLP 3.2.3.3: Classification of the mixture when data are available for all components or only for some.
GHS/CLP 3.3.3.3: Classification of the mixture when data are available for all components or only for some.
GHS/CLP 3.4.3.3: Classification of the mixture when data are available for all components or only for some.
GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some.
GHS/CLP 1.2.6: Classification according to individual ingredients of the mixture

ASPIRATION HAZARD:

It is not classified as a hazardous material by aspiration (based on available data, the classification criteria are not met)
Criterion: GHS/CLP: 3.10.3.3.

GHS/CLP 3.10.3.3: Classification of the mixture when data are available for all components or only for some.

SPECIFIC TARGET ORGAN TOXICITY (STOT): Single exposure (SE) and / or repeated exposure (RE):

It is not classified as a product with specific target organ toxicity .
GHS/CLP 3.8.3.4: Classification of the mixture when data are available for all components or only for some.

CMR EFFECTS:

Carcinogenic Effects: Not considered a carcinogen product.

Genotoxicity: Not considered a mutagenic product.

Reproductive toxicity: Does not impair fertility. Not harm the developing fetus.

Effects via lactation: Not classified as a product harmful for breastfed children.

DELAYED, IMMEDIATE AND CHRONIC EXPOSURE : SHORT AND LONG TERM EFFECTS

Routes of exposure: May be absorbed into the body by inhalation of vapour, through the skin and by ingestion

Short-term exposure: May irritate eyes and skin.

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

Long-term exposure: Repeated or prolonged contact may cause the removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

INTERACTIVE EFFECTS: Not available

INFORMATION ON TOXICOKINETICS, METABOLISM AND DISTRIBUTION:

Skin absorption: Not available

Basic toxic kinetics: Not available

ADDITIONAL INFORMATION: Not available

11.2 INFORMATION REGARDING OTHER HAZARDS

Endocrine disrupting properties:

This product does not contain substances with endocrine disrupting properties identified or under evaluation.

Other data:

No additional information available

12.- ECOLOGICAL INFORMATION

It is not experimental ecotoxicological data on the preparation as such. The toxicological classification for this preparation has been done by the conventional calculation method of the Directive (EU) number 1272/2008 – 2021/849 (CLP)

12.1. TOXICITY

Acute toxicity in aquatic environment for individual ingredients:

Ether glycol

LC50: 1300 mg / l. (96h, fish) (OECD203)

EC50: 100 mg / l (48 hours Daphnia) (OECD202)

EC50: 100 mg / l (72 hours, algae) (OECD201)

NOEC: Not available

With minimal effect concentration observed: Not available

ASSESSMENT OF AQUATIC TOXICITY:

Aquatic toxicity	Cat.	Main effects, acute and/or delayed	Criteria
Acute aquatic toxicity: Not classified	-	Not classified as a hazardous product with acute toxicity to aquatic life (based on available data, the classification criteria are not met).	GHS/CLP 4.1.3.5.5.3.
Chronic aquatic toxicity: Not classified	-	Not classified as a hazardous product with chronic toxicity to aquatic life (based on available data, the classification criteria are not met).	GHS/CLP 4.1.3.5.5.4.

CLP 4.1.3.5.5.3: Classification of a mixture for acute hazards, based on summation of classified components.

CLP 4.1.3.5.5.4: Classification of a mixture for chronic (long term) hazards, based on summation of classified components.

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

12.2. Persistence and degradability: Not available

Aerobic biodegradability of individual components:

Ether glycol

COD: 2080 mg O₂ / g

%DBO/DQO: 5 (5 days), 54 (14 days), 85 (28 days)

Biodegradability: Easy

Note: biodegradability data correspond to an average of bibliographic data

Hydrolysis: not available

Photodegradability: not available

12.3. Bioaccumulative potential: Not available

Bioaccumulation of individual components:

Ether glycol

logPow: 0.910

BCF: 3.2 L / kg (calculated)

Potential: Not bioaccumulative

12.4. MOBILITY IN SOIL: Not available

Mobility of individual ingredients:

Ether glycol

logKoc: 0.640

Potential: Not bioaccumulative

12.5. RESULTS OF PBT AND vPvB (Annex XIII of Regulation (EC) No 1907/2006: Contains no substances meeting the criteria PBT / vPvB

12.6 ENDOCRINE DISRUPTING PROPERTIES

This product does not contain substances with endocrine disrupting properties identified or under evaluation

12.7. OTHER ADVERSE EFFECTS:

Potential decrease in the ozone layer: Not available

Potential photochemical ozone creation potential: Not available

Potential global warming: Not available

13.- DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods: Directive 2008/98 /CE-Regulation(EU) n° 1357/2014 (Law 22/2011)

Take all necessary measures in order to minimize waste production. Analyse possible methods for revaluation or recycling. Dispose of this material and its container collection point for hazardous or special waste. Do not discharge into drains or the environment. Dispose to an authorized waste

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

collection point. Waste should be handled and disposed of in accordance with local and national regulations. For exposure controls and personal protection measures, see section 8.

Soiled packaging: Directive 94/62/CE - 2015/720/UE / EC, Decision 2000/532/CE -2014/955/EU (Law 11/1997, as amended by RD.782 /1998 RD.252/2006, RD.293/2018 and Law 22/2011, Order MAM /304/2002) Decision 2014/955/EU

Empty containers and packaging should be disposed of in accordance with local and national regulations.

Classification as hazardous waste containers will depend on the degree of emptying them, being the holder of the residue responsible for their classification, according to Chapter 15 01 MAM / 304/2002 Order, and their channeling to correct final destination. With containers and contaminated packaging can be taken the same measures as for the product.

Procedures for neutralizing or destroying the product:

Authorized landfill in accordance with local regulations.

14.- TRANSPORT INFORMATION

14.1 UN number: Not applicable

14.2. Shipping name UN: Not applicable

14.3. Hazard class for transport:

Road transport (ADR 2021) and rail transport (RID 2021): Not regulated

Transport by sea (IMDG 39-18): Not regulated

Transport by air (ICAO / IATA 2021): Not regulated

Inland waterway transport (ADN): Not regulated

14.4. Packing group: Not regulated

14.5. Environmental hazards: Not applicable (not classified as dangerous for the environment)

14.6. Special precautions for users:

Ensure that persons transporting the product know what to do in case of an accident or spill. Always transport in closed containers that are upright and secure position. Ensure adequate ventilation.

14.7. Bulk Marine transport accordance with IMO instruments: Not applicable.

15.- REGULATORY INFORMATION

15.1. Regulations and EU legislation Safety, Health and the Environment specific:

The regulations applicable to this product usually mentioned throughout this Safety Data Sheet.

Restrictions on the manufacture, marketing and use: See section 1.2

Tactile warning of danger: Not applicable (the classification criteria are not met)

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

Child Safety Protection: Not applicable (the classification criteria are not met)

OTHER LEGISLATIONS:

Control of the risks inherent in major accidents (Seveso III): See section 7.2.

Other local legislations:

The recipient should verify the possible existence of local regulations applicable to the chemical.

15.2. CHEMICAL SAFETY ASSESSMENT:

For this mixture a chemical safety assessment has not been carried out

16.- OTHER INFORMATION

16.1. Text of phrases and notes for substances referenced in Section 2 and / or 3:

Hazard under Regulation (EU) No. 1272 / 2008-2021/849 (CLP), Annex III:

H319: Can cause serious eye injuries.

Evaluation of information on the hazard of mixtures:

See sections 9.1, 11.1 and 12.1

Advice concerning training:

It is recommended that personnel handling this product will make a basic training on prevention of occupational risks, in order to facilitate the understanding and interpretation of safety data sheets and product labeling.

Key literature references and sources of data:

European Chemical Agency ECHA. <http://echa.europa.eu/>
Access to European Union law, <http://eur-lex.europa.eu/>
Industrial Solvents Handbook, Ibert Mellan (Noyes Data Co., 1970)
Professional exposure limits for Chemical Agents in Spain, (INSHT,2021)
European Agreement on the International Carriage of Dangerous Goods by Road (ADR 2021).
International maritime code for dangerous goods IMDG including amendment 39-18 (IMO, 2018).

ABBREVIATIONS AND ACRONYMS:

List of abbreviations and acronyms that could be used (although not necessarily used) in this safety data sheet:

- REACH: Regulation on the registration, evaluation, authorization and restriction of chemical substances.
- GHS: United Nations Globally Harmonized System of Classification and Labeling of chemicals.
- CLP: European Regulation on Classification, Packaging and Labeling of Chemical Substances and Mixtures.
- EINECS: European catalog of commercialized chemical substances.
- ELINCS: European List of Notified Chemical Substances.
- CAS: Chemical Abstracts Service (Division of the American Chemical Society).
- UVCB: Substances of variable or unknown composition, complex reaction products or biological materials.
- SVHC: Substances of very high concern.
- PBT: Persistent, bioaccumulative and toxic substances.
- VPvB: Very persistent and very bioaccumulative substances.
- VOC: Volatile Organic Compounds.
- DNEL: Derived No Effect Level (REACH).
- PNEC: Predicted No Effect Concentration (REACH).
- LD50: Lethal dose, 50 percent.
- LC50: Lethal concentration, 50 percent.
- UN: United Nations Organization.
- ADR: European Agreement on the International Transport of Dangerous Goods by Road.
- RID: Regulations concerning the international transport of dangerous goods by rail.
- IMDG: International Maritime Dangerous Goods Code.

CASOLV 10

COATING ADDITIVE SPECIALTIES, S. L
SAFETY DATA SHEET

Revision: 13
Approved by the Quality Manager
January 2023

According to (CE) n° 1907/2006 and (CE) n° 2020/878

- IATA: International Air Transport Association.
- ICAO: International Civil Aviation Organization.

Legislation on Safety Data Sheets:

Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex to Regulation (EU) No 2020/878

Revision 01: 05/09/2011
Revision 02: 30/04/2015
Revision 03: 28/05/2015
Revision 04: 24/07/2015
Revision 05: 15/11/2018
Revision 06: 18/07/2019
Revision 07: 24/11/2020
Revision 08: 26/01/2021
Revision 09: 02/08/2021
Revision 10: 02/09/2021
Revision 11: 02/06/2022
Revision 12: 10/01/2023
Revision 13: 13/01/2023

The information contained herein is based on the current state of our knowledge and it is aimed at describing our products from the point of view of safety requirements.