

Resource Description Framework (RDF)

by Lennard Feuerbach

on the 29th of October, 2024

Table of Contents

1. Introduction
2. History
3. RDF Basics
4. RDF Syntaxes
5. RDF in Practice
6. Related topics
7. Conclusion
8. References

1. Introduction

- **RDF** means Resource Description Framework
- Markup language to describe internet resources
- Creates logical statements about objects (resources/literals)
- Fundamental core technology of the **semantic web**
- Structures metadata for machine-readable interactions

2. History

- Predecessor was Meta Content Framework (MCF) in XML developed in 1995
- RDF developed by W3C to structure web metadata, during the browser wars
- First RDF draft in August 1997 with an official release in 1999
- Two major updates throughout the years, most recent update in 2014

3. RDF Basics

3.1 Triple Structure

- RDF data uses **triples**: subject, predicate and object
- Totality of triples forms a graph, called **RDF model**
- Subject and predicate are resources; Object can be resource or literal



Figure 1: Visual representation of a triples

3. RDF Basics

3.2 Ressources and Literals

- **Resources:** Identified by URIs; represent entities like people or relationships
- **Literals:** Specific values (e.g., strings, numbers) providing data, no references

Subject:	Lennard		Subject:	Lennard
Predicate:	hasFriend		Predicate:	hasAge
Object:	Niclas (Resource)		Object:	22 (Literal)

3. RDF Basics

3.3 URIs

- RDF resources must have a URI, a unique character string identifier
- URIs resemble URLs; URLs are specific URIs for web pages
- IRIs: Newer, broader URIs supporting more Unicode characters

URI for a person resource, such as Lennard

`http://example.com/people/lennard`

URI for a book resource

`http://example.com/books/978-3-16-148410-0`

3. RDF Basics

3.4 Example




Figure 2: RDF-Model of the book "Die Verwandlung"

4. RDF Syntaxes

4.1 RDF/XML

- First W3C standard RDF format; less common due to complex syntax

```
<?xml version="1.0"?>
<rdf:RDF xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns:dc="http://purl.org/dc/elements/1.1/">
  <rdf:Description rdf:about="http://ex.org/Die_Verwandlung">
    <dc:title>Die Verwandlung</dc:title>
    <dc:creator>Franz Kafka</dc:creator>
    <dc:date>1915</dc:date>
  </rdf:Description>
</rdf:RDF>
```

Figure 3: Example of RDF/XML

4. RDF Syntaxes

4.2 Turtle

- User-friendly, readable format; uses prefixes for URLs and allows comments
- Ideal to use for hand-editing RDF due to its high human-readability

```
@prefix dc: <http://purl.org/dc/elements/1.1/> .  
<http://example.org/books/Die_Verwandlung>  
  dc:title "Die Verwandlung" ;  
  dc:creator "Franz Kafka" ;  
  dc:date "1915" .
```

Figure 4: Example of Turtle

4. RDF Syntaxes

4.3 Other Formats

- **JSON-LD:** JSON format for linked data, easy integration with web apps
- **N-Triples:** Line-based text format for representing RDF triples
- **RDFa:** Embeds RDF in HTML/XML for enriched semantic content

5. RDF in Practice

Linked Open Data (LOD)

- LOD is openly available data on the web, identified and linked by URIs
- It utilizes RDF to create semantic connections between data points

DBpedia

- Transforms Wikipedia articles for the semantic web
- Data follows the RDF standard for structured information

Wikidata

- Free knowledge base for structured data in RDF format
- Supports data linking and integration with other LOD sources

6. Related topics

RDF Schema (RDFS)

- Extends RDF with classes and properties to structure data
- Defines classes (`rdfs:Class`) and hierarchies (`rdfs:subClassOf`)

SPARQL

- Query language for retrieving/manipulating RDF data
- Enables pattern-based data access across diverse sources

```
SELECT ?email WHERE {  
  <http://ex.org/LennardFe> <http://ex.org/hasEmail> ?email.  
}
```

7. Conclusion

- **Foundational Framework:** Essential for linking data on the web
- **Synergism:** Enables seamless data exchange across systems
- **Machine-Readable:** Standardizes data semantics for machines
- **Rich Ecosystem:** Supports various applications in data management

8. References

- W3C, “RDF 1.1 Concepts and Abstract Syntax”. Zugriff am 25.10.2024 [Online]. Link: <https://www.w3.org/TR/rdf11-concepts/>
- W3C, “Resource Description Framework (RDF) Model and Syntax Specification”. Zugriff am 25.10.2024 [Online]. Link: <https://www.w3.org/TR/PR-rdf-syntax/>
- Krichel, Thomas. “The Semantic web and an introduction to RDF.” (2002).
- Beckett, Dave, and Brian McBride. “RDF/XML syntax specification (revised).” W3C recommendation 10.2.3 (2004).
- Beckett, David, et al. “RDF 1.1 Turtle.” World Wide Web Cons. (2014): S. 18-31.
- W3C, “RDF Schema 1.1”. Zugriff am 27.10.2024 [Online]. Link: <https://www.w3.org/TR/rdf-schema/>