

21-Oct-2024

Internship Day - 64 Report:

Changes in Vagrant File:

1. First, edit Vagrantfile, open on wordpad or notepad
2. To assign public ip to the virtual m/c:

Remove #(hash) from these lines:-

- `config.vm.network "private_network", ip: "192.168.33.10"`
- `config.vm.network "public_network"`

Change the Memory or RAM Size in our m/c

we also increase or decrease the size of the memory and ram by removing #(hash) from lines given below:

By shell scripting we update and install nginx server and start their services:

PROVISIONING SHELL SCRIPTING

It show us updates and changes we done in the vagrantfile.

Vagrant reload --provision

22-Oct-2024

Internship Day - 65 Report:

Static websites setup using vagrant

1. Create the project directory

- mkdir vagrant-website
- cd vagrant-website
- mkdir site

```
mkdir vagrant-static-website
cd vagrant-static-website
mkdir site
```

2. Create the Vagrantfile

- vagrant init ubuntu/jammy64 --box-version 20241002.0.0

```
vagrant init ubuntu/jammy64 --box-version 20241002.0.0
```

3. Open the Vagrantfile and replace the contents with the following

```
# -*- mode: ruby -*-
# vi: set ft=ruby :

Vagrant.configure("2") do |config|

  # Use Ubuntu 20.04 LTS as the base box
  config.vm.box = "ubuntu/focal64"

  # Define a VM name
  config.vm.hostname = "static-site"

  # Configure the network. We use port forwarding so the website is accessible via
  localhost.

  config.vm.network "forwarded_port", guest: 80, host: 8080

  # Provision the virtual machine
```

```

config.vm.provision "shell", inline: <<-SHELL
# Update package lists
sudo apt-get update
# Install Nginx
sudo apt-get install -y nginx
# Remove the default Nginx configuration file
sudo rm /etc/nginx/sites-enabled/default
# Create a new Nginx configuration file for the static site
sudo tee /etc/nginx/sites-available/static-site <<EOL
server {
    listen 80;
    server_name localhost;
    root /vagrant/site;
    index index.html;
}
EOL
# Enable the configuration by linking it
sudo ln -s /etc/nginx/sites-available/static-site /etc/nginx/sites-enabled/static-site
# Restart Nginx to apply the new configuration
sudo systemctl restart nginx
SHELL
# Sync the 'site' directory to /vagrant/site in the VM
config.vm.synced_folder "./site", "/vagrant/site"
end

```

4. Create the static website

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Welcome to My Static Website</title>
</head>
<body>
  <h1>Hello, World! This is my static website running on Nginx.</h1>
</body>
</html>
```

5. Start the Vagrant environment

COMMAND-: vagrant up

6. Access the website

Once the setup is complete, you can access your website by navigating to <http://localhost:8080> in your browser.

7. Managing the virtual machine

- To stop the VM, run `vagrant halt`.
- To destroy the VM, run `vagrant destroy`.
- To SSH into the VM, run `vagrant ssh`.

23-Oct-2024


Internship Day - 66 Report:

Website online through Shell Scripting In vagrant File

1. Create the project directory

- mkdir vagrant-shell-scripted-website
- cd vagrant-shell-scripted-website
- mkdir site

2. Create a basic HTML file



```
echo "<html><body><h1>Website served using Shell Scripting and Vagrant</h1></body></html>"
```

3. Create the Vagrantfile

COMMAND-: vagrant init ubuntu/focal64 --box-version 20240821.0.1

Open the Vagrantfile and add the following content:

```
# -*- mode: ruby -*-
```

```
# vi: set ft=ruby :
```

```
Vagrant.configure("2") do |config|
```

```
# Use Ubuntu 20.04 as the base box
```

```
config.vm.box = "ubuntu/focal64"
```

```
# Name the virtual machine
```

```
config.vm.hostname = "shell-scripted-site"
```

```
# Forward port 80 on the guest machine to port 8080 on the host machine
```

```
config.vm.network "forwarded_port", guest: 80, host: 8080
```

```
# Sync the 'site' folder to the '/vagrant/site' directory in the VM
```

```
config.vm.synced_folder "./site", "/vagrant/site"
```

```
# Provision the VM with a shell script
```

```

config.vm.provision "shell", inline: <<-SHELL
# Update the package list
sudo apt-get update
# Install Nginx
sudo apt-get install -y nginx
# Remove the default Nginx config file if it exists
sudo rm -f /etc/nginx/sites-enabled/default
# Create a new Nginx configuration to serve the static site
sudo bash -c 'cat <<EOF > /etc/nginx/sites-available/static-site
server {
    listen 80;
    server_name localhost;
    root /vagrant/site;
    index index.html;
    location / {
        try_files $uri $uri/ =404;
    }
}
EOF'
# Enable the new site configuration
sudo ln -s /etc/nginx/sites-available/static-site /etc/nginx/sites-enabled/static-site
# Restart Nginx to apply changes
sudo systemctl restart nginx
# Ensure Nginx starts on boot
sudo systemctl enable nginx
SHELL
End

```

4. Start the Vagrant environment

COMMAND-: vagrant up

5. Access your website

Search on browser-: <http://localhost:8080>

6. Managing the virtual machine

- To stop the VM, run vagrant halt.
- To destroy the VM, run vagrant destroy.
- To SSH into the VM, run vagrant ssh.

24-Oct-2024

Internship Day - 67 Report:

Wordpress setup using vagrant:

- 1) mkdir vagrant-wordpress
- 2) cd vagrant-wordpress
- 3) vagrant init ubuntu/jammy64
- 4) vagrant up
- 5) vagrant ssh
- 6) In Google Search, Install and configure wordpress in Ubuntu
- 7) Link-: <https://ubuntu.com/server/docs/how-to-install-and-configure-wordpress>
- 8) Follow all the steps of given above link and copy all the steps on virtual machine which we are using.
- 9) After the completion of these all steps
- 10) Type ip addr show command in your linux
- 11) And copy the local machine ip and paste in your browser
- 12) wordpress is live

25-Oct-2024

Internship Day- 68 Report:

Automate Deploy Wordpress using Vagrantfile

1. Create the project directory

- mkdir vagrant-wordpress-automation
- cd vagrant-wordpress-automation

2. Initialize Vagrant with the Ubuntu 22.04 (Jammy Jellyfish) box

- vagrant init ubuntu/jammy64

3. Edit the Vagrantfile

- Edit Vagrantfile and adding a new shell script for Install and configure wordpress in Ubuntu

config.vm.provision "shell", inline: <<-SHELL

apt-get update

#install apache2

apt-get install -y apache2

#install wget and tr utilities

sudo apt-get install -y wget coreutils

#install MySQL

sudo apt-get install -y mysql-server

sudo mysql -e "CREATE DATABASE chd;"

sudo mysql -e "CREATE USER 'pankaj'@'localhost' IDENTIFIED BY '123';"

sudo mysql -e "GRANT ALL PRIVILEGES ON chd.* TO 'pankaj'@'localhost';"

sudo mysql -e "FLUSH PRIVILEGES;"

#Install PHP and required extension

```

sudo apt-get install -y php libapache2-mod-php php-mysql
#Download Wordpress and Setup it
cd /var/www/html
sudo rm -rf wordpress
sudo wget https://wordpress.org/latest.tar.gz
sudo tar -xzf latest.tar.gz
sudo mv wordpress/* .
sudo rm -rf wordpress latest.tar.gz
sudo chown -R www-data:www-data /var/www/html
sudo chmod -R 755 /var/www/html
#remove Default Apache Page if it exists
sudo rm -f /var/www/html/index.html
#create wp-config using sample config File
sudo cp /var/www/html/wp-config-sample.php /var/www/html/wp-config.php
sudo sed -i "s/database_name_here/chd/" /var/www/html/wp-config.php
sudo sed -i "s/username_here/pankaj/" /var/www/html/wp-config.php
sudo sed -i "s/password_here/123/" /var/www/html/wp-config.php
#configure Apache for Wordpress
sudo a2enmod rewrite
sudo systemctl restart apache2

```

4. Provision the Vagrant environment

- vagrant up --provision
- vagrant ssh

5. Access WordPress

- Now, Copy the local m/c ip and paste in your browser
- Wordpress is live through Automation