

22072045 AlishBan (1)

 Islington College,Nepal

Document Details

Submission ID

trn:oid:::3618:86120832

Submission Date

Mar 16, 2025, 3:58 AM GMT+5:45

Download Date

Mar 16, 2025, 4:03 AM GMT+5:45

File Name

22072045 AlishBan (1)

File Size

28.2 KB

52 Pages

4,354 Words

23,871 Characters

50% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Match Groups

-  **57 Not Cited or Quoted 50%**
Matches with neither in-text citation nor quotation marks
-  **0 Missing Quotations 0%**
Matches that are still very similar to source material
-  **1 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 3%  Internet sources
- 1%  Publications
- 50%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

- 57 Not Cited or Quoted 50%**
Matches with neither in-text citation nor quotation marks
- 0 Missing Quotations 0%**
Matches that are still very similar to source material
- 1 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 3% Internet sources
- 1% Publications
- 50% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Submitted works	islingtoncollege on 2024-12-30	40%
2	Submitted works	islingtoncollege on 2024-12-30	2%
3	Submitted works	islingtoncollege on 2024-12-30	<1%
4	Submitted works	Asia Pacific University College of Technology and Innovation (UCTI) on 2022-09-02	<1%
5	Submitted works	islingtoncollege on 2024-12-30	<1%
6	Submitted works	Rivier University on 2024-04-11	<1%
7	Submitted works	Coventry University on 2019-10-22	<1%
8	Submitted works	islingtoncollege on 2024-12-30	<1%
9	Submitted works	islingtoncollege on 2024-12-30	<1%
10	Submitted works	Toronto Business College on 2023-09-02	<1%

11	Submitted works	University of Greenwich on 2024-09-06	<1%
12	Submitted works	Wilmington University on 2023-10-30	<1%
13	Submitted works	islingtoncollege on 2024-12-30	<1%
14	Submitted works	islingtoncollege on 2024-12-30	<1%
15	Submitted works	University of East London on 2023-05-10	<1%
16	Submitted works	islingtoncollege on 2024-12-30	<1%
17	Submitted works	RDI Distance Learning on 2019-07-17	<1%
18	Submitted works	islingtoncollege on 2024-12-30	<1%
19	Submitted works	islingtoncollege on 2025-01-07	<1%
20	Submitted works	Bournemouth University on 2024-01-19	<1%
21	Submitted works	Coventry University on 2009-03-19	<1%
22	Submitted works	Higher Education Commission Pakistan on 2018-12-11	<1%
23	Submitted works	University of East London on 2016-04-27	<1%
24	Submitted works	islingtoncollege on 2024-12-30	<1%

25	Submitted works	
University of Wales Institute, Cardiff on 2024-08-24		<1%
26	Submitted works	
islingtoncollege on 2024-12-30		<1%
27	Submitted works	
islingtoncollege on 2024-12-30		<1%
28	Submitted works	
Kensington College of Business on 2017-06-08		<1%

Module Code & Module Title

CU6051NT - Artificial Intelligence

Assessment Weightage & Type

Individual Coursework (25%)

Year and Semester

2024-25 Autumn

Student Name: Alish Ban

London Met ID: 22072045

College ID: NP05CP4A220011

Assignment Submission Date: 03/06/2025

Submitted To: Mr. Sagar Basnet

I confirm that I understand my coursework needs to be submitted online via Google

Classroom under the relevant module page before the deadline for my assignment to

be accepted and marked. I am fully aware that late submissions will be treated as

non-submission and a mark of zero will be awarded

Table of Contents

1 Introduction 1

2 Initial Entities and Entity Relationship Diagram (ERD) 3

2.1 Identification of entities 3

2.1.1 Users 3

2.1.2 User Project 3

2.1.3 Task 4

2.1.4 Subtask 4

2.1.5 Milestone 5

2.2 Identification and Representation of Primary Keys and Foreign Keys. 6

2.3 Initial ERD 7

2.4 Assumptions 8

3 Normalization. 9

3.1 Normalization A 9

3.1.1 Un-Normalized Form (UNF). 9

3.1.2 First Normal Form (1NF). 10

3.1.3 Second Normal Form (2NF). 11

3.1.4 Third Normal Form (3NF) 12

3.2 Final ER Diagram 17

3.3 Assumptions 18

4 Data Dictionary 19

4.1 User. 19

4.2 Task. 19

4.3 Task Assignment. 19

4.4 User Project. 20

4.5 Sub Task. 20

4.6 Project. 20

4.7 Milestone. 20

5	DDL Preview	21
6	Creating Tables.	22
6.1	User	22
6.2	User Project	23
6.3	Task Assignment	23
6.4	Milestone	24
6.5	Task	25
6.6	SubTask	26
6.7	Project	27
7	Populating the database tables.	28
7.1	User	28
7.2	Task.	28
7.3	Project.	29
7.4	User Project.	29
7.5	Task Assignment	30
7.6	Subtask	30
7.7	Milestone.	31
8	Selection Statements	32
8.1	Users	32
8.2	Task Assignment	32
8.3	Task	33
8.4	Subtask	33
8.5	Project	34

8.6	User Project.	35
8.7	Milestone	35
9	Web froms	36
9.1	Basic Web forms	36
9.1.1	Users Web forms (CRUD)	36
9.1.2	Project Web forms (CRUD)	44
9.1.3	Milestone Web forms (CRUD).	49
9.1.4	Sub-Task Web forms (CRUD).	53
9.1.5	Task Web forms (CRUD).	57
9.2	Complex Web forms.	63
10	Appendix	65

Table of Figure

Figure 1 initial Entity Relationship Diagram (ERD). 7

Figure 2 Entity User 13

Figure 3 Entity TaskAssignment 13

Figure 4 Entity Task 14

Figure 5 Entity SubTask 14

Figure 6 Entity Project 15

Figure 7 Entity MileStone 15

Figure 8 Entity UserProject16

Figure 9 Final ERD 17

Figure 10 DDL Preview 21

Figure 11 User Details 36

Figure 12 User Details Before Updating. 37

Figure 13 Changing the Username 38

Figure 14 User Details after the Username Update. 38

Figure 15 Before Adding the User data. 39

Figure 16 Adding the User Data 40

Figure 17 After adding the user data. 41

Figure 18 Before deleting the data. 42

Figure 19 After deleting the data. 43

Figure 20 before adding the Project data. 44

Figure 21 Inserting the data in the project table. 45

Figure 22 After adding the new project data. 45

Figure 23 Project Data Displaying 46

Figure 24 Before Editing the Project Data 47

Figure 25 Editing the data 47

Figure 26 Project details after clicking the Update button. 48

Figure 27 Before Adding the data in the Milestone table. 49

Figure 28 Inserting the data of milestone table. 49

Figure 29 after adding the data in the milestone table. 50

Figure 30 Before editing the table. 50

Figure 31	Editing the Milestone Data	51
Figure 32	After Clicking the Update button.	51
Figure 33	Before deleting the Milestone data.	52
Figure 34	After Deleting the data.	52
Figure 35	Before adding the Subtask details.	53
Figure 36	Adding the Subtask data's.	53
Figure 37	After adding the subtask data's	54
Figure 38	Displaying the Subtask's data.	54
Figure 39	Before Editing the Subtask data's.	55
Figure 40	Editing the Subtask data's	55
Figure 41	After clicking the Subtask data's.	55
Figure 42	Before deleting the subtask's data.	56
Figure 43	After deleting the subtask's data.	56
Figure 44	Before adding the Task Details.	57
Figure 45	Adding the Task data's	58
Figure 46	After adding the task's data	59
Figure 47	Displaying the Task data's	59
Figure 48	Before editing Task data's.	60
Figure 49	Editing the Task data's	60
Figure 50	After Clicking the update button	61
Figure 51	After deleting the Task data's	62
Figure 52	The details of the User and Project of the specific user before changing the user (i).	63



Figure 53 Figure 52 The details of the User and Project of the specific user before changing the user (ii). 63



Figure 54 The details of the User and Project of the specific user after changing the user (i). 63



Figure 55 The details of the User and Project of the specific user after changing the user (ii). 63

Figure 56 The details of the Milestone and Project of the specific project before changing the project name (i). 64

Figure 57 Figure 56 The details of the Milestone and Project of the specific project before changing the project name (ii). 64

Figure 58 The details of the Milestone and Project of the specific project after changing the project name (ii). 64

Figure 59 The details of the Milestone and Project of the specific project after changing the project name (ii). 64



Table of Tables

Table 1 Entity 'Users'. 3

Table 2 Entity 'Project'. 4

Table 3 Entity 'Task'. 4

Table 4 Entity Subtask. 5

Table 5 Entity 'Milestone'. 5

Table 8 Identification of the primary keys and foreign keys 6

Introduction

LS Corporation is a thriving mid-sized technology company known for its innovative solutions and exceptional services in the tech industry. Over the years, the company has built a solid reputation for excellence, and its operations continue to expand rapidly in a highly competitive market. With a growing client base and increasing demand, LS

Corporation remains committed to delivering top-notch project execution and embracing modern practices to stay ahead.

Despite its success, the lack of a centralized project management system has become a significant hurdle. Without an integrated platform, the company struggles with inefficiencies in task assignments, data redundancy, and difficulties in tracking project progress. These challenges have not only slowed down workflows but have also caused communication gaps between team members, leading to delays and errors.

To address these issues, this project aims to develop a comprehensive project management system tailored to LS Corporation's needs. The new system will provide a centralized platform to manage projects, tasks, and milestones, while also streamlining team collaboration and enhancing productivity. The first step in this process is identifying the core components of the system, such as the key entities and their attributes. By following a structured normalization process, the database design will eliminate redundancies and improve data integrity.

The database structure will then be brought to life using Oracle SQL Developer Data Modeller, which will generate the Entity-Relationship Diagram (ERD) and the DDL scripts needed to create the system's tables. Building on this foundation, a user-friendly web application will be developed using ASP.NET and C#, enabling team members to perform tasks like updating project details, managing milestones, and tracking progress through intuitive interfaces.

By implementing this project management system, LS Corporation will be better equipped to handle its growing operations, improve efficiency, and maintain its reputation as a leader in the technology sector. The following sections of this report will detail the design, development, and implementation of this transformative solution.

Initial Entities and Entity Relationship Diagram (ERD)

Entities are the real-world objects that have their own unique sets of attributes and relationships. These entities should be clearly distinguishable from one another. To represent the characteristics of an entity, attributes are used to hold relevant values that describe its properties. For example, a bike can be considered an entity, with attributes like tires, brakes, and the engine that define its specific features.

Through careful analysis of the case studies and by creating a normalization table, the key entities for the database schema were identified. These entities, which form the foundation of the system, are briefly described below.

Identification of entities

Users

The 'Users' entity stores the Users's information, including ID, name, email, contact.

Users

userId

userName

userEmail

userContact

userRole

Table 1 Entity 'Users'.

User Project

The 'Project' entity stores the project's information, including ID, name, startDate, dueDate, status.

UserProject

projectId

projectName

projectStartDate

projectDueDate

projectStatus

userId*

Table 2 Entity 'Project'.

Task

The 'Task' entity stores the Task's information, including ID, name, startDate, dueDate, status, user and project information.

TaskAssignment

taskId

taskName

taskStartDate

taskDueDate

taskStatus

userId*

projectId*

Table 3 Entity 'Task'.

Subtask

The 'Subtask' entity stores the Subtask's information, including ID, name and task details.

Subtask

subtaskId

subtaskName

subtaskStartDate

subtaskDueDate

subtaskStatus

userId*

projectId*

taskId*

Table 4 Entity Subtask.

Milestone

The 'Milestone' entity stores the milestone's information, including ID, name, dueDate and project details.

Milestone

milestoneId

milestoneTitle

milestoneDescription

milestoneStartDate

milestoneEndDate

userId

projectId

Table 5 Entity 'Milestone'.

Identification and Representation of Primary Keys and Foreign Keys.

A primary key is a unique identifier for a table column. The values in the primary key column are not allowed to repeat and cannot be null. By default, primary keys are in a clustered index sequence. On the other hand, foreign keys are columns in another table that include values from the primary key. They have not been generated automatically and may appear many times in the same column or include invalid data.

A table's queue for indicating foreign keys can be several.

Primary and foreign keys are now intelligently chosen for building relationships between all adopted entities. The table below displays the primary key for each entity and a foreign key if there is a relationship between two entities.

Entity Name

Primary Key

Foreign Key (if any)

Reference Table (if any)

Users

User_id

-

-

UserProject

projectId

User_id

Users

TaskAssignment

Task_id

Project_id, User_id

UserProjects, Users

Subtask

Subtask_id

Task_id, Project_id, User_id

Tasks, UserProjects, Users

Milestone

Milestone_id

Project_id, User_id

UserProjects, Users

Table 6 Identification of the primary keys and foreign keys

The table above depicts the name of overall entities, including each entity's primary key and possible foreign key in any of the relevant tables.

Initial ERD

An Entity Relationship Diagram (ERD) should be used to model data (ERD). ERD depicts entity types and their relationships diagrammatically, employing a variety of drawing standards to reflect the relationships. Crow's foot notation, among other drawing standards, was used for the project's schema. The entity's name will be displayed at the top of the table, followed by qualities that develop the reader's idea of precision.

The ER model for the developed schema is portrayed below:

1 Figure 1 initial Entity Relationship Diagram (ERD).

Assumptions

The following points briefly describe the assumptions for implementing the initial ERD by considering the provided tables and case studies.

14 For the 'User' entity, one user can have multiple subtasks assigned, while each subtask is assigned to only one user. This creates a one-to-many relationship between the 'User' and 'SubTask' entities.

8 One user can be involved in multiple projects, and one project can involve multiple users. This implies a many-to-many relationship. However, the diagram does not show an associative entity directly linking users to projects, suggesting perhaps an indirect relationship through tasks or milestones.

1 One user can have multiple milestones, while each milestone is linked to only one user. This sets up a one-to-many relationship between the 'User' and 'Milestone' entities.

One project can have multiple milestones, whereas each milestone belongs to a specific project. Hence, a one-to-many relationship exists between the 'UserProject' and 'Milestone' entities.

10 One project can have many tasks assigned to it, and each task assignment is specific to one project. This suggests a one-to-many relationship between the 'UserProject' and

'TaskAssignment' entities, although the direct link is not shown in the diagram and would typically require an associative entity or further clarification.

Each task can have multiple subtasks, and each subtask belongs to a specific task. This denotes a one-to-many relationship between the 'TaskAssignment' and 'SubTask' entities.

Normalization.

The primary goal of a relational database is to store data for a specific item just once in the whole database. The database's space will eventually be reduced, removing the data's redundancy. If such a technique is implemented in the database, it will make data maintenance easier while maintaining data integrity. As a result, there will be no update, insertion, or deletion anomalies in the database.

The formal approach to organizing data into a standard format that removes the data's processing challenges is normalization. UNF, 1NF, 2NF, 3NF, BCNF, 4NF, and 5NF are some of the processes involved in normalization. Several approaches are used in each phase to check functional connections between the attributes. And eventually, the database will be finalized that holds atomic data in tables.

The normalization has been carried up to the 3rd standard form for this project:

Normalization A

Un-Normalized Form (UNF).

1 The data in the UNF consists of repeating groups and suffers multiple anomalies. All the relatable tables are defined under the entity Project in this stage. The repeating groups are presented by enclosing inside the curly braces.

3 User (userId, userName, userEmail, userContact, userRole, {projectId, projectName, projectStartDate, projectDueDate, projectStatus, {milestoneId, milestoneTitle, milestoneDescription, milestoneStartDate, milestoneEndDate}}, {taskId, taskName, taskStartDate, taskDueDate, taskStatus, {subtaskId, subtaskName, subtaskStartDate, subtaskDueDate, subtaskStatus}}))

1 The User's entity has been highlighted as the primary entity representing overall entities in the un-normalized form. The project table is the repeating group for the User. Further, the Task details are repeating groups for the User's entity. The overall attributes of the repeating groups are enclosed inside the curly braces. Initially, userId has been considered as the primary key for whole tables. Now proceeding further towards 1NF, the primary key for each of the repeating groups should be assigned from the counter entities. Finally, the foreign key for each of the entities is considered wisely.

First Normal Form (1NF).

All redundant groups will be removed at this point, and each group will have its table.

After the groups have been separated, each should have its primary and foreign keys.

The first standard form simplifies the entities and ensures that all attributes are accessible more straightforwardly.

All repeated groups have been split, and proper names have been assigned to each entity. Primary keys are identified for each separated entity, and foreign keys are provided accordingly. The attributes placed inside curly braces in UNF are transformed into new tables, which are listed below:

User (userId, userName, userEmail, userContact, userRole)

UserProject(projectId, projectName, projectStartDate, projectDueDate, projectStatus, userId*)

TaskAssignments(taskId, taskName, taskStartDate, taskDueDate, taskStatus, projectId*, userId*)

Final First Normal Form (1NF)

User -1 (userId, userName, userEmail, userContact, userRole)

UserProject -1 (projectId, projectName, projectStartDate, projectDueDate, projectStatus, userId*)

TaskAssignments -1 (taskId, taskName, taskStartDate, taskDueDate, taskStatus, projectId*, userId*)

Second Normal Form (2NF).

All the tables presented in the 1NF will be in 2NF if the primary key is independent of the non-key attributes. If any non-key details entirely depend upon the composite primary key, they should be separated to form a different entity. This operation eliminates the possibility of getting redundant rows of data. There will be no partial

functional dependencies if the composite primary key is absent. Hence, there will not be a requirement to form a new bridge entity.

As we study the tables from 1NF, only one is consistent with the composite primary keys, i.e., the 'project' table. Now it is required to check possible partial dependencies in those tables while other tables from 1NF will directly be prompted towards the 2NF.

Identifying partial functional dependencies

From the table 'UserProject':

projectId → projectName, projectStartDate, projectDueDate, projectStatus

userId →

projectId, userId →

From the table 'TaskAssignment':

taskId, projectId, userId →

taskId → taskName, taskStartDate, taskDueDate, taskStatus

projectId →

, userId →

The entities separated from the composite relation are provided with the primary key.

On the other hand, the associative entity will have the foreign key as a primary key from the separated table. Overall tables after checking probable partial dependencies are mentioned below:

User(userId, userName, userEmail, userContact, userRole)

Project(projectId, projectName, projectStartDate, projectDueDate, projectStatus)

UserProject(projectId*, userId*)

Task(taskId, taskName, taskStartDate, taskDueDate, taskStatus)

TaskAssignments(taskId, projectId*, userId*)

Final Second Normal Form (2NF)

User -2 (userId, userName, userEmail, userContact, userRole)

Project -2 (projectId, projectName, projectStartDate, projectDueDate, projectStatus)

UserProject -2 (projectId*, userId*)

Task -2 (taskId, taskName, taskStartDate, taskDueDate, taskStatus)

TaskAssignments -2 (taskId, projectId*, userId*)

Third Normal Form (3NF)

If there are no transitive dependencies in the 2NF relations, all the tables will be directly prompted towards 3NF. If there is more than one non-key attribute, it is required to check the transitive dependencies.

Whenever any alternate provides other attributes independent of that of the primary key, a new entity is required to be formed. In a new entity, alternate key becomes the primary key that provides associate attributes. On the other hand, the alternate key becomes a foreign key in the previous table.

Final Third Normal Form

User -3 (userId, userName, userEmail, userContact, userRole)

Project -3 (projectId, projectName, projectStartDate, projectDueDate, projectStatus)

UserProject -3 (projectId*, userId*)

Task -3 (taskId, taskName, taskStartDate, taskDueDate, taskStatus)

TaskAssignments - 3 (taskId, projectId*, userId*)

Figure 2 Entity User

Figure 3 Entity TaskAssignment

Figure 4 Entity Task

Figure 5 Entity SubTask

Figure 6 Entity Project

Figure 7 Entity MileStone

Figure 8 Entity UserProject

Final ER Diagram

The relation between the entire tables and the appropriate cardinality signs demonstrating how they are related are reflected from the final ERD. The final version of the ERD is portrayed below:

Figure 9 Final ERD

Assumptions

The overall assumptions made for drawing the final ERD is described in the points below:

6 One user can have multiple task assignments, whereas one task assignment is associated with only one user. This results in a one-to-many relationship between the User and TaskAssignment entities.

1 One task can have multiple task assignments, but each task assignment corresponds to only one specific task. Thus, a one-to-many relationship exists between Task and TaskAssignment.

3 One project can include multiple task assignments, while each task assignment is linked to a single project. This sets up a one-to-many relationship between Project and TaskAssignment.

20 One user can be involved in multiple projects, and one project can involve multiple users. An associative entity, UserProject, mediates this many-to-many relationship.

12 One user can be associated with multiple milestones, whereas each milestone is linked to only one user. This denotes a one-to-many relationship from User to MileStone.

1 One project can include multiple milestones, with each milestone specifically tied to one project. This is represented by a one-to-many relationship from Project to MileStone.

9 One task can encompass multiple subtasks, while each subtask is associated with only one parent task. This reflects a one-to-many relationship between Task and SubTask. Each subtask is directly linked to one project and not necessarily through a parent task, denoting a direct one-to-many relationship between Project and SubTask.

16 One user can be responsible for multiple subtasks, each assigned to a specific user, establishing a one-to-many relationship between User and SubTask.

1 One project can involve various tasks, and each task belongs explicitly to one project. This sets up a one-to-many relationship between Project and Task.

Data Dictionary

The data dictionary can be defined as the centralized metadata repository (Bourne, 2014). The data dictionary contains entities' names and attributes (fields) characters in

a database schema. The data type like integer, varchar, bool, etc., and the constraints like primary key, foreign key, not null, for specific columns are also defined in the data dictionary. Further, the reference table and column for attributes must also be demonstrated through the data dictionary. Finally, the description for each field in the tables should also be highlighted.

The data dictionary every prepared relation from the developed schema with their overall properties along with the field data's relevant example are depicted below:

User.

Task.

Task Assignment.

User Project.

Sub Task.

Project.

Milestone.

DDL Preview

After creating the relational model in the SQL Data Modeler by defining appropriate relations, datatypes, and constraints, the DDL (Data Definition Language) for implementing each table in the SQL database was obtained. The screen capture of the generated DDL file for the relational model is depicted below:

Figure 10 DDL Preview

Creating Tables.

Before creating the tables, the new user was created from the SQL command line, and relevant privileges were provided for performing DDL, DML, DCL, and TCL operations. Now, from the DDL script obtained from the SQL Data Modeler, each creation statement was used to make the table from the SQL Developer. The screen dumps of generating the tables inside the previously created user with queries for each table are portrayed below:

User

User Project

Task Assignment

Milestone

Task

SubTask

Project

Populating the database tables.

Finally, after creating the overall tables from the SQL Developer, the same tool will be used to populate the dummy data. The appropriate data structure dummy data were made and inserted inside the tables. The relevant query of insert statement with screen dumps of successful insertion of the values are portrayed in the form of queries and figures for each table mentioned below:

User

Task.

Project.

User Project.

Task Assignment

Subtask

Milestone.

Selection Statements

As of now, the database schema has entirely been created. The evidence of creating and inserting data into the tables is already mentioned in the earlier section. In this section, all the data inserted into the entities are shown by using the 'SELECT' statement in the SQL Developer. The screen dumps of the 'SELECT' statements for each of the implemented tables are highlighted in the section below:

Users

Task Assignment

Task

Subtask

Project

User Project.

Milestone

Web froms

Basic Web forms

Users Web forms (CRUD)

Read Part.

Figure 11 User Details

Update Part.

1st Step:

Figure 12 User Details Before Updating.



2nd Step:

Figure 13 Changing the Username

3rd Step:

Figure 14 User Details after the Username Update.

Create

1st Step:

Figure 15 Before Adding the User data.

2nd Step:

Figure 16 Adding the User Data

3rd Step:

Figure 17 After adding the user data.

Delete of User

1st Step:

Figure 18 Before deleting the data.

2nd Step:

Figure 19 After deleting the data.

Project Web forms (CRUD)

Create Part.

1st Step

Figure 20 before adding the Project data.

2nd Step.

Figure 21 Inserting the data in the project table.

Figure 22 After adding the new project data.

Read Part

Figure 23 Project Data Displaying

Update Part

1st Step:

Figure 24 Before Editing the Project Data

 22 2nd Step:

Figure 25 Editing the data

3rd Step:

Figure 26 Project details after clicking the Update button.

Milestone Web forms (CRUD).

Create Part.

1st Step:

Figure 27 Before Adding the data in the Milestone table.

2nd Step:

Figure 28 Inserting the data of milestone table.

3rd Step:

Figure 29 after adding the data in the milestone table.

Update Part.

1st Step:

Figure 30 Before editing the table.

2nd Step:

Figure 31 Editing the Milestone Data

3rd Step:

Figure 32 After Clicking the Update button.

Delete Part.

1st Step:

Figure 33 Before deleting the Milestone data.

2nd Step:

Figure 34 After Deleting the data.

Sub-Task Web forms (CRUD).

Create Part.

1st Step:

Figure 35 Before adding the Subtask details.

2nd Step:

Figure 36 Adding the Subtask data's.

3rd Step:

Figure 37 After adding the subtask data's

Read Part.

Figure 38 Displaying the Subtask's data.

Update Part.

1st Step:

Figure 39 Before Editing the Subtask data's.

Figure 40 Editing the Subtask data's

Figure 41 After clicking the Subtask data's.

Delete Part.

1st Step:

Figure 42 Before deleting the subtask's data.

Figure 43 After deleting the subtask's data.

Task Web forms (CRUD).

Create Part

1st Step:

Figure 44 Before adding the Task Details.

2nd Step:

Figure 45 Adding the Task data's

3rd Step:

Figure 46 After adding the task's data

Read Part.

Figure 47 Displaying the Task data's

Update Part

1st Step:

Figure 48 Before editing Task data's.

2nd Step:

Figure 49 Editing the Task data's

3rd Step:

Figure 50 After Clicking the update button

Delete Part

1st Step:

2nd Step:

Figure 51 After deleting the Task data's

Complex Web forms.

User Project (for any user, show details of the user and the details of all the projects that he/she has been working or has worked on.)

1st Step:

Figure 52 The details of the User and Project of the specific user before changing the user (i).

Figure 53 Figure 52 The details of the User and Project of the specific user before changing the user (ii).

2nd Step:

Figure 54 The details of the User and Project of the specific user after changing the user (i).



Figure 55 The details of the User and Project of the specific user after changing the user (ii).

Project Milestone (For any Project, show the detail of the project with all the milestone of the project).

1st Step:

Figure 56 The details of the Milestone and Project of the specific project before changing the project name (i).

Figure 57 Figure 56 The details of the Milestone and Project of the specific project before changing the project name (ii).

2nd Step:

Figure 58 The details of the Milestone and Project of the specific project after changing the project name (ii).

Figure 59 The details of the Milestone and Project of the specific project after changing the project name (ii).

Updated the Css of the Basic And the Complex Webform.

Dashboard.aspx

Figure 60 Dashboard of the WebDataProo.

Updated User.aspx.

Figure 61 Listing the Data with the edit and delete functionality.

Figure 62 Adding form of the User

Updated Css of the Projects.

Figure 63 listing the data of the Project with edit and the delete functionalities.

Figure 64 Adding form of the Project

Updated Css of the Task's.

Figure 65 listing the data's of the Task with Edit and the Delete Functionality

Figure 66 Adding form of the Task.

Updated Css of the Milestone.aspx.

Figure 67 listing the data's of the Milestone with Edit and the Delete Functionality.

Figure 68 Adding form of the Milestone.

Updated Css of the SubTask.aspx.

Figure 69 listing the data's of the Subtask with Edit and the Delete Functionality.

Figure 70 Adding form of the Subtask

Updated Css of the Project User Complex From

Figure 71 Updated Css of the Project User Management

Updated Css of the Complex From

Figure 72 Updated css of the Project Milestone Management

Top Performers

Figure 73 Project Top 3 Performers

Appendix