Pretty-print ☑️


```
{
  "id": "HnqGW0eq5asKfZxf",
  "meta": {
    "instanceId": "03907a25f048377a8789a4332f28148522ba31ee907fababf704f1d88130b1b6",
    "templateCredsSetupCompleted": true
  },
  "name": "🔍🛠️Perplexity Researcher to HTML Web Page",
  "tags": [],
  "nodes": [
    {
      "id": "ad5d96c6-941a-4ab3-b349-10bae99e5988",
      "name": "Sticky Note",
      "type": "n8n-nodes-base.stickyNote",
      "position": [320, 1360],
      "parameters": {
        "color": 3,
        "width": 625.851492623043,
        "height": 465.249334428223,
        "content": "## Create Article from Perplexity Research"
      },
      "typeVersion": 1
    },
    {
      "id": "19b3ca66-5fd2-4d04-b25a-a17fb38642f8",
      "name": "Sticky Note1",
      "type": "n8n-nodes-base.stickyNote",
      "position": [1240, 1360],
      "parameters": {
        "color": 4,
        "width": 479.020283173287,
        "height": 464.14912719678,
        "content": "## Convert Article into HTML"
      },
      "typeVersion": 1
    },
    {
      "id": "7fad54e8-5a50-42da-b38d-08f6912615ab",
      "name": "gpt-4o-mini",
      "type": "@n8n/n8n-nodes-langchain.lmChatOpenAi",
      "position": [1380, 1660],
      "parameters": {
        "model": "gpt-4o-mini-2024-07-18",
        "options": {
          "responseFormat": "text"
        }
      },
      "credentials": {
        "openAiApi": {
          "id": "h597GY4ZJQD47RQd",
          "name": "OpenAi account"
        }
      },
      "typeVersion": 1
    },
    {
      "id": "5291869f-3ac6-4ce2-88f3-b572924b6082",
      "name": "gpt-4o-mini1",
      "type": "@n8n/n8n-nodes-langchain.lmChatOpenAi",
      "position": [1560, 1040],
      "parameters": {
        "options": {
          "topP": 1,
          "timeout": 60000,
```

Pretty-print


```
          "maxRetries": 2,
          "temperature": 0,
          "responseFormat": "text",
          "presencePenalty": 0,
          "frequencyPenalty": 0
        }
      },
      "credentials": {
        "openAiApi": {
          "id": "h597GY4ZJQD47RQd",
          "name": "OpenAi account"
        }
      },
      "typeVersion": 1
    },
    {
      "id": "a232f6ca-ad4c-40fa-a641-f0dd83c8f18a",
      "name": "Structured Output Parser1",
      "type": "@n8n/n8n-nodes-langchain.outputParserStructured",
      "position": [640, 1660],
      "parameters": {
        "schemaType": "manual",
        "inputSchema": "{\n  \"type\": \"object\",\n  \"properties\": {\n    \"article\": {\n
\"type\": \"object\",\n      \"required\": [\"category\", \"title\", \"metadata\", \"content\",
\"hashtags\"],\n      \"properties\": {\n        \"category\": {\n          \"type\":
\"string\",\n          \"description\": \"Article category\"\n        },\n        \"title\": {\n
\"type\": \"string\",\n          \"description\": \"Article title\"\n        },\n
\"metadata\": {\n          \"type\": \"object\",\n          \"properties\": {\n
\"timePosted\": {\n              \"type\": \"string\",\n              \"description\": \"Time
since article was posted\"\n            },\n            \"author\": {\n              \"type\":
\"string\",\n              \"description\": \"Article author name\"\n            },\n
\"tag\": {\n              \"type\": \"string\",\n              \"description\": \"Article primary
tag\"\n            }\n          },\n          \"required\": [\"timePosted\", \"author\",
\"tag\"]\n        },\n        \"content\": {\n          \"type\": \"object\",\n
\"properties\": {\n            \"mainText\": {\n              \"type\": \"string\",\n
\"description\": \"Main article content\"\n            },\n            \"sections\": {\n
\"type\": \"array\",\n              \"items\": {\n                \"type\": \"object\",\n
\"properties\": {\n                \"title\": {\n                  \"type\": \"string\",\n
\"description\": \"Section title\"\n                },\n                  \"text\": {\n
\"type\": \"string\",\n                  \"description\": \"Section content\"\n
},\n                \"quote\": {\n                  \"type\": \"string\",\n
\"description\": \"Blockquote text\"\n                }\n                },\n
\"required\": [\"title\", \"text\", \"quote\"]\n              }\n            }\n          },\n
\"required\": [\"mainText\", \"sections\"]\n        },\n        \"hashtags\": {\n
\"type\": \"array\",\n          \"items\": {\n            \"type\": \"string\"\n          },\n
\"description\": \"Article hashtags\"\n        }\n      }\n    }\n  }\n}"
      },
      "typeVersion": 1.2
    },
    {
      "id": "e7d1adac-88aa-4f76-92bf-bbac3aa6386a",
      "name": "gpt-4o-mini2",
      "type": "@n8n/n8n-nodes-langchain.lmChatOpenAi",
      "position": [420, 1660],
      "parameters": {
        "options": {
          "topP": 1,
          "timeout": 60000,
          "maxTokens": -1,
          "maxRetries": 2,
          "temperature": 0,
          "responseFormat": "json_object",
          "presencePenalty": 0,
          "frequencyPenalty": 0
```

Pretty-print


```
      },
      "credentials": {
        "openAiApi": {
          "id": "h597GY4ZJQD47RQd",
          "name": "OpenAi account"
        }
      },
      "typeVersion": 1
    },
    {
      "id": "156e51db-03f7-4099-afe8-6f0361c5b497",
      "name": "Webhook",
      "type": "n8n-nodes-base.webhook",
      "position": [160, 860],
      "webhookId": "6a8e3ae7-02ae-4663-a27a-07df448550ab",
      "parameters": {
        "path": "pblog",
        "options": {

        },
        "responseMode": "responseNode"
      },
      "typeVersion": 2
    },
    {
      "id": "6dd3eba7-e779-4e4a-960e-c5a7b6b3a929",
      "name": "Respond to Webhook",
      "type": "n8n-nodes-base.respondToWebhook",
      "position": [2820, 1480],
      "parameters": {
        "options": {

        },
        "respondWith": "text",
        "responseBody": "={{ $json.text }}"
      },
      "typeVersion": 1.1
    },
    {
      "id": "27ee681e-4259-4323-b4fe-629f99cb33d0",
      "name": "Telegram",
      "type": "n8n-nodes-base.telegram",
      "position": [2320, 880],
      "parameters": {
        "text": "={{ $('Perplexity Topic Agent').item.json.output.slice(0, 300) }}",
        "chatId": "={{ $json.telegram_chat_id }}",
        "additionalFields": {
          "parse_mode": "HTML",
          "appendAttribution": false
        }
      },
      "credentials": {
        "telegramApi": {
          "id": "BIE64nzfpGeesXUn",
          "name": "Telegram account"
        }
      },
      "typeVersion": 1.2
    },
    {
      "id": "f437d40c-2bf6-43e2-b77b-e5c2cdc35055",
      "name": "gpt-4o-mini5",
      "type": "@n8n/n8n-nodes-langchain.lmChatOpenAi",
      "position": [2480, 1660],
```

Pretty-print


```
        "options": {
          "topP": 1,
          "timeout": 60000,
          "maxTokens": -1,
          "maxRetries": 2,
          "temperature": 0,
          "responseFormat": "text",
          "presencePenalty": 0,
          "frequencyPenalty": 0
        }
      },
      "credentials": {
        "openAiApi": {
          "id": "h597GY4ZJQD47RQd",
          "name": "OpenAi account"
        }
      },
      "typeVersion": 1
    },
    {
      "id": "275bce4a-4252-41d4-bcba-174f0c51bf4a",
      "name": "Basic LLM Chain",
      "type": "@n8n/n8n-nodes-langchain.chainLlm",
      "position": [2340, 1480],
      "parameters": {
        "text": "=Create a modern, responsive single-line HTML document. Convert any markdown to
Tailwind CSS classes. Replace markdown lists with proper HTML list elements. Remove all newline
characters while preserving \u003C/br\u003E tags in content. Enhance the layout with Tailwind CSS
cards where appropriate. Use the following base structure, but improve the styling and
responsiveness:\n\n\u003C!DOCTYPE html\u003E\n\u003Chtml lang=\"en\"\u003E\n\n\u003Chead\u003E\n
\u003Cmeta charset=\"UTF-8\"\u003E\n    \u003Cmeta name=\"viewport\" content=\"width=device-width,
initial-scale=1.0\"\u003E\n    \u003Ctitle\u003EComprehensive Overview of DeepSeek
V3\u003C/title\u003E\n    \u003Clink
href=\"https://cdn.jsdelivr.net/npm/tailwindcss@2.2.19/dist/tailwind.min.css\"
rel=\"stylesheet\"\u003E\n\u003C/head\u003E\n\n\u003Cbody class=\"bg-gray-100 font-sans\"\u003E\n
\u003Cdiv class=\"relative p-4\"\u003E\n        \u003Cdiv class=\"max-w-3xl mx-auto text-
sm\"\u003E\n            \u003Cdiv class=\"mt-3 bg-white rounded-lg shadow-lg flex flex-col
justify-between leading-normal\"\u003E\n                \u003Cdiv class=\"p-6\"\u003E\n
\u003Ch1 class=\"text-gray-900 font-bold text-4xl mb-4\"\u003EComprehensive Overview of DeepSeek
V3\u003C/h1\u003E\n                    \u003Cdiv class=\"mb-4\"\u003E\n
\u003Cp class=\"leading-8\"\u003E\u003Cstrong\u003ETime Posted:\u003C/strong\u003E Just
now\u003C/p\u003E\n                        \u003Cp class=\"leading-
8\"\u003E\u003Cstrong\u003EAuthor:\u003C/strong\u003E AI Research Team\u003C/p\u003E\n
\u003Cp class=\"leading-8\"\u003E\u003Cstrong\u003ETag:\u003C/strong\u003E AI
Models\u003C/p\u003E\n                    \u003C/div\u003E\n                    \u003Cp
class=\"leading-8 my-4\"\u003E\u003Cstrong\u003EDeepSeek V3\u003C/strong\u003E is a state-of-the-
art AI model that leverages\n                        advanced architectures and techniques to
deliver high performance across various applications.\n                        This overview
covers its key concepts, practical applications, advantages, limitations, and best\n
practices for implementation.\u003C/p\u003E\n                    \u003Csection class=\"mb-
6\"\u003E\n                        \u003Ch2 class=\"text-2xl font-bold my-3\"\u003EKey Concepts
and Core Components\u003C/h2\u003E\n                        \u003Cp class=\"leading-8 my-
3\"\u003E\u003Cstrong\u003E1. Mixture-of-Experts (MoE) Architecture:\u003C/strong\u003E DeepSeek
V3\n                            employs a Mixture-of-Experts (MoE) architecture, which consists of
multiple neural networks,\n                            each optimized for different tasks. This
architecture allows for efficient processing by\n                            activating only a
portion of the network for each task, reducing hardware costs.\u003C/p\u003E\n
\u003Cp class=\"leading-8 my-3\"\u003E\u003Cstrong\u003E2. Parameters:\u003C/strong\u003E The
model boasts a total of 671\n                            billion\n
parameters, with 37 billion active parameters for each token during processing. The addition\n
of\n                            the Multi-Token Prediction (MTP) module increases the total
parameters to 685 billion,\n                            making it\n
significantly larger than other models like Meta's Llama 3.1 (405B).\u003C/p\u003E\n
\u003Cp class=\"leading-8 my-3\"\u003E\u003Cstrong\u003E3. Multi-head Latent Attention
```

Pretty-print

Multi-head Latent Attention (MLA) to extract key details from text multiple times, improving\n
its\n accuracy.\u003C/p\u003E\n \u003Cp
class=\"leading-8 my-3\"\u003E\u003Cstrong\u003E4. Multi-Token Prediction
(MTP):\u003C/strong\u003E The model utilizes\n Multi-Token Prediction
to generate several tokens at once, speeding up inference and\n
enabling\n speculative decoding.\u003C/p\u003E\n
\u003Cblockquote\n class=\"italic leading-8 my-3 p-5 text-indigo-600
font-semibold bg-indigo-50 rounded-lg border-l-4 border-indigo-600\"\u003E\n
DeepSeek V3 employs a Mixture-of-Experts architecture for efficient
processing.\u003C/blockquote\u003E\n \u003C/section\u003E\n
\u003Csection class=\"mb-6\"\u003E\n \u003Ch2 class=\"text-2xl font-bold
my-3\"\u003EPractical Applications\u003C/h2\u003E\n \u003Col class=\"list-
decimal pl-5\"\u003E\n \u003Cli class=\"leading-8 my-
3\"\u003E\u003Cstrong\u003ETranslation, Coding, and Content Generation:\u003C/strong\u003E\n
DeepSeek V3 is designed for a wide range of tasks including translation, coding, content\n
generation, and reasoning. It excels in English, Chinese, coding, and mathematics,\n
rivaling leading commercial models like OpenAI's GPT-4.\u003C/li\u003E\n
\u003Cli class=\"leading-8 my-3\"\u003E\u003Cstrong\u003EResearch and
Development:\u003C/strong\u003E The open-source nature\n of
DeepSeek V3 fuels innovation, allowing researchers to experiment with and build upon\n
its technology.\u003C/li\u003E\n \u003Cli class=\"leading-8 my-
3\"\u003E\u003Cstrong\u003ECommercial Applications:\u003C/strong\u003E The licensing of\n
DeepSeek V3 makes it permissible for commercial use, opening it up to numerous\n
applications across different industries.\u003C/li\u003E\n \u003Cli
class=\"leading-8 my-3\"\u003E\u003Cstrong\u003EDemocratization of AI:\u003C/strong\u003E By
making powerful AI\n accessible, DeepSeek V3 levels the playing
field, allowing smaller organizations to\n compete with larger
ones.\u003C/li\u003E\n \u003C/ol\u003E\n
\u003Cblockquote\n class=\"italic leading-8 my-3 p-5 text-indigo-600
font-semibold bg-indigo-50 rounded-lg border-l-4 border-indigo-600\"\u003E\n
DeepSeek V3 democratizes AI access for smaller organizations.\u003C/blockquote\u003E\n
\u003C/section\u003E\n \u003Csection class=\"mb-6\"\u003E\n
\u003Ch2 class=\"text-2xl font-bold my-3\"\u003EAdvantages\u003C/h2\u003E\n
\u003Col class=\"list-decimal pl-5\"\u003E\n \u003Cli class=\"leading-8
my-3\"\u003E\u003Cstrong\u003ESpeed and Efficiency:\u003C/strong\u003E DeepSeek V3 processes\n
information at a blistering 60 tokens per second, a threefold increase over its\n
predecessor. It uses advanced inference capabilities, deploying 32 H800 GPUs for prefill\n
and 320 H800 GPUs for decoding.\u003C/li\u003E\n \u003Cli
class=\"leading-8 my-3\"\u003E\u003Cstrong\u003ECost-Effectiveness:\u003C/strong\u003E The model
was trained for a\n mere $5.5 million, a fraction of the estimated
over $100 million invested by OpenAI in\n GPT-4. DeepSeek V3 offers
significantly lower prices for its online services, with 1\n
million tokens priced at just $1.1, currently offered at a promotional rate of $0.28.\n
\u003C/li\u003E\n \u003Cli class=\"leading-8 my-
3\"\u003E\u003Cstrong\u003EInnovation in Inference:\u003C/strong\u003E The model's advanced\n
inference capabilities set the standard for future model deployment, making it a\n
powerful tool in the digital realm.\u003C/li\u003E\n \u003C/ol\u003E\n
\u003Cblockquote\n class=\"italic leading-8 my-3 p-5 text-indigo-600
font-semibold bg-indigo-50 rounded-lg border-l-4 border-indigo-600\"\u003E\n
DeepSeek V3 processes information at 60 tokens per second.\u003C/blockquote\u003E\n
\u003C/section\u003E\n \u003Csection class=\"mb-6\"\u003E\n
\u003Ch2 class=\"text-2xl font-bold my-3\"\u003ELimitations\u003C/h2\u003E\n
\u003Col class=\"list-decimal pl-5\"\u003E\n \u003Cli class=\"leading-8
my-3\"\u003E\u003Cstrong\u003EDeployment Complexity:\u003C/strong\u003E Deploying DeepSeek V3\n
requires advanced hardware and a deployment strategy that separates the prefilling and\n
decoding stages, which might be unachievable for small companies due to a lack of\n
resources. The recommended deployment unit for DeepSeek V3 is relatively large, posing a\n
burden for small-sized teams.\u003C/li\u003E\n \u003Cli
class=\"leading-8 my-3\"\u003E\u003Cstrong\u003EPotential for Further
Enhancement:\u003C/strong\u003E Although\n DeepSeek V3 has achieved
an end-to-end generation speed of more than two times that of\n
DeepSeek V2, there still remains potential for further enhancement with the development\n
of more advanced hardware.\u003C/li\u003E\n \u003C/ol\u003E\n
\u003Cblockquote\n class=\"italic leading-8 my-3 p-5 text-indigo-600

Pretty-print

Deployment of DeepSeek V3 may be complex for small companies.\u003C/blockquote\u003E\n
\u003C/section\u003E\n \u003Csection class=\"mb-6\"\u003E\n
\u003Ch2 class=\"text-2xl font-bold my-3\"\u003EBest Practices for Implementation\u003C/h2\u003E\n
\u003Col class=\"list-decimal pl-5\"\u003E\n \u003Cli class=\"leading-8
my-3\"\u003E\u003Cstrong\u003EHardware Requirements:\u003C/strong\u003E Ensure that the\n
deployment environment has the necessary advanced hardware to handle the model's\n
requirements, including multiple GPUs for prefill and decoding.\u003C/li\u003E\n
\u003Cli class=\"leading-8 my-3\"\u003E\u003Cstrong\u003EDeployment Strategy:\u003C/strong\u003E
Implement a deployment\n strategy that separates the prefilling and
decoding stages to optimize performance and\n
efficiency.\u003C/li\u003E\n \u003Cli class=\"leading-8 my-
3\"\u003E\u003Cstrong\u003EMonitoring and Optimization:\u003C/strong\u003E Continuously\n
monitor the model's performance and optimize it as needed to address any limitations and\n
improve efficiency.\u003C/li\u003E\n \u003Cli class=\"leading-8 my-
3\"\u003E\u003Cstrong\u003ECommunity Engagement:\u003C/strong\u003E Engage with the\n
open-source community to leverage the collective knowledge and resources available,\n
which can help in addressing any challenges and improving the model further.\u003C/li\u003E\n
\u003C/ol\u003E\n \u003Cblockquote\n
class=\"italic leading-8 my-3 p-5 text-indigo-600 font-semibold bg-indigo-50 rounded-lg border-l-4
border-indigo-600\"\u003E\n Engage with the open-source community for
better implementation.\u003C/blockquote\u003E\n \u003C/section\u003E\n
\u003Cp class=\"leading-8 my-6\"\u003E\u003Cstrong\u003EHashtags:\u003C/strong\u003E \u003Cspan\n
class=\"text-indigo-600\"\u003E#DeepSeekV3\u003C/span\u003E \u003Cspan class=\"text-indigo-
600\"\u003E#AI\u003C/span\u003E \u003Cspan\n class=\"text-indigo-
600\"\u003E#MachineLearning\u003C/span\u003E \u003Cspan\n class=\"text-
indigo-600\"\u003E#OpenSource\u003C/span\u003E\u003C/p\u003E\n \u003C/div\u003E\n
\u003C/div\u003E\n \u003C/div\u003E\n
\u003C/div\u003E\n\u003C/body\u003E\n\n\u003C/html\u003E\n\n-------\n\nRequirements:\n- Output
must be a single line of HTML\n- Enhanced with modern Tailwind CSS styling\n- Proper HTML list
structures\n- Responsive design\n- No newlines except \u003C/br\u003E in content\n- No markdown
formatting\n- Clean, readable layout\n- Properly formatted hashtags\n- No explanation or
additional text in output\n- No code block markers or escape characters\n- Wnsure Metadata, Title
and Content are included in HTML\n\nMetadata: {{
$('Article').item.json.article.metadata.toJsonString() }}\nTitle: {{ $json.title }}\nContent: {{
$json.html }}\n",
        "promptType": "define"
      },
      "typeVersion": 1.4
    },
    {
      "id": "cddd9324-8471-4dcb-a46b-836015db9833",
      "name": "Do Nothing1",
      "type": "n8n-nodes-base.noOp",
      "position": [560, 1080],
      "parameters": {

      },
      "typeVersion": 1
    },
    {
      "id": "432a0ae9-451a-4830-b065-8b0593de92ea",
      "name": "gpt-4o-mini3",
      "type": "@n8n/n8n-nodes-langchain.lmChatOpenAi",
      "position": [1020, 1040],
      "parameters": {
        "options": {
          "topP": 1,
          "timeout": 60000,
          "maxTokens": -1,
          "maxRetries": 2,
          "temperature": 0,
          "responseFormat": "text",
          "presencePenalty": 0,
          "frequencyPenalty": 0

Pretty-print


```
      },
      "credentials": {
        "openAiApi": {
          "id": "h597GY4ZJQD47RQd",
          "name": "OpenAi account"
        }
      },
      "typeVersion": 1
    },
    {
      "id": "55e00886-b6c1-4f7a-81ae-e8e0d4102cab",
      "name": "Sticky Note4",
      "type": "n8n-nodes-base.stickyNote",
      "position": [2200, 1360],
      "parameters": {
        "color": 6,
        "width": 531,
        "height": 465,
        "content": "## Create HTML Page with TailwindCSS Styling"
      },
      "typeVersion": 1
    },
    {
      "id": "1ed7f754-1279-4511-a085-6ed4e4c36de1",
      "name": "Sticky Note2",
      "type": "n8n-nodes-base.stickyNote",
      "position": [320, 760],
      "parameters": {
        "width": 450.544389028181,
        "height": 489.527157625934,
        "content": "## Parse Topic from Get Request"
      },
      "typeVersion": 1
    },
    {
      "id": "e9dcb568-7f8d-40c5-94cb-6f25386436cf",
      "name": "Sticky Note5",
      "type": "n8n-nodes-base.stickyNote",
      "position": [820, 760],
      "parameters": {
        "color": 5,
        "width": 380,
        "height": 488,
        "content": "## Improve the Users Topic"
      },
      "typeVersion": 1
    },
    {
      "id": "a7fdaddb-d6fc-4d45-85cc-a372cfb90327",
      "name": "If2",
      "type": "n8n-nodes-base.if",
      "position": [2120, 1140],
      "parameters": {
        "options": {

        },
        "conditions": {
          "options": {
            "version": 2,
            "leftValue": "",
            "caseSensitive": true,
            "typeValidation": "strict"
          },
          "combinator": "and",
```

Pretty-print


```
            {
              "id": "8e35de0a-ac16-4555-94f4-24e97bdf4b33",
              "operator": {
                "type": "string",
                "operation": "notEmpty",
                "singleValue": true
              },
              "leftValue": "{{ $json.output }}",
              "rightValue": ""
            }
          ]
        }
      },
      "typeVersion": 2.2
    },
    {
      "id": "57d056b8-7e91-41e4-8b74-dce15847a09b",
      "name": "Prompts",
      "type": "n8n-nodes-base.set",
      "position": [1300, 2080],
      "parameters": {
        "options": {

        },
        "assignments": {
          "assignments": [
            {
              "id": "efbe7563-8502-407e-bfa0-a4a26d8cddd4",
              "name": "user",
              "type": "string",
              "value": "={{ $('Execute Workflow Trigger').item.json.topic }}"
            },
            {
              "id": "05e0b629-bb9f-4010-96a8-10872764705a",
              "name": "system",
              "type": "string",
              "value": "Assistant is a large language model.  Assistant is designed to be able to
assist with a wide range of tasks, from answering simple questions to providing in-depth
explanations and discussions on a wide range of topics. As a language model, Assistant is able to
generate human-like text based on the input it receives, allowing it to engage in natural-sounding
conversations and provide responses that are coherent and relevant to the topic at hand.
Assistant is constantly learning and improving, and its capabilities are constantly evolving. It
is able to process and understand large amounts of text, and can use this knowledge to provide
accurate and informative responses to a wide range of questions. Additionally, Assistant is able
to generate its own text based on the input it receives, allowing it to engage in discussions and
provide explanations and descriptions on a wide range of topics.  Overall, Assistant is a powerful
system that can help with a wide range of tasks and provide valuable insights and information on a
wide range of topics. Whether you need help with a specific question or just want to have a
conversation about a particular topic, Assistant is here to assist.  "
            }
          ]
        }
      },
      "typeVersion": 3.4
    },
    {
      "id": "8209cece-fde4-485f-81a1-2d24a6eac474",
      "name": "Execute Workflow Trigger",
      "type": "n8n-nodes-base.executeWorkflowTrigger",
      "position": [420, 2180],
      "parameters": {

      },
      "typeVersion": 1
```

Pretty-print


```
    {
      "id": "445e4d15-c2b0-4152-a0f8-d6b93ad5bae6",
      "name": "Telegram2",
      "type": "n8n-nodes-base.telegram",
      "position": [860, 2180],
      "parameters": {
        "text": "=\u003Ci\u003E{{ $('Execute Workflow Trigger').item.json.topic }}\u003C/i\u003E",
        "chatId": "={{ $json.telegram_chat_id }}",
        "additionalFields": {
          "parse_mode": "HTML",
          "appendAttribution": false
        }
      },
      "credentials": {
        "telegramApi": {
          "id": "BIE64nzfpGeesXUn",
          "name": "Telegram account"
        }
      },
      "typeVersion": 1.2
    },
    {
      "id": "57a5b3ce-5490-4d50-91cc-c36e508eee4d",
      "name": "If",
      "type": "n8n-nodes-base.if",
      "position": [1080, 2180],
      "parameters": {
        "options": {

        },
        "conditions": {
          "options": {
            "version": 2,
            "leftValue": "",
            "caseSensitive": true,
            "typeValidation": "strict"
          },
          "combinator": "and",
          "conditions": [
            {
              "id": "7e2679dc-c898-415d-a693-c2c1e7259b6a",
              "operator": {
                "type": "string",
                "operation": "notContains"
              },
              "leftValue": "={{ $('Execute Workflow Trigger').item.json.topic }}",
              "rightValue": "undefined"
            }
          ]
        }
      },
      "typeVersion": 2.2
    },
    {
      "id": "fdf827dc-96b1-4ed3-895b-2a0f5f4c41a3",
      "name": "No Operation, do nothing",
      "type": "n8n-nodes-base.noOp",
      "position": [1300, 2300],
      "parameters": {

      },
      "typeVersion": 1
    },
    {
```

Pretty-print


```
      "name": "Sticky Note6",
      "type": "n8n-nodes-base.stickyNote",
      "position": [320, 1940],
      "parameters": {
        "color": 5,
        "width": 1614,
        "height": 623,
        "content": "## 🛠️perplexity_research_tool\n\n"
      },
      "typeVersion": 1
    },
    {
      "id": "3806c079-8c08-48b7-a3ed-a26f6d86c67f",
      "name": "Perplexity Topic Agent",
      "type": "@n8n/n8n-nodes-langchain.agent",
      "position": [1580, 860],
      "parameters": {
        "text": "=Topic: {{ $json.text }}",
        "options": {
          "systemMessage": "Use the perplexity_research_tool to provide research on the users
topic.\n\n"
        },
        "promptType": "define",
        "hasOutputParser": true
      },
      "typeVersion": 1.6
    },
    {
      "id": "cfc55dbb-78e6-47ef-bf55-810311bd37e8",
      "name": "Call Perplexity Researcher",
      "type": "@n8n/n8n-nodes-langchain.toolWorkflow",
      "position": [1780, 1040],
      "parameters": {
        "name": "perplexity_research_tool",
        "fields": {
          "values": [
            {
              "name": "topic",
              "stringValue": "= {{ $json.text }}"
            }
          ]
        },
        "workflowId": {
          "__rl": true,
          "mode": "id",
          "value": "HnqGW0eq5asKfZxf"
        },
        "description": "Call this tool to perform Perplexity research.",
        "jsonSchemaExample": "{\n  \"topic\": \"\"\n}"
      },
      "typeVersion": 1.2
    },
    {
      "id": "5ca35a40-506d-4768-a65c-a331718040bc",
      "name": "Do Nothing",
      "type": "n8n-nodes-base.noOp",
      "position": [2320, 1140],
      "parameters": {

      },
      "typeVersion": 1
    },
    {
      "id": "17028837-4706-43f3-8291-f150860caa4c",
```

Pretty-print


```
      "type": "n8n-nodes-base.noOp",
      "position": [1020, 1700],
      "parameters": {

      },
      "typeVersion": 1
    },
    {
      "id": "adebf1ad-62d9-4b79-b9a1-4a9395067803",
      "name": "Do Nothing3",
      "type": "n8n-nodes-base.noOp",
      "position": [2000, 1700],
      "parameters": {

      },
      "typeVersion": 1
    },
    {
      "id": "fe19e472-3b2b-4c07-b957-fb2afc426998",
      "name": "Do Nothing4",
      "type": "n8n-nodes-base.noOp",
      "position": [1260, 1080],
      "parameters": {

      },
      "typeVersion": 1
    },
    {
      "id": "41e23462-a7fa-42a8-adbc-83a662f63f0c",
      "name": "Sticky Note7",
      "type": "n8n-nodes-base.stickyNote",
      "position": [1460, 760],
      "parameters": {
        "color": 3,
        "width": 480,
        "height": 488,
        "content": "## 🤖Perform Perplexity Research"
      },
      "typeVersion": 1
    },
    {
      "id": "dcc3bd83-1f8c-4000-a832-c2c6e7c157ba",
      "name": "Get Topic",
      "type": "n8n-nodes-base.set",
      "position": [380, 860],
      "parameters": {
        "options": {

        },
        "assignments": {
          "assignments": [
            {
              "id": "57f0eab2-ef1b-408c-82d5-a8c54c4084a6",
              "name": "topic",
              "type": "string",
              "value": "={{ $json.query.topic }}"
            }
          ]
        }
      },
      "typeVersion": 3.4
    },
    {
      "id": "5572e5b1-0b4c-4e6d-b413-5592aab59571",
```

Pretty-print


```
      "type": "n8n-nodes-base.if",
      "position": [560, 860],
      "parameters": {
        "options": {

        },
        "conditions": {
          "options": {
            "version": 2,
            "leftValue": "",
            "caseSensitive": true,
            "typeValidation": "strict"
          },
          "combinator": "and",
          "conditions": [
            {
              "id": "2c565aa5-0d11-47fb-8621-6db592579fa8",
              "operator": {
                "type": "string",
                "operation": "notEmpty",
                "singleValue": true
              },
              "leftValue": "={{ $json.topic }}",
              "rightValue": ""
            }
          ]
        }
      },
      "typeVersion": 2.2
    },
    {
      "id": "509ee61f-defb-41e8-84cf-70ac5a7448d0",
      "name": "Improve Users Topic",
      "type": "@n8n/n8n-nodes-langchain.chainLlm",
      "position": [880, 860],
      "parameters": {
        "text": "=How would you improve the following prompt as of {{ $now }}, focusing on:\n\n1. Key Concepts & Definitions\n   - Main terminology and foundational concepts\n   - Technical background and context\n\n2. Core Components\n   - Essential elements and their relationships\n   - Critical processes and workflows\n\n3. Practical Applications\n   - Real-world use cases\n   - Implementation considerations\n\n4. Analysis & Insights\n   - Advantages and limitations\n   - Best practices and recommendations\n\nThe final output should be a maximum 2 sentence pure text prompt without any preamble or further explanation.  The final output will be providced to Perplexity as a research prompt.\n\nPrompt to analyze: {{ $json.topic }}",
        "promptType": "define"
      },
      "typeVersion": 1.4
    },
    {
      "id": "69ee4c6a-f6ef-47a2-bd5c-ccaf49ec7c94",
      "name": "If Topic",
      "type": "n8n-nodes-base.if",
      "position": [1260, 860],
      "parameters": {
        "options": {

        },
        "conditions": {
          "options": {
            "version": 2,
            "leftValue": "",
            "caseSensitive": true,
            "typeValidation": "strict"
          },
```

Pretty-print


```
          "conditions": [
            {
              "id": "329653d4-330f-4b41-96e7-4652c1448902",
              "operator": {
                "type": "string",
                "operation": "notEmpty",
                "singleValue": true
              },
              "leftValue": "={{ $json.text }}",
              "rightValue": ""
            }
          ]
        }
      },
      "typeVersion": 2.2
    },
    {
      "id": "daa3027b-774d-44b1-b0a5-27008768c65d",
      "name": "Chat Id",
      "type": "n8n-nodes-base.set",
      "position": [2120, 880],
      "parameters": {
        "options": {

        },
        "assignments": {
          "assignments": [
            {
              "id": "0aa8fcc9-26f4-485c-8fc1-a5c13d0dd279",
              "name": "telegram_chat_id",
              "type": "number",
              "value": 1234567890
            }
          ]
        }
      },
      "typeVersion": 3.4
    },
    {
      "id": "97f32ad1-f91e-4ccc-8248-d10da823b26a",
      "name": "Article",
      "type": "n8n-nodes-base.set",
      "position": [780, 1480],
      "parameters": {
        "options": {

        },
        "assignments": {
          "assignments": [
            {
              "id": "0eb5952b-c133-4b63-8102-d4b8ec7b9b5a",
              "name": "article",
              "type": "object",
              "value": "={{ $json.output.article }}"
            }
          ]
        }
      },
      "typeVersion": 3.4
    },
    {
      "id": "e223dee3-c79f-421d-b2b8-2f3551a45f71",
      "name": "Extract JSON",
      "type": "@n8n/n8n-nodes-langchain.agent",
```

Pretty-print


```
      "parameters": {
        "text": "=Extract a JSON object from this content: {{ $json.output }}",
        "options": {

        },
        "promptType": "define",
        "hasOutputParser": true
      },
      "retryOnFail": true,
      "typeVersion": 1.6
    },
    {
      "id": "de8aafb6-b05d-4278-8719-9b3c266fcf3a",
      "name": "If Article",
      "type": "n8n-nodes-base.if",
      "position": [1020, 1480],
      "parameters": {
        "options": {

        },
        "conditions": {
          "options": {
            "version": 2,
            "leftValue": "",
            "caseSensitive": true,
            "typeValidation": "strict"
          },
          "combinator": "and",
          "conditions": [
            {
              "id": "329653d4-330f-4b41-96e7-4652c1448902",
              "operator": {
                "type": "string",
                "operation": "notEmpty",
                "singleValue": true
              },
              "leftValue": "{{ $json.article }}",
              "rightValue": ""
            }
          ]
        }
      },
      "typeVersion": 2.2
    },
    {
      "id": "f9450b58-3b81-4b61-8cbf-2cdf5a2f56a0",
      "name": "Create HTML Article",
      "type": "@n8n/n8n-nodes-langchain.agent",
      "position": [1360, 1480],
      "parameters": {
        "text": "=Convert this verbatim into HTML: {{ $json.article.toJsonString() }}\n\n##
Formatting Guidelines\n- HTML document must be single line document without tabs or line breaks\n-
Use proper HTML tags throughout\n- Do not use these tags:  \u003Chtml\u003E \u003Cbody\u003E
\u003Cstyle\u003E \u003Chead\u003E\n- Use \u003Ch1\u003E tag for main title\n- Use \u003Ch2\u003E
tags for secondary titles\n- Structure with \u003Cp\u003E tags for paragraphs\n- Include
appropriate spacing\n- Use \u003Cblockquote\u003E for direct quotes\n- Maintain consistent
formatting\n- Write in clear, professional tone\n- Break up long paragraphs\n- Use engaging
subheadings\n- Include transitional phrases\n\nThe final JSON response should contain only the
title and content fields, with the content including all HTML formatting.\n{\n\t\"title\": \"the
title\",\n\t\"content\": \"the HTML\"\n}",
        "agent": "conversationalAgent",
        "options": {

        },
```

Pretty-print


```
      },
      "retryOnFail": true,
      "typeVersion": 1.6
    },
    {
      "id": "53cbaa6e-6508-48e3-9a5a-58f5bc111c2d",
      "name": "If HTML",
      "type": "n8n-nodes-base.if",
      "position": [1780, 1480],
      "parameters": {
        "options": {

        },
        "conditions": {
          "options": {
            "version": 2,
            "leftValue": "",
            "caseSensitive": true,
            "typeValidation": "strict"
          },
          "combinator": "and",
          "conditions": [
            {
              "id": "329653d4-330f-4b41-96e7-4652c1448902",
              "operator": {
                "type": "string",
                "operation": "notEmpty",
                "singleValue": true
              },
              "leftValue": "={{ $json.output.parseJson().title }}",
              "rightValue": ""
            },
            {
              "id": "0a05f73a-2901-4157-8194-cb81d259ce71",
              "operator": {
                "type": "string",
                "operation": "notEmpty",
                "singleValue": true
              },
              "leftValue": "={{ $json.output.parseJson().content }}",
              "rightValue": ""
            },
            {
              "id": "b61c1d25-a010-42d3-9f9d-fa927c483bae",
              "operator": {
                "name": "filter.operator.equals",
                "type": "string",
                "operation": "equals"
              },
              "leftValue": "",
              "rightValue": ""
            }
          ]
        }
      },
      "typeVersion": 2.2
    },
    {
      "id": "33e4e2cd-be0c-4fc9-b705-b0e8aac496f9",
      "name": "Contents",
      "type": "n8n-nodes-base.set",
      "position": [2000, 1480],
      "parameters": {
        "options": {
```

Pretty-print


```
        },
        "assignments": {
          "assignments": [
            {
              "id": "af335333-acb8-4c9e-8184-d20cd03e08f6",
              "name": "title",
              "type": "string",
              "value": "={{ $json.output.parseJson().title }}"
            },
            {
              "id": "7fbd2264-c0e1-4bdc-b754-b0faa538879c",
              "name": "content",
              "type": "string",
              "value": "={{ $json.output.parseJson().content }}"
            }
          ]
        }
      },
      "typeVersion": 3.4
    },
    {
      "id": "8bf36853-8a04-4a0b-8715-e03a8fc8359d",
      "name": "Chat Id1",
      "type": "n8n-nodes-base.set",
      "position": [660, 2180],
      "parameters": {
        "options": {

        },
        "assignments": {
          "assignments": [
            {
              "id": "0aa8fcc9-26f4-485c-8fc1-a5c13d0dd279",
              "name": "telegram_chat_id",
              "type": "number",
              "value": 1234567890
            }
          ]
        }
      },
      "typeVersion": 3.4
    },
    {
      "id": "a3fe75d1-8db0-45cb-87f6-76fc27cb59f6",
      "name": "Sticky Note3",
      "type": "n8n-nodes-base.stickyNote",
      "position": [600, 2080],
      "parameters": {
        "width": 420,
        "height": 340,
        "content": "## Optional"
      },
      "typeVersion": 1
    },
    {
      "id": "22e9edbc-7aa6-4549-ae9f-2c31ad7d0542",
      "name": "Sticky Note8",
      "type": "n8n-nodes-base.stickyNote",
      "position": [2060, 760],
      "parameters": {
        "width": 420,
        "height": 340,
        "content": "## Optional"
      },
```

Pretty-print


```
    },
    {
      "id": "e62ff7d5-bd54-434c-b048-0dc7cd2c7f9b",
      "name": "Success Response",
      "type": "n8n-nodes-base.set",
      "position": [1700, 2080],
      "parameters": {
        "options": {

        },
        "assignments": {
          "assignments": [
            {
              "id": "eb89464a-5919-4962-880c-3f5903e267de",
              "name": "response",
              "type": "string",
              "value": "={{ $('Perplexity').item.json.choices[0].message.content }}"
            }
          ]
        },
        "includeOtherFields": true
      },
      "typeVersion": 3.4
    },
    {
      "id": "c6ba0613-47c6-442f-99e8-0eaec8cacc20",
      "name": "Error Response",
      "type": "n8n-nodes-base.set",
      "position": [1700, 2300],
      "parameters": {
        "options": {

        },
        "assignments": {
          "assignments": [
            {
              "id": "eb89464a-5919-4962-880c-3f5903e267de",
              "name": "response",
              "type": "string",
              "value": "=Error.  No topic provided."
            }
          ]
        },
        "includeOtherFields": true
      },
      "typeVersion": 3.4
    },
    {
      "id": "30d8065c-55d8-4099-abb2-ddb01635129d",
      "name": "Perplexity",
      "type": "n8n-nodes-base.httpRequest",
      "position": [1500, 2080],
      "parameters": {
        "url": "https://api.perplexity.ai/chat/completions",
        "method": "POST",
        "options": {

        },
        "jsonBody": "={\n  \"model\": \"llama-3.1-sonar-small-128k-online\",\n  \"messages\": [\n
{\n      \"role\": \"system\",\n      \"content\": \"{{ $json.system }}\"\n    },\n    {\n
\"role\": \"user\",\n      \"content\": \"{{ $json.user }}\"\n    }\n  ],\n  \"max_tokens\":
\"4000\",\n  \"temperature\": 0.2,\n  \"top_p\": 0.9,\n  \"return_citations\": true,\n
\"search_domain_filter\": [\n    \"perplexity.ai\"\n  ],\n  \"return_images\": false,\n
\"return_related_questions\": false,\n  \"search_recency_filter\": \"month\",\n  \"top_k\": 0,\n
```

Pretty-print


```
        "sendBody": true,
        "specifyBody": "json",
        "authentication": "genericCredentialType",
        "genericAuthType": "httpHeaderAuth"
      },
      "credentials": {
        "httpCustomAuth": {
          "id": "vxjFugFpr4Od6gws",
          "name": "Confluence REST API"
        },
        "httpHeaderAuth": {
          "id": "wokWVLDQUDi0DC7I",
          "name": "Perplexity"
        }
      },
      "typeVersion": 4.2
    }
  ],
  "active": false,
  "pinData": {

  },
  "settings": {
    "executionOrder": "v1"
  },
  "versionId": "9ebf0569-4d9d-4783-b797-e5df2a8e8415",
  "connections": {
    "If": {
      "main": [
        [
          {
            "node": "Prompts",
            "type": "main",
            "index": 0
          }
        ],
        [
          {
            "node": "No Operation, do nothing",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "If2": {
      "main": [
        [
          {
            "node": "Extract JSON",
            "type": "main",
            "index": 0
          }
        ],
        [
          {
            "node": "Do Nothing",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Article": {
```

Pretty-print


```
        [
          {
            "node": "If Article",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Chat Id": {
      "main": [
        [
          {
            "node": "Telegram",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "If HTML": {
      "main": [
        [
          {
            "node": "Contents",
            "type": "main",
            "index": 0
          }
        ],
        [
          {
            "node": "Do Nothing3",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Prompts": {
      "main": [
        [
          {
            "node": "Perplexity",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Webhook": {
      "main": [
        [
          {
            "node": "Get Topic",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Chat Id1": {
      "main": [
        [
          {
```

Pretty-print


```
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Contents": {
      "main": [
        [
          {
            "node": "Basic LLM Chain",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "If Topic": {
      "main": [
        [
          {
            "node": "Perplexity Topic Agent",
            "type": "main",
            "index": 0
          }
        ],
        [
          {
            "node": "Do Nothing4",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Get Topic": {
      "main": [
        [
          {
            "node": "If Topic Exists",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Telegram2": {
      "main": [
        [
          {
            "node": "If",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "If Article": {
      "main": [
        [
          {
            "node": "Create HTML Article",
            "type": "main",
            "index": 0
```

Pretty-print


```
        ],
        [
          {
            "node": "Do Nothing2",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Perplexity": {
      "main": [
        [
          {
            "node": "Success Response",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "gpt-4o-mini": {
      "ai_languageModel": [
        [
          {
            "node": "Create HTML Article",
            "type": "ai_languageModel",
            "index": 0
          }
        ]
      ]
    },
    "Extract JSON": {
      "main": [
        [
          {
            "node": "Article",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "gpt-4o-mini1": {
      "ai_languageModel": [
        [
          {
            "node": "Perplexity Topic Agent",
            "type": "ai_languageModel",
            "index": 0
          }
        ]
      ]
    },
    "gpt-4o-mini2": {
      "ai_languageModel": [
        [
          {
            "node": "Extract JSON",
            "type": "ai_languageModel",
            "index": 0
          }
        ]
      ]
```

Pretty-print


```
    "gpt-4o-mini3": {
      "ai_languageModel": [
        [
          {
            "node": "Improve Users Topic",
            "type": "ai_languageModel",
            "index": 0
          }
        ]
      ]
    },
    "gpt-4o-mini5": {
      "ai_languageModel": [
        [
          {
            "node": "Basic LLM Chain",
            "type": "ai_languageModel",
            "index": 0
          }
        ]
      ]
    },
    "Basic LLM Chain": {
      "main": [
        [
          {
            "node": "Respond to Webhook",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "If Topic Exists": {
      "main": [
        [
          {
            "node": "Improve Users Topic",
            "type": "main",
            "index": 0
          }
        ],
        [
          {
            "node": "Do Nothing1",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Create HTML Article": {
      "main": [
        [
          {
            "node": "If HTML",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Improve Users Topic": {
      "main": [
```

Pretty-print


```
          {
            "node": "If Topic",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Perplexity Topic Agent": {
      "main": [
        [
          {
            "node": "If2",
            "type": "main",
            "index": 0
          },
          {
            "node": "Chat Id",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Execute Workflow Trigger": {
      "main": [
        [
          {
            "node": "Chat Id1",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "No Operation, do nothing": {
      "main": [
        [
          {
            "node": "Error Response",
            "type": "main",
            "index": 0
          }
        ]
      ]
    },
    "Structured Output Parser1": {
      "ai_outputParser": [
        [
          {
            "node": "Extract JSON",
            "type": "ai_outputParser",
            "index": 0
          }
        ]
      ]
    },
    "Call Perplexity Researcher": {
      "ai_tool": [
        [
          {
            "node": "Perplexity Topic Agent",
            "type": "ai_tool",
            "index": 0
```

```
        ]
      ]
    }
  }
}
```