Topic 11 Chapter 13 Worksheet

In the worksheets for this class, you are going to create MySQL statement for each task described below.

You are required to take a screen shot of the SQL statements and the output for each task.

Paste the screenshot of your results under the numbered question.


Save your work and upload the document to the assignment folder by the due date in the Syllabus.

Use the Oracle database.

1. Write a procedure to display a simple statement.

Name the procedure "first_procedure". CALL the procedure.

```
3     -- 1. Write a procedure to display a simple statement.
4     -- Name the procedure "first_procedure". CALL the procedure.
5
6     DROP PROCEDURE IF EXISTS first_procedure;
7
8     DELIMITER //
9
10    CREATE PROCEDURE first_procedure()
11    BEGIN
12        SELECT 'I love MySQL' AS message;
13    END //
14
15    DELIMITER ;
16
17    CALL first_procedure();
```



2. Create a procedure to calculate the margin for product_id 16.

Formula is (list_price - standard_cost) / list_price

If that amount is more than 0.2, then display "good margin". Otherwise, display "not good margin"

Follow the example for the lecture notes for balance due.

```sql
DROP PROCEDURE IF EXISTS check_product_margin;

DELIMITER //


CREATE PROCEDURE check_product_margin()
BEGIN
    DECLARE margin DECIMAL(9,4);

    SELECT (list_price - standard_cost) / list_price
        INTO margin
    FROM products
    WHERE product_id = 16;

    IF margin > 0.2 THEN
        SELECT 'good margin' AS message;
    ELSE
        SELECT '16 does not have a good margin' AS message;
    END IF;
END //

DELIMITER ;

CALL check_product_margin();
```



message
16 does not have a good margin

3. Rewrite the above procedure and send the product id to the procedure.

Run the procedure twice with product_id 10 and then 16.

```sql
DROP PROCEDURE IF EXISTS calculate_product_margin;

DELIMITER //

CREATE PROCEDURE calculate_product_margin(in product_id_in int)
BEGIN
    DECLARE margin DECIMAL(9,4);

    SELECT (list_price - standard_cost) / list_price
        INTO margin
    FROM products
    WHERE product_id = product_id_in;

    IF margin > 0.2 THEN
        SELECT concat(product_id_in,' has a good margin of ', margin) AS message;
    ELSE
        SELECT concat(product_id_in, ' does not good margin') AS message;
    END IF;
END //

DELIMITER ;

CALL calculate_product_margin(10);
CALL calculate_product_margin(16);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

message
10 has a good margin of 0.2853

```sql
DROP PROCEDURE IF EXISTS calculate_product_margin;

DELIMITER //

CREATE PROCEDURE calculate_product_margin(in product_id_in int)
BEGIN
    DECLARE margin DECIMAL(9,4);

    SELECT (list_price - standard_cost) / list_price
        INTO margin
    FROM products
    WHERE product_id = product_id_in;

    IF margin > 0.2 THEN
        SELECT concat(product_id_in,' has a good margin of ', margin) AS message;
    ELSE
        SELECT concat(product_id_in, ' does not good margin') AS message;
    END IF;
END //

DELIMITER ;

CALL calculate_product_margin(10);
CALL calculate_product_margin(16);
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

message
16 does not good margin