hacker@kali: ~

Session Actions Edit View Help

```
┌──(hacker㉿kali)-[~]
└─$ nmap 192.168.171.0/24
Starting Nmap 7.98 ( https://nmap.org ) at 2026-04-16 10:37
+0530
Nmap scan report for 192.168.171.1
Host is up (0.0023s latency).
All 1000 scanned ports on 192.168.171.1 are in ignored state
s.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: 00:50:56:C0:00:08 (VMware)

Nmap scan report for 192.168.171.2
Host is up (0.00035s latency).
Not shown: 999 closed tcp ports (reset)
PORT   STATE SERVICE
53/tcp open  domain
MAC Address: 00:50:56:FF:0F:DD (VMware)

Nmap scan report for 192.168.171.254
Host is up (0.00028s latency).
All 1000 scanned ports on 192.168.171.254 are in ignored sta
tes.
Not shown: 1000 filtered tcp ports (no-response)
MAC Address: 00:50:56:ED:C1:83 (VMware)

Stats: 0:01:43 elapsed; 255 hosts completed (4 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 45.50% done; ETC: 10:40 (0:01:50 remaining)
Nmap scan report for 192.168.171.130
Host is up.
All 1000 scanned ports on 192.168.171.130 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap done: 256 IP addresses (4 hosts up) scanned in 212.29 seconds

┌──(hacker㉿kali)-[~]
└─$
```

root@kali: ~

Session Actions Edit View Help

```
┌──(hacker㉿kali)-[~]
└─$ sudo -i
[sudo] password for hacker:
/usr/bin/systemd-cat → /usr/bin/systemd-cat
┌──(root㉿kali)-[~]
└─# nmap -sV 192.168.171.130
Starting Nmap 7.98 ( https://nmap.org ) at 2026-04-20 14:53 +0530
Nmap scan report for 192.168.171.130
Host is up.
All 1000 scanned ports on 192.168.171.130 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Service detection performed. Please report any incorrect results at https://nmap.org/submi
t/ .
Nmap done: 1 IP address (1 host up) scanned in 202.12 seconds

┌──(root㉿kali)-[~]
└─#
```

```
Not shown: 1000 filtered tcp ports (no-response)

Service detection performed. Please report any incorrect results at https://nmap.org/submi
t/ .
Nmap done: 1 IP address (1 host up) scanned in 202.12 seconds

┌──(root㉿kali)-[~]
└─# nmap -O 192.168.171.130
Starting Nmap 7.98 ( https://nmap.org ) at 2026-04-20 15:00 +0530
Nmap scan report for 192.168.171.130
Host is up (0.010s latency).
All 1000 scanned ports on 192.168.171.130 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
Too many fingerprints match this host to give specific OS details
Network Distance: 0 hops

OS detection performed. Please report any incorrect results at https://n
map.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 204.12 seconds

┌──(root㉿kali)-[~]
└─# sS
```

root@kali: ~

Session Actions Edit View Help

```
Network Distance: 0 hops

OS detection performed. Please report any incorrect results at https://n
map.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 204.12 seconds

┌──(root㉿kali)-[~]
└─# nmap -A 192.168.171.130
Starting Nmap 7.98 ( https://nmap.org ) at 2026-04-20 15:04 +0530
Nmap scan report for 192.168.171.130
Host is up (0.0096s latency).
All 1000 scanned ports on 192.168.171.130 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)
Too many fingerprints match this host to give specific OS details
Network Distance: 0 hops

OS and Service detection performed. Please report any incorrect results
at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 204.42 seconds

┌──(root㉿kali)-[~]
└─#
```

hacker@kali: ~

Session Actions Edit View Help

```
Currently scanning: 192.168.0.0/16   |   Screen View: Unique Hosts

46 Captured ARP Req/Rep packets, from 3 hosts.   Total size: 2760
_____________________________________________________________________________
  IP            At MAC Address     Count     Len  MAC Vendor / Hostname
_____________________________________________________________________________
192.168.171.254 00:50:56:ed:c1:83      3     180  VMware, Inc.
192.168.171.1   00:50:56:c0:00:08     42    2520  VMware, Inc.
192.168.171.2   00:50:56:ff:0f:dd      1      60  VMware, Inc.
```