



Sales@contractorsteelsystems.com

Product Submittal Data

Job Information

Company Name: Test

Phone Number: 5611234567

Email: latonagraphics@gmail.com

Fax Number:

GC:

Phone Number:

Contractor:

Phone Number:

Architect:

Phone Number:

Date:

02/28/2019

Additional Information:

Contractor Steel Systems

1470 Dale Ct
Austel, GA 30168
Phone: 919.880.5875

Contractor Steel Systems – Product Submittal Data

Product Name: 1 ½" x 1 ½" 14 GA Angle – 112A14

Angle

Properties:

Leg A (in): 1 ½ "

Leg B (in): 1 ½ "

Design Thickness: 0.0713

Min. Thickness: 0.0677

Gauge: 14

Finish: G60

Yield Strength Fy (KSI): 50



Section Properties:

Gross Section Properties:

Weight of Member: (lb/ft)

0.69514

Codes & Standards

- Meets or tested to: ASTM C 955
- Galvanized steel sheet meets ASTM A 1003 & A653

Green Info

- LEED v3 & LEED v4 credits available
- Contact Technical Services for more information

Contractor Steel Systems – Product Submittal Data

Product Name: 2" x 2" 14 GA Angle – 200A14

Angle

Properties:

Leg A (in): 2 "

Leg B (in): 2 "

Design Thickness: 0.0713

Min. Thickness: 0.0677

Gauge: 14

Finish: G60

Yield Strength Fy (KSI): 50



Section Properties:

Gross Section Properties:

Weight of Member: (lb/ft)

0.93756

Codes & Standards

- Meets or tested to: ASTM C 955
- Galvanized steel sheet meets ASTM A 1003 & A653

Green Info

- LEED v3 & LEED v4 credits available
- Contact Technical Services for more information