Crie alias e scripts que facilite/agilize o trabalho do dia a dia.

Apelidei o comando para dar git pull

```
arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/Har demic (main)
$ alias gp="git pull"

arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/Har demic (main)
$ gp
remote: Enumerating objects: 161, done.
remote: Counting objects: 100% (161/161), done.
remote: Compressing objects: 100% (76/76), done.
remote: Total 131 (delta 90), reused 80 (delta 53), pack-reused 0
Receiving objects: 100% (131/131), 123.09 KiB | 1.01 MiB/s, done.
Resolving deltas: 100% (90/90), completed with 27 local objects.
```

Apelidei o comando para visualizar quem está logado no git

```
arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/Hardemic (main) $ alias guser='git config --global --list'

arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/Hardemic (main) $ guser user.name=chaconart user.email=arthur.chacon@bandtec.com.br credential.https://innersource.accenture.com.provider=generic
```

Apelidei o comando para adicionar arquivos

```
arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main) $ alias ga='git add'
arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main) $ ga .
```

Apelidei o comando para dar commit

```
arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main) $ alias gc='git commit -m'

arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main) $ gc "changes"
[main 1cc0131] changes
24 files changed, 33 insertions(+)
```

Apelidei o comando para dar push

```
arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main) $ alias gp='git push'

arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main) $ gp
Enumerating objects: 71, done.
Counting objects: 100% (71/71), done.
Delta compression using up to 8 threads
Compressing objects: 100% (36/36), done.
Writing objects: 100% (44/44), 1.84 MiB | 6.94 MiB/s, done.
Total 44 (delta 11), reused 0 (delta 0), pack-reused 0
```

Apelidei o comando para ver o status do diretório

```
arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main) $ alias gs='git status'

arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main) $ gs
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

Apelidei o comando para abrir o vscode

```
arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/cu
so-git (master)
$ alias vs='code .'

arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/cu
so-git (master)
$ vs
```

Apelidei o comando para criar e trocar de branch

```
arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main)
$ alias cckt='git checkout -b'

arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (main)
$ cckt branch_so
Switched to a new branch 'branch_so'

arthur.p.chacon@CPX-Y4VECABC15K MINGW64 ~/OneDrive - Accenture/Documents/git/conteudo-ads (branch_so)
$
```