

Обекты SQL i PowerBuilder, uchastvuyushchie v proekte AIS. Iyul 2026.

1. SQL-objekty
2. Tablitsy top-50
3. PowerBuilder-objekty

Vklyucheny obekty, ispolzuemye v PB (ssylki iz .sru/.srd), isklyuchaya sistemnye i vremennyye.

Imya	Naznachenie	Parametry	Tablitsy	Ispolzuetsya v PB
all_ik_for_CB_elec		(@entity_id numeric(10, 0), @ag_id numeric(10, 0))	all_ik_for_cb_elec	
all_ik_for_CB_elec_T		(@entity_id numeric(10, 0), @ag_id numeric(10, 0))	all_ik_for_cb_elec_t	
all_insure_kind_AD_to_str		(@ag_id numeric(10, 0), @date_begin datetime, @date_end datetime)	ais_cat_insure_kind, ais_entity_basis, ais_entity_basis_tariff, all_insure_kind_ad_to_str, insure_kind_code	
all_insure_kind_for_CB_to_str		(@entity_id numeric(10, 0), @ag_id numeric(10, 0))	ag_id, ais_cat_product_cb, ais_entity_basis, ais_entity_basis_tariff, all_insure_kind_for_cb_to_str, product_id, sel	
all_insure_kind_for_CB_to_str_T		(@entity_id numeric(10, 0), @ag_id numeric(10, 0))	ag_id, ais_cat_product_cb, ais_entity_basis, ais_entity_basis_tariff, all_insure_kind_for_cb_to_str_t, product_id	
all_insure_kind_for_CD_to_str		(@entity_id numeric(10, 0))	ag_id, ais_ca, ais_cat_prod, ais_entity_basis, ais_entity_basis_tariff, all_insure_kind_for_cd_to_str, master_ag_id, product_id	
all_insure_kind_for_CD2r		(@entity_id numeric(10, 0))	ais_cat_entity_type, ais_entity_basis, all_insure_kind_for_cd2r, entity_id, entity_type_id	
all_insure_kind_short_to_str		(@ag_id numeric(10, 0), @date_begin datetime, @date_end datetime)	ais_cat_insure_kind, ais_entity_b, ais_entity_basis, ais_entity_basis_tariff, all_insure_kind_short_to_str, insure_kind_code	
all_insure_kind_to_str		(@ag_id numeric(10, 0), @date_begin datetime, @date_end datetime)	ais_, ais_cat_insure_kind, ais_entity_basis, all_insure_kind_to_str, insure_kind_code	
CheckDvouExtend		(@rep_id numeric(10,0), @mode int)	ais_, ais_dvou_extend, ais_entity_basis, ais_entity_data, ais_report, basis_type_id, checkdvoextend, entity_id, mis_ag_id, ref_act_template, rep_id_ext	
CheckFixPoln		(@date_sign datetime, @filial_id numeric(10,0) , @id_type_poln int, @id_dover int)	ais_ent, ais_entity_dover, ais_entity_matrix, ais_entity_vid_avto, ais_entity_vid_dms, ais_entity_vid_fhd, ais_entity_vid_is, ais_entity_vid_non_d, checkfixpoln, id	
CheckFixPolnAO		(@date_sign datetime, @filial_id numeric(10, 0), @id_type_poln int, @id_dover int, @basis_type_id int)	a, ais, ais_cat_basis_type, ais_entity_dover, ais_entity_matrix, ais_entity_vid_avto, ais_entity_vid_dms, ais_entity_vid_fhd, ais_entity_vid_is, checkfixpolnao, id	
fn_ad_id_for_bill	Vspomogatel'naya funktsiya	(@entity_id numeric(10, 0) -- ID *****. *****. @agent_type char(1) -- ****	ais_entity_basis, fn_ad_id_for_bill	

		(@entity_id numeric(10,0) -- ID @agent_type char(1) -- B - , C - , @policy_id numeric(10,0) -- ID , @system varchar(3)		
fn_ad_id_for_bill_10242	Vspomogatel'naya funktsiya	(@subj_id numeric(10,0) -- ID @agent_type char(1) -- B - , C - , @policy_id numeric(10,0) -- ID , @system varchar(3)	ais_entity, ais_entity_basis, fn_ad_id_for_bill_10242	
fn_ad_id_for_bill_2024	Vspomogatel'naya funktsiya	(@entity_id numeric(10,0) -- ID @agent_type char(1) -- B - , C - , @policy_id numeric(10,0) -- ID , @system varchar(3)	ais_entity_basis, fn_ad_id_for_bill_2024	
fn_ad_id_for_bill_2025	Vspomogatel'naya funktsiya	(@entity_id numeric(10,0) -- ID @agent_type char(1) -- B - , C - , @policy_id numeric(10,0) -- ID , @system varchar(3)	fn_ad_id_for_bill_2025	
fn_ais_check_original_ag4comm	Vspomogatel'naya funktsiya	(@com_id numeric(10) --id)	ais_commission, ais_entity_basis, ais_entity_data, entity_id, fn_ais_check_original_ag4comm, mis_ag_id	
fn_ais_get_vague_parameter	Vspomogatel'naya funktsiya	(@param_name varchar(50) = Null -- ())	fn_ais_get_vague_parameter	
fn_ais_product_id	Vspomogatel'naya funktsiya	(@system varchar(3) , @os_product_id numeric(10) - -id)	agreement, ais_cat_product, fn_ais_product_id, gis_policy, mi, policy_id, product_id, tim_agreement_to, tis_policy, tur_policy	
fn_ais_rights_by_login	Vspomogatel'naya funktsiya	(@user_login varchar(30) = Null, -- (Null - @action_code varchar(50) = Null --) returns int -- 0 - 1 - , -1...	fn_ais_rights_by_login	
fn_all_log_ecp_response_log	Vspomogatel'naya funktsiya	(@rep_id numeric(10,0))	ais_diadoc_report_ecp_respon, ais_diadoc_report_ecp_response_log, ais_report_ecp_response_log, fn_all_log_ecp_response_log	
fn_all_log_esb_to_str	Vspomogatel'naya funktsiya	(@rep_id numeric(10,0))	ais_report_ecp_request, fn_all_log_esb_to_str	
fn_all_rules_text_to_str	Vspomogatel'naya funktsiya	(@rule_id numeric(10,0))	fn_all_rules_text_to_str	
fn_bill_oss_state	Vspomogatel'naya funktsiya	(@bill_id numeric(10) -- ID)	bill_blocking, bill_detail, fn_bill_oss_state	
fn_cb_get_cost_cent_by_pol_num	Vspomogatel'naya funktsiya	/* * cost_center AIS * select dbo.fn_cb_get_cost_cent_by_pol_num('001TRI-0159904-CHE5-001') * * 23.08.2024 - . SYBASE-14629 * * / (@policy_num varchar(50))	ais_policy, cb_department_code, fn_cb_get_cost_cent_by_pol_num, left, oss_agreement, oss_reception_area, reception_area	
fn_check_ad_id_for_bill_m	Vspomogatel'naya funktsiya	(@subj_id numeric(10,0) -- ID @agent_type char(1) -- B - , C - , @policy_id numeric(10,0) -- ID , @system varchar(3)	ais_entity, ais_entity_basis, fn_check_ad_id_for_bill_m	
fn_check_block	Vspomogatel'naya funktsiya	(@bill_id numeric(10) -- ID)	bill_blocking, fn_check_block	
fn_check_change_plan	Vspomogatel'naya funktsiya	(@policy_id numeric(10,0), -- -1 @system varchar(3), @trans numeric(10,0), @subj_id numeric(10,0), @policy_number varchar(32), @agent	ais_quasi_comm, fn_check_change_plan	

file:///C:/AIS/AI/Prod/docs/AIS-%D0%BF%D0%BE%D0%BB%D0%BD%D1%8B%D0%B9-%D0%BA%D0%B0%D1%82%D0%B0%D0%BB%D0%BE... 3/16

file:///C:/AIS/AI/Prod/docs/AIS-%D0%BF%D0%BE%D0%BB%D0%BD%D1%8B%D0%B9-%D0%BA%D0%B0%D1%82%D0%B0%D0%BB%D0%BE... 4/16

		<pre> ***** "*****" </pre>		
fn_set_tag_authorization	Vspomogatel'naya funktsiya	(@sign_elec int, @is_authorization int, @date_from varchar(20))	fn_set_tag_authorization	
fn_set_tag_authorization_2	Vspomogatel'naya funktsiya	(@sign_elec int, @is_authorization int, @date_from varchar(20), @date_to varchar(20), @authorization_text int)	fn_set_tag_authorization_2	
fn_split	Vspomogatel'naya funktsiya	(@list varchar(120), @delimiter char(1), @num int)	fn_split	
fn_user_special_right	Vspomogatel'naya funktsiya	(@resource_code varchar(255) --***** ***** ***** (usr_resource.resource_code))	fn_user_special_right, usr_lo, usr_resource	
fn_util_identity_column	Vspomogatel'naya funktsiya	(@table varchar(255))	fn_util_identity_column, syscolumns	
fn_util_pk_columns	Vspomogatel'naya funktsiya	(@table varchar(255))	fn_util_pk_columns	
fn_web_short_login	Vspomogatel'naya funktsiya	(@login varchar(255) --*****)	fn_web_short_login	
For_DWH		(@subj_id numeric(10,0) --cb_id ***** ***** , @policy_date datetime -- ***** ***** (*****) , @policy_filial_id numeric(10,0) --***** ***** , @policy_insurance_kind_id int --ID ***** ***** ***** (*****) ...	for_dwh	
Get_Address_ID_by_subj_id		(@subj_id numeric(10,0))	address, get_address_id_by_subj_id	
GetAddressByID		(@adr_id decimal(10,0))	address, getaddressbyid, is	
GetAVTInsurantByNum		@num_agreement varchar(100) -- ***** *****	getavtinsurantbynum, oss_agreement	
GetBankDetailByBankID		(@bank_id numeric(10,0), @mode int = 0)	banking_detail, getbankdetailbybankid	
GetCollInfoByPayment		(@payment_id numeric(10,0))	getcollinfobypayment, mis, vert	
GetComAllByNum		@num_agreement varchar(100) -- ***** ***** % *****	getcomallbynum, os_policy_id, oss_agreement, oss_middleman	
GetComPayType		@master_ag_id numeric(10,0) = -1, --ID ***** @date_on datetime = '1900-01-01' --***** ***** *****	ais_entity_basis, basis_type_id, from, getcompaytype	
GetComPayType_710		@ag_id numeric(10,0) = -1, --ID ***** @date_on datetime = '1900-01-01' --***** ***** *****	ais_cat_basis_type, ais_entity_basis, basis_type_id, getcompaytype_710, mast	
GetOurCompanyName		(@subj_id numeric(10,0), @mode int = 0)	city, corporation, getourcompanyname	
GetRecepName		(@recep_id numeric(10,0), @mode int = 0)	getrecepname, reception_area	
GetSubjINNByID		(@subj_id numeric(10,0))	c, getsubjinnbyid, mis, per, subj_id	
GetSubjNameByID		(@subj_id numeric(10,0))	c, getsubjnamebyid, mis, per, subj_id	
GetSubjPhoneID		(@subj_id numeric(10,0))	c, getsubjphoneid, mis, per, subj_id	
IsDvou		(@rep_id numeric(10,0))	ais_entity_basis, ais_report, entity_id, isdvou	
Number_as_string		(@Num numeric(20,6))	number_as_string	
NumPhrase		(@Num BIGINT, @IsMaleGender bit=1)	numphrase	
RubPhrase		(@Value numeric(20,2))	rubphrase	
uf_application_ini		(@parm_code varchar(20))	all, uf_application_ini	
uf_check_cyr		(@input_Str VARCHAR(16000))	uf_check_cyr	
uf_check_date_range		(@date_from datetime = NULL, @date_to datetime = NULL, @drange int = 36)	uf_check_date_range	
uf_check_dover		(@dover_id numeric(10,0) -- ID ***** ***** , @filial_id numeric(10,0) -- ***** , @basis_type_id int -- ***** , @dt datetime -- ***** , @ind_keeper char(1) -- ***** ('Y'/'N') , @fiz_ur varchar(1) -- % - P - C - @macrotype int -- 1 - ...	ais_entity_data, ais_entity_dover, ais_entity_sign, id_dover, uf_check_dover	

uf_check_enabled		(@pb_object varchar(255))	all, uf_check_enabled	
uf_check_identity		(@table_name varchar(30), @id numeric(10, 0))	mis, uf_check_identity	
uf_check_inn		(@inn varchar(13))	uf_check_inn	
uf_check_inn_for_boss		(@inn varchar(13))	uf_check_inn_for_boss	
uf_check_issue_date		(@pdoc_issue_date datetime, -- ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦ @per_date_of_birth datetime -- ♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦♦)	uf_check_issue_date	
uf_check_person_document		(@pdctype_id char(1), @pdoc_no varchar(16), @pdoc_ser varchar(9), @pdoc_issue_date datetime, @pdoc_expire_date datetime, @pdoc_issue_place varchar(255), @pdoc_dep_code varchar(7), @su_bj_id numeric(10,0))	mis, person_document_type, uf_check_person_document	
uf_check_person_document_for_boss		(@pdctype_id char(1), @pdoc_no varchar(16), @pdoc_ser varchar(9), @pdoc_issue_date datetime, @pdoc_expire_date datetime, @pdoc_issue_place varchar(255), @pdoc_dep_code varchar(7), @subj_id numeric(10,0))	mis, person_document_type, uf_check_person_document_for_boss	
uf_check_policy_in_bill		(@policy_id numeric(10,0))	bill, bill_detail, bill_id, uf_check_policy_in_bill	
uf_check_role_current_user		(@role varchar(30))	syslogins, uf_check_role_current_user	
uf_check_rs		(@rs varchar(20),@bik varchar(9))	uf_check_rs	
uf_check_rs_for_boss		(@rs varchar(20),@bik varchar(9))	uf_check_rs_for_boss, vert	
uf_check_sign_elec		(@ag_id numeric(10,0))	ais_entity_basis, ais_entity_data, entity_i, uf_check_sign_elec	
uf_check_sign_elec_empty_ag		(@master_ag_id numeric(10,0), @basis_type_id int, @date_from datetime)	uf_check_sign_elec_empty_ag	
uf_check_sign_elec_only_pap		(@ag_id numeric(10,0))	ais_entity_basis, ais_entity_data, be, entity_id, subject_document, uf_check_sign_elec_only_pap	
uf_check_snils		(@snils varchar(20))	ais_entity_da, person, uf_check_snils	
uf_check_snils_for_boss		(@snils varchar(20))	ais_entity_da, person, uf_check_snils_for_boss	
uf_convert_to_bin		(@num int)	uf_convert_to_bin	
uf_find_bic		(@rs varchar(20) ,@bik varchar(9) ,@subj_id numeric(10))	ais_entity_data, city, city_id, uf_find_bic, v_arpf_bank_tree	
uf_get_agent_type		(@num_agreement varchar(64), @subj_id numeric(10,0))	ais_intermediary_policy, ais_policy, ais_policy_, oss_agreement, uf_get_agent_type	
uf_get_agent_type_name		(@agent_type char(1))	uf_get_agent_type_name	
uf_get_agreement_system		(@num_agreement varchar(64))	agreement, ais_policy, mis, oss_agreement, tis_policy, uf_get_agreement_system	
uf_get_amount_remain		(@num_agreement varchar(30), @dt datetime)	all, oss_agreement, oss_agreement, oss_premium, uf_get_amount_remain, v_oss_agreement_state	
uf_get_company_id		(@num_agreement varchar(64))	ais_policy, oss_agreement, uf_get_company_id	
uf_get_entity_row_hash		(@id numeric(10,0), @tbl_name varchar(30))	ais_entity_data_audit, uf_get_entity_row_hash	
uf_get_error_text		(@error_code integer, @entity varchar(64))	uf_get_error_text	
uf_get_filial_subj_by_location		(@code_location varchar(40))	ais_filial_external, is, uf_get_filial_subj_by_location	
uf_get_fio_partner		(@rep_id numeric(10))	ais_entity_data, ais_entity_legates, ais_r, ais_report, all, an, entity_id, mis, p, subj_id, uf_get_fio_partner	
uf_get_insure_kind_policy		(@policy_id numeric(10, 0), @system varchar(3))	ais_policy, oss_agreement, oss_productlist, uf_get_insure_kind_policy	
uf_get_kv		(@entity_id numeric(10,0), @product_id numeric(10, 0), @ForDate datetime --@grade_group varchar(4), --@com_pay_type_id int, --@Fransh_Type_id int, --@Prolongation_Type_ID int, --@Insurer_Type char(1), --@Premium_Pay_Type_ID numeric(10, 0))	ag_id, ais_entity_basis, ais_entity_basis_tariff, uf_get_kv	
uf_get_kv1		(@Entity_ID numeric(10, 0), @ForDate datetime, @Fransh_Type_id int, @Prolongation_Type_ID int, @Insurer_Type char(1), @Product_ID numeric(10, 0), @Premium_Pay_Type_ID numeric(10, 0))	uf_get_kv1	

uf_get_name_reestr_type		(@id int, -- @sType varchar(100) = '' -- ais_cat_re estr_type -- - "" "reestr_type_name" "type_name" "name" - "rees..."	ais_cat_reestr_type, uf_get_name_reestr_type	
uf_get_new_ais_dep_id		(@old_ais_dep_id numeric(10, 0))	ais_department_external, boss_deparmet_mapping_20211006, external_id, uf_get_new_ais_dep_id	
uf_get_next_agreement_number		(@basis_type_id int,@entity_id numeric(10, 0))	ais_cat_basis, ais_enti, ais_entity_basis, ais_entity_data, uf_get_next_agreement_number	
uf_get_parm_name		(@parm_code varchar(30), @entity varchar(64))	uf_get_parm_name	
uf_get_partner_legate_id		(@ag_id numeric (10, 0))	ais_ent, ais_entity_basis, entity_id, mis, p, subj_id, uf_get_partner_legate_id	
uf_get_partner_legate_info		(@ag_id numeric (10, 0), @legate_id numeric (10, 0) = Null)	ai, ais_entity_basis, ais_entity_data, ais_entity_legates, entity_, entity_id, uf_get_partner_legate_info	
uf_get_partner_sign		(@rep_id numeric (10))	ais_entity_data, ais_entity_legates, ais_report, all, entity_id, mis, p, subj_id, uf_get_partner_sign	
uf_get_plan_date_min		(@system varchar(3), @policy_id numeric (10, 0), @oss_policy_id numeric(10, 0))	gis_premium_plan, oss_premium, premium, tis_premium, uf_get_plan_date_min	
uf_get_policy_id		(@num_agreement varchar(64))	agreement, ais_policy, gis_policy, oss_agreement, tis_policy, uf_get_policy_id	
uf_get_prior_dep_id		(@entity_id numeric(10,0))	ais_entity_da, ais_entity_data, uf_get_prior_dep_id	
uf_get_RIG_dover_id		(@report_date datetime = Null, @id_type_poln int = -1, @basis_type_id int = -1)	ais_entity_dover, ais_entity_sign, uf_get_rig_dover_id	
uf_get_RIG_edover_id		(@report_date datetime = Null)	ais_dover_edover, ais_entity_dover, uf_get_rig_edover_id	
uf_get_RIG_signer_login			uf_get_rig_signer_login	
uf_get_sale_kv		(@ForDate datetime, @Fransh_Type_id int, @Prolongation_Type_ID int, @Insurer_Type char(1), @Product_ID numeric(10, 0), @Premium_Pay_Type_ID numeric(10, 0), @Grade char(1), @Company_ID numeric(10, 0), @Recep_Code varchar (8))	ais_cat_entity_tariff, ais_cat_entity_tariff_value, tariff_id, uf_get_sale_kv	
uf_insure_kind_list		(@rep_id numeric(10,0))	ais_cat_insure_kind, ais_motivact_detail, insure_kind_code, uf_insure_kind_list	
uf_onec_exists_subject		(@id_onec_ais_entity numeric(10,0))	c, mis, onec_ais_entity, p, subj_id, uf_onec_exists_subject	
uf_onec_get_error_text		(@error_code integer)	uf_onec_get_error_text	
uf_priority_document		(@subj_id numeric(10,0))	person_document, uf_priority_document	
uf_replace_ASCII		(@input_Str VARCHAR(16000))	uf_replace_ascii	
uf_report_date_a		(@rep_id numeric(10,0))	ais_report_audit, uf_report_date_a	
uf_set_numeric_ASCII		(@input_Str VARCHAR(128))	uf_set_numeric_ascii	
z_fn_get_signature_id		(@doc_id numeric(10,0) = -1, @doc_type varchar(1) = 'D' -- D - 'A' -)	ais_report, z_fn_get_signature_id	

Triggery (118)

Imya	Naznachenie	Parametry	Tablitsy	Ispolzuetsya v PB
td_ais_boss_payments	Trigger pri izmenenii dannykh	on dbo.ais_boss_payments for delete	ais_boss_payments, ais_boss_payments_audit	
td_ais_cat_pdf_location	Trigger pri izmenenii dannykh	on dbo.ais_cat_pdf_location for dele te	ais_cat_pdf_location_audit, for, on	
td_ais_commission	Trigger pri izmenenii dannykh	on dbo.ais_commission for delete	ac, ais_commission_deleted, correct_com_id, correct_data, for, on	
td_ais_cover_type_subj_id	Trigger pri izmenenii dannykh	ON dbo.ais_cover_type_subj_id FOR DELETE	ais_co, ais_cover_type_subj_id, ais_cover_type_subj_id_audit	
td_ais_diadoc_agent	Trigger pri izmenenii dannykh	ON dbo.ais_diadoc_agent FOR DELETE	ais_diadoc_agent, ais_diadoc_agent_audit	

td_ais_diadoc_setup	Trigger pri izmenenii dannnykh	ON dbo.ais_diadoc_setup FOR DELETE	ais_diadoc_setup, ais_diadoc_setup_audit	
td_ais_entity_basis	Trigger pri izmenenii dannnykh	on dbo.ais_entity_basis for delete	ais_entity_basis, ais_entity_basis_, ais_option	
td_ais_entity_data	Trigger pri izmenenii dannnykh	ON dbo.ais_entity_data FOR DELETE	ais_entity_data, ais_entity_data_audit, master	
td_ais_entity_ext_param	Trigger pri izmenenii dannnykh	on dbo.ais_entity_ext_param for delete	ais_entity_ext_param, ais_entity_ext_param_audit	
td_ais_entity_grade	Trigger pri izmenenii dannnykh	ON dbo.ais_entity_grade FOR DELETE	ais_entity_basis, ais_entity_grade, between	
td_ais_quasi	Trigger pri izmenenii dannnykh	ON dbo.ais_quasi_comm FOR DELETE	ais_commission, ais_quasi_comm, ais_report	
td_ais_report	----- -----; TD_AIS_REPORT ON DBO.AIS_REPORT FOR DELETE; ----- ----- ----; 29.07.2025 -                                               			

ti_NDS_Rate_USN	----- -----; ti_NDS_Rate_USN ON NDS_Rate_USN FOR INSERT; ----- ----	on dbo.NDS_Rate_USN for INSERT	nds_rat, nds_rate_usn, nds_rate_usn_audit	
ti_oss_gb_commission_audit		ON oss_gb_commission FOR INSERT	master, oss_gb_commission, oss_gb_commission_audit	
ti_oss_history_pr		ON dbo.oss_history_premium FOR INSERT	oss_history_premium	
ti_oss_premium		ON dbo.oss_premium FOR INSERT	oss_premium	
tid_ais_entity_basis_tariff_gr		ON dbo.ais_entity_basis_tariff_group FOR INSERT,DELETE	ais_entity_basis_tariff_group, ais_vs_businessrules, jira_task	
tid_chain_tariff_group		ON dbo.chain_tariff_group FOR INSERT,DELETE	ais_vs_businessrules, chain_tariff_group, jira_task	
tiud_ais_entity_basis_tariff		on dbo.ais_entity_basis_tariff for insert, update, delete	ag_id, ais_cat_product, ais_comm_basis_tariff, ais_entity, ais_entity_basis, ais_entity_basis_tariff, entity_id, product_id	
tiud_ais_entity_importers		ON dbo.ais_entity_importers FOR INSERT,UPDATE	ais_entity_importers	
tiud_ais_holding_partner_fix		on dbo.ais_holding_partner_fixi on FOR INSERT, UPDATE, DELETE	a, ais_holding_partner_fixi, ais_vs_businessrules, for, jira_task, pf	
tiud_chain_tariff		ON dbo.chain_tariff FOR INSERT, UPDATE, DELETE	ais_vs_busin, ais_vs_businessrules, chain_tariff, jira_task	
tiud_oss_middleman		ON dbo.oss_middleman FOR INSERT,UPDATE,DELETE	oss_middleman, oss_middleman_audit	
tr_all_usr_login2resource		ON dbo.usr_login2resource FOR INSERT,UPDATE,DELETE	usr_login2resource, usr_login2resource_history	
tr_iud_ext_param		ON dbo.ais_entity_ext_param FOR INSERT,UPDATE,DELETE	ais_entity_ext_param	
tu_ag_report_line		ON dbo.ag_report_line FOR UPDATE	ag_report_line	
tu_ais_boss_payments		ON dbo.ais_boss_payments FOR UPDATE	ais_boss_payments, ais_boss_payments_audit, ais_report	
tu_ais_cat_basis_type		ON dbo.ais_cat_basis_type FOR UPDATE	ais_cat_basis_type	
tu_ais_cat_entity_tariff		ON dbo.ais_cat_entity_tariff FOR UPDATE	ais_cat_entity_tariff	
tu_ais_cat_entity_tariff_struct		on dbo.ais_cat_entity_tariff_struct for insert, update	ais_cat_entity_tariff, ais_cat_entity_tariff_struct, t	
tu_ais_cat_entity_tariff_value		ON dbo.ais_cat_entity_tariff_value FOR UPDATE	ais_cat_entity_tariff_	
tu_ais_cat_entity_type		ON dbo.ais_cat_entity_type FOR UPDATE	ais_cat_entity_type	
tu_ais_cat_face_type		ON dbo.ais_cat_face_type FOR UPDATE	ais_cat_face_type	
tu_ais_cat_fransh_type		ON dbo.ais_cat_fransh_type FOR UPDATE	ais_cat_fransh_type	
tu_ais_cat_insure_kind		on dbo.ais_cat_insure_kind for insert , update	ais_cat_insure_kind, insure_kind_id	
tu_ais_cat_pdf_location		ON dbo.ais_cat_pdf_location FOR UPDATE	for, inserte, location_id, on	
tu_ais_cat_position		ON dbo.ais_cat_position FOR UPDATE	for, on	
tu_ais_cat_premium_pay_type		ON dbo.ais_cat_premium_pay_type FOR UPDATE	ais_cat_premium_pay_type	
tu_ais_cat_product		ON dbo.ais_cat_product FOR UPDATE	ais_cat_product	
tu_ais_cat_prolongation_type		ON dbo.ais_cat_prolongation_type FOR UPDATE	ais_cat_prolongation_type	
tu_ais_cat_tariff_dimension		on dbo.ais_cat_tariff_dimension for insert, update	ais_cat_tariff_dimension, dim_id, for, on	
tu_ais_commission		on dbo.ais_commission for update	ais_commission, com_id, for, on	
tu_ais_cover_type_subj_id		ON dbo.ais_cover_type_subj_id FOR UPDATE	ais_cover_type_subj_id, ais_cover_type_subj_id_audit, id	

tu_ais_department		ON dbo.ais_department FOR UPDATE	ais_department	
tu_ais_department_external		ON dbo.ais_department_external FOR UPDATE	ais_department_external	
tu_ais_diadoc_agent		ON dbo.ais_diadoc_agent FOR UPDATE	ais_diadoc_agent, id, subj_id	
tu_ais_diadoc_report_ecp_response		on dbo.ais_diadoc_report_e cp_response for update	ais_diadoc_report_e, ais_diadoc_to_delete_files	
tu_ais_diadoc_setup		ON dbo.ais_diadoc_setup FOR UPDATE	ais_diadoc_setup, ais_diadoc_setup_audit, id	
tu_ais_entity		ON dbo.ais_entity FOR UPDATE	ais_entity	
tu_ais_entity_basis		on dbo.ais_entity_basis for update	ais_cat_basis_type, ais_entity_basis, ais_entity_data, entity	
tu_ais_entity_data		ON dbo.ais_entity_data FOR UPDATE	ais_entity_data, entity_data_id, form_user_order, form_user_order_aud, form_user_order_audit, form_user_order_audit_type, i	
tu_ais_entity_dover		on dbo.ais_entity_dover for insert, update	ais_entity_dover, id	
tu_ais_entity_edover		on dbo.ais_entity_edover for update	ais_entity_edover, ais_entity_edover_audit, id	
tu_ais_entity_ext_param		ON dbo.ais_entity_ext_param FOR UPDATE	ais_entity_ext_param, id	
tu_ais_entity_external		ON dbo.ais_entity_external FOR UPDATE	ais_entity_external	
tu_ais_entity_sign		on dbo.ais_entity_sign for insert, update	ais_entity_sign, id	
tu_ais_filial_external		on dbo.ais_filial_external for insert , update	ais_filial_external, external_id	
tu_ais_holding		on dbo.ais_holding for insert, update	ais_holding, holding_id	
tu_ais_payments		ON dbo.ais_payments FOR UPDATE	ais_payments	
tu_ais_policy		ON dbo.ais_policy FOR UPDATE	ais_policy	
tu_ais_prior_report		ON dbo.ais_prior_report FOR UPDATE	ais_prior_report, ais_report, rep_id	
tu_ais_report	----- -----; TU_AIS_REPORT ON DBO.AIS_REPORT FOR UPDATE; ----- -----	ON dbo.ais_repo rt FOR UPDATE	ais_repo, ais_report	
tu_bd_commission		ON dbo.bd_commission FOR UPDATE	bd, bd_commission, bd_report, for, from, on	
tu_bd_report		ON dbo.bd_report FOR UPDATE	bd_br, bd_report, c, oss_gb_commission	
tu_city		on dbo.city for insert, update	city, city_id	
tu_correct_data		ON dbo.correct_data FOR UPDATE	c, correct_data	
tu_integr_oss_xml		ON dbo.integr_oss_xml FOR UPDATE	insert, integr_oss_xml	
tu_NDS_Rate_USN	----- -----; tu_NDS_Rate_USN ON NDS_Rate_USN FOR UPDATE; ----- -----	on dbo.NDS_Rat e_USN for UPDATE	nds_rat, nds_rate_usn, nds_rate_usn_audit	
tu_onec_ais_entity		on dbo.onec_ais_entity for insert, update	id, onec_ais_entity	
tu_onec_ais_entity_basis		on dbo.onec_ais_entity_basis for in sert, update	ais_entity, ais_entity_data, banking_detail, id, onec_ais_entity_basis, onec_ais_entity_basis_history	
tu_onec_ais_entity_basis_tariff		on dbo.onec_ais_entity_basis_ tariff for insert, update	onec_ais_entity_basis_, onec_ais_entity_basis_tariff	
tu_oss_agr_payment		ON dbo.oss_agr_payment FOR UPDATE	oss_agr_payment	
tu_oss_agreement		ON dbo.oss_agreement FOR UPDATE	oss_agreement	

tu_oss_payment		ON dbo.oss_payment FOR UPDATE	oss_payment	
tu_oss_reception_area		ON dbo.oss_reception_area FOR UPDATE	oss_reception_area	
tu_quotation		ON dbo.quotation FOR UPDATE	for, on	
tu_quotation_data		ON dbo.quotation_data FOR UPDATE	quotation_data	
tu_quotation_result		ON dbo.quotation_result FOR UPDATE	quotation_result	
tu_ref_act_services		on dbo.ref_act_services for insert, update	id, ref_act_services	
tu_ref_act_setup_dvou		on dbo.ref_act_setup_dvou for insert, update	id, ref_act_setup_dvou	
tu_ref_agreement_template		on dbo.ref_agreement_template for insert, update	id, ref_agreement_template	
tu_ref_district		on dbo.ref_district for insert, update	id, ref_district	
tu_ref_our_company_name		on dbo.ref_our_company_name for insert, update	id, ref_our_company_name	
tu_ref_term_premium_transfer		on dbo.ref_term_premium_transfer for insert, update	id, ref_term_premium_transfer, ref_term_premium_transfer	
tud_bill		ON dbo.bill FOR UPDATE, DELETE	bill, bill_audit	
tud_chain		ON dbo.chain FOR UPDATE, DELETE	chain, chain_audit	
tud_chain_person		ON dbo.chain_person FOR UPDATE, DELETE	c, chain_person_audit, for, on	
tud_history		ON dbo.arpf_bank_pay_project FOR UPDATE, DELETE	arpf_bank_pay_project, arpf_bank_pay_project_history	
tui_ais_entity_grade		ON dbo.ais_entity_grade FOR insert, update	ais_entity_basis, ais_entity_grade, between, between	
tuid_ais_basis_transfer_deadline		ON dbo.ais_basis_transfer_deadline FOR INSERT, UPDATE, DELETE	ag_id, ais_basis_td_audit, ais_basis_transfer_deadline, ais_entity_basis	
tuid_ais_entity_compensation	*****; -----; -----	ON dbo.ais_entity_compensation FOR INSERT, UPDATE, DELETE	ais_entity_compensation_log, ais_vs_businessrules, all, for, on	
tuid_ais_entity_new_tariff	*****; -----; -----	ON dbo.ais_entity_new_tariff FOR INSERT, UPDATE, DELETE	ais_entity_new_tariff, ais_entity_new_tariff_log, ais_vs_businessrules, all, insert	
tuid_ais_report_request		ON dbo.ais_report_request FOR INSERT, UPDATE, DELETE	ag_request_line, ais_report, ais_report_request, bill	

2. Tablitsy - top-50 s opisaniem pól

1. ais_entity_data (144 ssylok)

Ispolzuetsya v: usp_get_entity_snils, tu_onec_ais_entity_basis, uf_get_next_agreement_number, v_ais_tariff_info_n, temp_sale_export_to_oss

Pole	Tip	Naznachenie
Polei ne naideno		

2. `ais_entity_basis` (106 ssylok)

Ispolzuetsya v: usp_sync_entity_5, v ais tariff info tooss FD, all insure kind for CB to str, usp_add_sync mess, usp_add_sync_message_kv FD

Pole	Tip	Naznachenie
Polei ne naideno		

3. ais_entity (67 ssylok)

Ispolzuetsya v: usp_get_all_rules_agent_dev, tmp_delete_ais_history, usp_entity_merge_break, usp_get_entity_snils, ais_sel_intermediary_new

Pole	Tip	Naznachenie
Polei ne naideno		

4. **ais_commission** (63 ssylok)

Ispolzuetysya v: usp_commission_select_ex, usp_reload_policy_SYBASE_8838, usp_oss_annulcom_1, usp_oss_gb_message_refresh, usp_friend_report

Pole	Tip	Naznachenie
Polei ne naideno		

5. **entity_id** (55 ssylok)

Ispolzuetysya v: v_sybase_357, usp_onec_set_entity_data, v_ais_entity_sfa, usp_dover_cancel_report, v_onec_entity_not_exists

6. **oss_agreement** (54 ssylok)

Ispolzuetysya v: usp_commission_select_ex, usp_updated_commission_select, usp_upd_commission_select_ex, usp_load_oss_xml_3675_under2, v_ais_siebel_online_com

Pole	Tip	Naznachenie
Polei ne naideno		

7. **ais_report** (53 ssylok)

Ispolzuetysya v: usp_commission_select_ex, usp_lk_report_payment, usp_mod_ap, fn_get_flag_ecp_for_report_1, fn_get_flag_ecp_for_report_4

Pole	Tip	Naznachenie
Polei ne naideno		

8. **a11** (51 ssylok)

Ispolzuetysya v: usp_commission_select_by_file, v_rule_dim_dictionary, usp_gen_WP_transaction, usp_load_oss_xml_all_13846_new, usp_load_commission_select_by_file

9. **mis** (51 ssylok)

Ispolzuetysya v: usp_entity_basis_report_tariff, uf_get_partner_sign, web_GetReestrBasisFind, v_ais_entity_sfa, usp_entity_basis_report_tariff_all

10. **city** (42 ssylok)

Ispolzuetysya v: v_full_kv_list, web_b2b_card, z_usp_split_report, usp_dover_cancel_report, GetOurCompanyName

Pole	Tip	Naznachenie
Polei ne naideno		

11. **ais_cat_basis_type** (37 ssylok)

Ispolzuetysya v: usp_entity_basis_report_dev, usp_entity_basis_report_tariff, v_ais_tariff_info_tooss2243_FD, v_ais_tariff_info_tooss, tu_ais_cat_basis_type

Pole	Tip	Naznachenie
Polei ne naideno		

12. **message_id** (35 ssylok)

Ispolzuetysya v: usp_load_oss_xml_3675_20180221, usp_load_oss_xml_3675_number, usp_load_oss_xml_3675_under2, usp_load_oss_xml_all_13846_new, usp_load_oss_xml_3675_under3

13. **subj_id** (34 ssylok)

Ispolzuetysya v: tu_ais_diadoc_agent, GetSubjINNByID, uf_get_partner_sign, usp_onec_set_entity_data, ti_ais_diadoc_agent

14. **ais_policy** (33 ssylok)

Ispolzuetsya v: usp_ais_refresh_policy, usp_upd_commission_select_ex, usp_friend_report, usp_reload_policy_WA, usp_policy_data

Pole	Tip	Naznachenie
Polei ne naideno		

15. oss_gb_message (31 ssylok)

Ispolzuetsya v: usp_load_oss_xml_3675_20180221, usp_load_oss_xml_3675_number, usp_load_oss_xml_3675_under2, usp_ais_com_checkout_new2, usp_load_oss_xml_3675_under3

Pole	Tip	Naznachenie
Polei ne naideno		

16. ais_entity_external (31 ssylok)

Ispolzuetsya v: usp_create_sale_manager_com, usp_create_sale_commission, web_middleman_payment_test, usp_create_bill_by_cursor_2_10242, usp_rep_params

Pole	Tip	Naznachenie
Polei ne naideno		

17. ais_entity_basis_tariff (28 ssylok)

Ispolzuetsya v: usp_get_tariff_casco, web_middleman_tariff_info, v_entity_list_for_cdp, web_GetInsureByAg, all_insure_kind_short_to_str

Pole	Tip	Naznachenie
Polei ne naideno		

18. id (28 ssylok)

Ispolzuetsya v: tu_ais_diadoc_agent, ti_ais_cover_type_subj_id, tu_ais_entity_ext_param, ti_ais_diadoc_agent, tu_ais_entity_dover

19. basis_type_id (24 ssylok)

Ispolzuetsya v: v_BSI_9258, v_ais_tariff_info_tooss2243, usp_onec_export_entity_basis_by_entity, usp_arpf_load_address, usp_unload_basis_data

20. ais_cat_product (24 ssylok)

Ispolzuetsya v: web_middleman_tariff_info_nnn, usp_add_sync_message_sale_kv, tiud_ais_entity_basis_tariff, usp_add_sale_tariff_test, fn_get_product_id_from_policy

Pole	Tip	Naznachenie
Polei ne naideno		

21. bill_detail (23 ssylok)

Ispolzuetsya v: ti_bill_detail_new, usp_ds_vz_appendix_1_test, usp_add_details_to_bill, usp_ais_app_5886n, usp_create_bill_by_cursor_2_10242

Pole	Tip	Naznachenie
Polei ne naideno		

22. reception_area (22 ssylok)

Ispolzuetsya v: v_BSI_9258, usp_add_sale_tariff, web_GetAISEntitySfaB2B, usp_unload_basis_data, usp_add_sale_tariff_test

Pole	Tip	Naznachenie
Polei ne naideno		

23. ais_department (21 ssylok)

Ispolzuetsya v: usp_entity_list, usp_entity_list_for_out, usp_load_signature_prior, usp_entity_list_ex_all, fn_get_signature_id_OLD_9982

Pole	Tip	Naznachenie
------	-----	-------------

Polei ne naideno

24. **off** (21 ssylok)

Ispolzuetsya v: usp_add_sync_message_kv_gap_FD, usp_create_com_by_policy, usp_create_commission, usp_create_broker_commission, usp_create_policy_commission_n

25. **bill** (19 ssylok)

Ispolzuetsya v: usp_create_bill_2, ti_bill_payment, fn_get_signature_id_for_bill, ti_bill_blocking, usp_ais_app_5886n

Pole	Tip	Naznachenie
Polei ne naideno		

26. **ais_cat_entity_tariff** (18 ssylok)

Ispolzuetsya v: v_ais_tariff_info_sale, usp_add_sync_message_sale_kv, usp_add_sale_tariff_test, tu_ais_cat_entity_tariff_struct, tu_ais_cat_entity_tariff

Pole	Tip	Naznachenie
Polei ne naideno		

27. **person** (18 ssylok)

Ispolzuetsya v: usp_seller_copy_card, check_agent, v_ais_entity_agent_for_boss, usp_temp_emp_ag, usp_get_entity_snils

28. **from** (17 ssylok)

Ispolzuetsya v: usp_add_ais_basis_td_ds139, usp_history_list, usp_insert_edover, v_ais_tariff_info_tooss_FD, utl_obj_sql_search

29. **ag_id** (17 ssylok)

Ispolzuetsya v: tuid_ais_basis_transfer_deadline, usp_commission_deduction, usp_sel_act_upp, fn_get_signature_id_OLD_9982, all_insure_kind_for_CB_to_str_T

30. **chain** (17 ssylok)

Ispolzuetsya v: usp_sell_chain_copy, usp_tmp_chain_finish, usp_group_of_rules_tree, usp_split_close, usp_write_all_rules_chain

Pole	Tip	Naznachenie
Polei ne naideno		

31. **is** (17 ssylok)

Ispolzuetsya v: web_agent_ball_policy_list, web_middleman_policy_v3, web_agent_ball_policy_list_tst, v_sec_our_company, web_act_report_list_3

32. **oss_productlist** (17 ssylok)

Ispolzuetsya v: usp_bill_policy_select_20180228, fn_get_product_id_from_policy, uf_get_insure_kind_policy, usp_form_check_payment, usp_bill_policy_select

Pole	Tip	Naznachenie
Polei ne naideno		

33. **ais_entity_dover** (16 ssylok)

Ispolzuetsya v: usp_get_broker_report_sign, dover_cancel_get_number, uf_get_RIG_edover_id, usp_load_signature_prior, v_edover

Pole	Tip	Naznachenie
Polei ne naideno		

34. **corporation** (16 ssylok)

Ispolzuetsya v: usp_bill_payment_for_link, usp_dover_cancel_report, usp_siebel_ais_external_ins, v_ais_policy_tim, v_ais_city

Pole	Tip	Naznachenie
Polei ne naideno		

35. quotation (15 ssylok)

Ispolzuetsya v: usp_quotation_report_block_old, usp_quotation_report_block, usp_clear_quotation, v_unload_quotation_data_ll, v_unload_quotation_new

Pole	Tip	Naznachenie
Polei ne naideno		

36. oss_com_id (15 ssylok)

Ispolzuetsya v: usp_load_oss_xml_3675_test, usp_load_oss_xml_3675_one_id_13846, usp_load_oss_xml, v_mess_from_OSS_new, usp_load_oss_xml_3675_20231226

37. for (14 ssylok)

Ispolzuetsya v: tu_bd_commission, td_bd_commission, tu_quotation, tu_ais_cat_position, tuid_ais_entity_compensation

38. on (14 ssylok)

Ispolzuetsya v: tu_quotation, tu_bd_commission, usp_load_commission_select_by_file, usp_cat_position_insert, tuid_ais_entity_compensation

39. oss_gb_message_new (14 ssylok)

Ispolzuetsya v: usp_load_oss_xml_3675_one_id_13846, usp_load_oss_xml_all_13846, tmP_PolusV_osp_load_oss_xml_3675_delete_13846, usp_load_oss_xml_all_13846_comm, usp_load_oss_xml_3675_under3_13846

Pole	Tip	Naznachenie
Polei ne naideno		

40. ais_cat_entity_type (13 ssylok)

Ispolzuetsya v: web_GetEntityInfoB2B, usp_entity_basis_report_all, usp_entity_score_report, tu_ais_cat_entity_type, load_ais_basis_transfer_deadline

Pole	Tip	Naznachenie
Polei ne naideno		

41. oss_middleman (13 ssylok)

Ispolzuetsya v: temp_correct_oss_charge, tiud_oss_middleman, usp_oss_link_intermediary, usp_oss_link_agent, usp_sel_client_list

Pole	Tip	Naznachenie
Polei ne naideno		

42. oss_gb_computation_xml (13 ssylok)

Ispolzuetsya v: usp_load_oss_xml_3675_test, usp_load_oss_xml, usp_load_oss_xml_3675_20231226, v_mess_from_OSS_new, usp_load_oss_xml_3675_T15

Pole	Tip	Naznachenie
Polei ne naideno		

43. master (13 ssylok)

Ispolzuetsya v: ti_oss_gb_commission_audit, usp_check_golden_task, usp_generate_report_auto, usp_who_where, o_info_proc

44. oss_policy_id (13 ssylok)

Ispolzuetsya v: usp_load_oss_xml_all_13846, usp_load_oss_xml_all_13846_comm, usp_load_oss_xml_3675_under3_13846, v_mess_from_OSS_new, usp_ds_vz_appendix_1

45. correct_data (13 ssylok)

Ispolzuetsya v: usp_correct_by_journal, tu_correct_data, usp_oss_export_status, usp_load_commission_select_by_file, usp_correct_commission_back_

Pole	Tip	Naznachenie
Polei ne naideno		

46. `integr_oss_xml` (13 ssylok)

Ispolzuetsya v: v_prepare_move_integr_xml, usp_get_new_mess_from_OSS, usp_parse_prem_old, tu_integr_oss_xml, usp_parse_prem

Pole	Tip	Naznachenie
Polei ne naideno		

47. `product_id` (13 ssylok)

Ispolzuetsya v: web_middleman_tariff_info_nnn, v_BSI_9258, web_middleman_tariff_info_v2, all_insure_kind_for_CD_to_str, web_middleman_tariff_info_v3

48. `ais_intermediary_policy` (13 ssylok)

Ispolzuetsya v: usp_create_bill_by_cursor_3, usp_create_commission, uf_get_agent_type, usp_create_bill_by_cursor_2_10242, usp_sel_client_list

Pole	Tip	Naznachenie
Polei ne naideno		

49. `ais_cat_entity_tariff_value` (12 ssylok)

Ispolzuetsya v: usp_add_sync_message_sale_kv_x, usp_add_sync_message_sale_kv, uf_get_sale_kv, usp_add_sync_message_sale_kv_n, usp_add_sync_message_sale_kv_v

Pole	Tip	Naznachenie
Polei ne naideno		

50. `address` (12 ssylok)

Ispolzuetsya v: fn_get_address_by_id, usp_entity_address, GetAddressByID, usp_onec_set_entity_data, Get_Address_ID_by_subj_id

3. PowerBuilder-obekty

3.1. UserObjects (.sru) - 695

3.2. Windows (.srw) - 394

3.3. DataWindow, Functions, Proxy, Structure, Menu, App (1517)