To Do

Quip lets you do much more than just create and edit documents online. Try it out and see for yourself!

Here's a checklist to get you started:

✓	Max Pool-
•	Curiousity DL paper
7	Project plan
7	Assign tasks by mentioning someone: @Chaitanya. Complete by @Friday, February 3, 2017.
v	NLP Paper NER using Neural
	RandInt
	NDarray doesn't work
	float doesn't work
	Checks for int alone
7	debug operator
7	examples/use cases Complete by & Friday, October 26
	RandN by © Friday, November 9
	Hardmax by © Friday, November 9
	Doesn't have axis as parameter (hagay asked and got fucked)
	tensorflow doesn't have it since probably coz batched tensor (supposed to be row wise)
	seq2seq nlp application
	works for 4d (>3d) but along the same axis
	symbol api
	back-end implementation
	understand backend operator
	guide
	Note that forward and backward functions are registered with attribute key FCompute, rather than FCompute.
	Users still can generate an executor for the quand_func like the following:
	<pre>quand_exe = quand_func.simple_bind(ctx=mx.cpu(), quandration</pre>
	sam,lin doc
	Model that uses these operators
	Design document for model (artifact) - theory, diagram, etc
	Data preprocessing
	import mxnet
	Out of bound error by Sunday, November 4
	Building Reliable and resilient services - https://w.amazon.com/index.php/Services
П	Draw io by Simon Corston-Oliver summary of all blogs/videos/articles

- UK visa
- Body composition aws credit
- AWS credit
- Mail clear
- dusane package