



La palette du goût

Ménilmontant



Prototype 1


Ohmyfood

Paris

Chaimaa Asri : Dynamisez un site web



Présentation & contexte

- Développer un site 100% mobile qui répertorie les menus de 4 restaurants gastronomiques à Paris.
- Approche mobile-first
- Le développement devra se faire en CSS, sans JavaScript.
- Prochaine phase (sous réserve de la validation de Paul) : permettre la réservation en ligne et la composition de menus



Spécifications techniques

- Aucun framework ne devra être utilisé, en revanche l'utilisation de SASS serait un plus.
- Tout le code doit être versionné sur GitHub et le site devra être accessible sur Github Pages une fois terminé.



Découpage

Header

Section 1 : Main / Exploration section

Section 2 : Main / Booking section

Section 3 : Main / Results section

Footer

HEADER


MAIN

FOOTER


Xplor
section

Booking
section

Results
section




Maquette



Fonctionnement

- 1  Choisissez un restaurant
- 2  Composez votre menu
- 3  Dégustez au restaurant



Intégration





Fonctionnement

- 1  Choisissez un restaurant
- 2  Composez votre menu
- 3  Dégustez au restaurant

Intégration des maquettes





Intégration des maquettes






Accueil

- Localisation des restaurants.
- Courte présentation de l'entreprise.
- Section contenant :
 - 4 menus sous forme cartes.
 - Clic sur la carte -> menu.



Pages de menu (x4)



Header (x2)

- Le header est présent sur toutes les pages.
- page d'accueil : le logo du site.
- pages de menu : en plus un bouton de retour vers la page d'accueil.

```
sass > layout > 🔗 header.scss > ...  
1  /* HEADER */  
2  header{  
3      padding-top:1rem;  
4      padding-bottom:0.4rem;  
5      text-align: center;  
6      position: relative;  
7  }  
8  
9  .homepage{  
10     @include card-shadow;  
11 }
```

ohmyfood



ohmyfood

Footer

- Le footer est identique sur toutes les pages.
- Au clic sur “Contact”, un renvoi vers une adresse mail est effectué.

```
<footer>
  <ul>
    <li>...
  </li>
    <li>...
  </li>
    <li>...
  </li>
    <li>...
  </li>
  </ul>
</footer>
```

```
sass > layout > footer.scss > footer
1  footer{
2    padding:1rem;
3    background-color:$dark-gray;
4    z-index:-1;
5  & ul{ ...
18  }
19  & h2{ ...
23  }
24  & li{ ...
30  }
31  }
32
33  .footer-bloc{
34    display:flex;
35    align-items:center;
36    gap:1rem;
37  & i{ ...
39  }
40  & p{ ...
42  }
43  }
```



Mise en place SASS

Ohmyfood

Préprocesseur SASS

- Système de fichiers 7-1
- BEM
- Variables avec préfixes dollar (\$)
- Nesting
- Esperluette
- Mixin
- Boucle

```
▼ sass
  > base
  > composants
  > layout
  > pages
  > utils
.gitignore
<> index.html
# normalize.css
{} package-lock.json
{} package.json
① README.md
# style.css
# style.css.map
🔗 style.scss
```


BEM

```
.homepage__loader{
  height:100vh;
  position:fixed;
  inset:0;
  background-color: $light-gray;
  border:6px solid $secondary-color;
  z-index: 2;
  opacity:1;
  animation: pop-up_out 1s ease-in 3s;
  animation-fill-mode:forwards;
  animation-delay:1s;
  justify-content: center;
  @include flex-center;
  opacity:0.8;
  .homepage__loader--spin{
    border-radius: 50%;
    width: 120px;
    height: 120px;
    border-top: 16px solid $primary-color;
    border-right: 16px solid $secondary-color;
    border-bottom: 16px solid $tertiary-color;
    border-left: 16px solid $dark-gray;
    animation: spin 3s infinite;
  }
}
```

CSS

```
.homepage__loader {
  height: 100vh;
  position: fixed;
  inset: 0;
  background-color: #EFEFEF;
  border: 6px solid #FF79DA;
  z-index: 2;
  opacity: 1;
  animation: pop-up_out 1s ease-in 3s;
  animation-fill-mode: forwards;
  animation-delay: 1s;
  justify-content: center;
  display: flex;
  align-items: center;
  opacity: 0.8;
}
.homepage__loader .homepage__loader--spin {
  border-radius: 50%;
  width: 120px;
  height: 120px;
  border-top: 16px solid #9356DC;
  border-right: 16px solid #FF79DA;
  border-bottom: 16px solid #99E2D0;
  border-left: 16px solid #383838;
  animation: spin 3s infinite;
}
```

Esperluette

```
.booking_steps li{
  transition:all 200ms ease-in;
  min-width:30%;
  list-style-type:none;
  background-color:■ #F2F2F2;
  border-radius:1.8rem;
  @include flex-center;
  padding:1rem;
  flex-grow:1;
  gap:0.6rem;
  @include card-shadow;
  @media (max-width:$breakpoint-mobile){
    width:100%;
  }
  &::before{
    counter-increment: section;
    content: counters(section,".") " ";
    border:1px solid ■ white;
    border-radius: 50%;
    height:1rem;
    width:1rem;
    background-color:$primary-color;
    color:■ white;
    padding:0.4rem;
    margin-left:-1.5rem;
    display:flex;
    justify-content: center;
  }
  &:hover{
    transform:scale(1.1);
    cursor: pointer;
    background:$light-purple;
    i{
      color:$primary-color;
    }
  }
}
```

Css

```
.booking_steps li {
  transition: all 200ms ease-in;
  min-width: 30%;
  list-style-type: none;
  background-color: ■ #F2F2F2;
  border-radius: 1.8rem;
  display: flex;
  align-items: center;
  padding: 1rem;
  flex-grow: 1;
  gap: 0.6rem;
  -webkit-box-shadow: -0.125rem 0.375rem 0.
}
@media (max-width: 700px) {
  .booking_steps li {
    width: 100%;
  }
}
.booking_steps li::before {
  counter-increment: section;
  content: counters(section, ".") " ";
  border: 1px solid ■ white;
  border-radius: 50%;
  height: 1rem;
  width: 1rem;
  background-color: ■ #9356DC;
  color: ■ white;
  padding: 0.4rem;
  margin-left: -1.5rem;
  display: flex;
  justify-content: center;
}
```

```
.booking_steps li:hover i {
  color: ■ #9356DC;
}

.booking_steps i {
  color: □ #383838;
  font-size: 1.3rem;
}
```

Boucle

```
@for $i from 1 through 3{  
  &:nth-child(#{ $i }){  
    animation-delay: #{ $i*0.5s };  
    transition: all 300ms ease-in-out;  
  }  
}
```

CSS

```
.menu__item:nth-child(1) {  
  animation-delay: 0.5s;  
  transition: all 300ms ease-in-out;  
}  
.menu__item:nth-child(2) {  
  animation-delay: 1s;  
  transition: all 300ms ease-in-out;  
}  
.menu__item:nth-child(3) {  
  animation-delay: 1.5s;  
  transition: all 300ms ease-in-out;  
}
```

Variables

```
sass > utils > 🔗 variables.scss > ...  
1  $primary-color: #9356DC;  
2  $secondary-color: #FF79DA;  
3  $tertiary-color: #99E2D0;  
4  $light-purple: #F4EEFB;  
5  
6  
7  $dark-gray: #383838;  
8  $light-gray: #EFEFEF;  
9  $lighter-gray: #F5F5F5;  
10
```

Mixin

```
sass > utils > 🔗 mixin.scss > 📦 flex-center  
1  @mixin card-shadow{  
2    -webkit-box-shadow: -0.125rem 0.375rem 0.625rem hsl(0deg 0% 0% / 20%);  
3  }  
4  
5  @mixin flex-center{  
6    display: flex;  
7    align-items: center;  
8  }
```

Animations

Ohmyfood

Animation du bouton

```
<div class="xplor__button">
  <a href="#restaurants">
    <span>Explorer nos restaurants</span>
  </a>
</div>
```

```
<div class="xplor__button">
  <a href="#">
    <span>Commander</span>
  </a>
</div>
```

```
.xplor__button{
  border:none;
  border-radius: 2rem;
  @include card-shadow;
  height:3rem;
  width: 14rem;
  margin-left:auto;
  margin-right:auto;
  color: white;
  font-size:1.2rem;
  font-weight: 450;
  padding: 0.7rem 1.4rem;
  margin-top:2rem;
  text-align:center;
  background: rgb(255,121,217);
  @include btn-start;
  & span{
    font-size:1rem;
  }
  &:hover{
    transform: scale(1.1);
    transition:all 200ms ease-in;
    background: rgb(255,121,217);
    @include btn-start;
    cursor:pointer;
    -webkit-box-shadow: -0.125rem 0.375rem 0.625rem hsl(0deg 0% 0% / 40%);
  }
}
```

Styling

Animate

Remplissage du cœur

```
<div class="heart rest__heart"></div>
```

```
<div class="heart rest-page__heart"></div>
```

```
.rest__heart{  
  width:2rem;  
  height:2rem;  
  left: 100%;  
  bottom: 10%;  
  position: absolute;  
}
```

```
.rest-page__heart{  
  width:2rem;  
}
```

```
@keyframes heart-filling{  
  0% {  
    opacity: 0;  
    transform: scaleY(0);  
  }  
  17% {  
    transform: scaleY(.18);  
  }  
  25%{  
    transform: scaleY(.4);  
  }  
  46% {  
    transform: scaleY(.81);  
  }  
  70%{  
    opacity:0.7;  
  }  
  85%,100% {  
    transform: scaleY(1);  
    opacity: 1;  
  }  
  100%{  
    transform: scaleY(1);  
  }  
}
```

Styling

```
.heart{  
  &::before{  
    display:block;  
    font-style: normal;  
    font-variant: normal;  
    text-rendering: auto;  
    -webkit-font-smoothing: antialiased;  
    font-family: "Font Awesome 5 Free";  
    font-weight: 400;  
    content:"\f004";  
    font-size:1.8rem;  
    position:absolute;  
    right:2rem;  
    transform:translate(-50%);  
    color:inherit;  
    background-clip:text;  
    -webkit-background-clip: text;  
    opacity:1;  
    transition: all 200ms ease-in-out;  
  }  
  &::after{ ...  
  }  
  &:hover::after{ ...  
  }  
}
```

```
&::after{  
  display:block;  
  font-style: normal;  
  font-variant: normal;  
  text-rendering: auto;  
  -webkit-font-smoothing: antialiased;  
  font-family: "Font Awesome 5 Free";  
  font-weight: 900;  
  content:"\f004";  
  font-size:1.8rem;  
  position:absolute;  
  right:2rem;  
  transform:translate(-50%);  
  color:transparent;  
  background: linear-gradient(to right bottom,  
  background-clip:text;  
  -webkit-background-clip: text;  
  opacity:0;  
  transition: all 200ms ease-in-out;  
  cursor: pointer;  
  animation:heart-filling;  
}  
&:hover::after{  
  opacity:1;  
}
```

Animate

Animation validation

Styling

```
<div class="menu__item">
  <div class="item__content">
    <h3>Langouste rôtie</h3>
    <p>Et ses légumes de saison</p>
  </div>
  <div class="item__price">
    <p>35€</p>
  </div>
  <div class="item--check">
    <i class="fa-solid fa-check"></i>
  </div>
</div>
```

```
.menu__item{
  background-color: white;
  border-radius: 1rem;
  @include card-shadow;
  display: flex;
  cursor: pointer;
  margin: 0.4rem;
  overflow: hidden;
  animation: fade-in 3s ease-in;
  animation-fill-mode: both;
  transition: all 1s ease-in-out;
  width: 30%;
  @media(max-width:$breakpoint-mobile){
    width: 100%;
  }
  @for $i from 1 through 3{
    &:nth-child(#{ $i }){
      animation-delay: #{ $i * 0.5s };
      transition: all 300ms ease-in-out;
    }
  }
}
```

```
&:hover{
  .item--check{
    margin-right: 0;
    & i{
      transform: rotate(1turn);
    }
  }
}
```

Animate

Animation des plats

Styling

```
<div class="menu__item">
  <div class="item__content">
    <h3>Langouste rôtie</h3>
    <p>Et ses légumes de saison</p>
  </div>
  <div class="item__price">
    <p>35€</p>
  </div>
  <div class="item--check">
    <i class="fa-solid fa-check"></i>
  </div>
</div>
```

```
.menu__item{
  background-color: white;
  border-radius: 1rem;
  @include card-shadow;
  display: flex;
  cursor: pointer;
  margin: 0.4rem;
  overflow: hidden;
  animation: fade-in 3s ease-in;
  animation-fill-mode: both;
  transition: all 1s ease-in-out;
  width: 30%;
  @media(max-width:$breakpoint-mobile)
    width: 100%;
  }
  @for $i from 1 through 3{
    &:nth-child(#{ $i }){
      animation-delay: #{ $i * 0.5s };
      transition: all 300ms ease-in-out;
    }
  }
```

```
@keyframes fade-in{
  0%{
    transform: translateY(50%);
    opacity: 0;
  }
  100%{
    transform: translateY(0);
    opacity: 1;
  }
}
```

Animate

Loader

```
<div class="homepage__loader">  
  <div class="homepage__loader--spin"></div>  
</div>
```

```
@mixin flex-center{  
  display: flex;  
  align-items: center;  
}
```

```
utils > variables.scss > ...  
$primary-color: #9356DC;  
$secondary-color: #FF79DA;  
$tertiary-color: #99E2D0;  
$light-purple: #F4EEFB;
```

```
@keyframes spin{  
  0% {  
    transform: rotate(0deg);  
  }  
  100% {  
    transform: rotate(360deg);  
  }  
}  
  
@keyframes pop-up_out{  
  0%{  
    transform: scale(1);  
  }  
  100%{  
    transform: scale(0);  
  }  
}
```

```
.homepage__loader{  
  height:100vh;  
  position:fixed;  
  inset:0;  
  background-color: $light-gray;  
  border:6px solid $secondary-color;  
  z-index: 2;  
  opacity:1;  
  animation: pop-up_out 1s ease-in 3s;  
  animation-fill-mode:forwards;  
  animation-delay:1s;  
  justify-content: center;  
  @include flex-center;  
  opacity:0.8;  
  .homepage__loader--spin{  
    border-radius: 50%;  
    width: 120px;  
    height: 120px;  
    border-top: 16px solid $primary-color;  
    border-right: 16px solid $secondary-color;  
    border-bottom: 16px solid $tertiary-color;  
    border-left: 16px solid $dark-gray;  
    animation: spin 3s infinite;  
  }  
}
```

Compatibilité Firefox & Validations W3C

Ohmyfood

Difficultés

Default branch					
master	Updated 12 days ago by Chaimaa-as				
Your branches					
Home	Updated 16 days ago by ChaimaaAsri	✓	1 28	New pull request	
page1	Updated 20 days ago by Chaimaa-as	✓	1 19	New pull request	
anim	Updated 21 days ago by Chaimaa-as		1 21	New pull request	
Page-restaurant	Updated 27 days ago by Chaimaa-as	✓	1 16	New pull request	
Active branches					
Home	Updated 16 days ago by ChaimaaAsri	✓	1 28		
page1	Updated 20 days ago by Chaimaa-as	✓	1 19		
anim	Updated 21 days ago by Chaimaa-as		1 21		
Page-restaurant	Updated 27 days ago by Chaimaa-as	✓	1 16		

Search or jump to... Pull requests Issues Marketplace Explore

Chaimaa-as / ohmyfood Public

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

master 2 branches 0 tags Go to file Add file Code

Chaimaa-as Add files via upload d25f1a9 6 hours ago 33 commits

images	transfert2	12 days ago
pages	Add files via upload	6 hours ago
sass	Add files via upload	6 hours ago
.gitignore	transfert1	12 days ago
README.md	Add files via upload	11 hours ago
index.html	Add files via upload	6 hours ago
normalize.css	transfert1	12 days ago
package-lock.json	transfert2	12 days ago
package.json	transfert3	12 days ago
style.css	Add files via upload	6 hours ago
style.css.map	Add files via upload	6 hours ago

About Ohmyfood

Readme 0 stars 1 watching 0 forks

Releases No releases published Create a new release

Packages No packages published Publish your first package



Merci

Q&R

