
# **A Chain** Audits

Smart Contract Audit
Security Assessment

10.08.2024

# MewnBase





## **Project Details**

•					
	CODEBASE Deployed	NETWORK BASE	LANGUAGE Solidity		
	NAME MewnBase	TOTAL SUPPLY 690.000.000	symbol MEWNB		
	WEBSITE Active	UNIT TESTS Not Provided	fork N/A		
	ABOUT THE PROJECT				
	Once upon a time, memes desired to go to the MEWN. Their journey was long and fraught with difficulties and danger. Many have attempted to reach the MEWN, but most never even came close. \$MEWNB was created to provide a rocket ship for our holders and other Base projects to get to the MEWN Base safely. We launched April, 2024 in beta to prove our model, build our team, and secure key partnerships. We're now loading up to take as many tokens (and holders) on Base with us to the Mewn and back – over and over again. Our LP is locked for our investors security.				
	WEBSITE	DEPLOYED CONTRACT			
	https://www.mewnbase.spa	ace/ <u>0x5100D1C6E41984e6a0</u>	aE251e5629D538aD33e847		

## Social Media Links

Telegram	https://t.me/mewnbaseonbase		
Twitter/X	https://x.com/MewnbOnBase		
Facebook	N/A		
Instagram	N/A		
Github	N/A		
Reddit	N/A		
Medium	N/A		
Discord	N/A		
Youtube	N/A		
TikTok	https://www.tiktok.com/@mewnbase.mewnb		
LinkedIn	N/A		
LinkTree	<u>Linktr.ee/mewnbase</u>		

Version	<b>Delivery Date</b>	Changelog	
v1.0	10. August 2024	<ul><li>Layout Project</li><li>Automated-/Manual-Security Testing</li><li>Summary</li></ul>	

#### **Vulnerability Summary**

<ul><li>Critical</li></ul>	Critical risks are those that affect the platform's safe operation and must be resolved before launch. Users should avoid investing in any project with unresolved critical risks.	
<ul><li>Major</li></ul>	Major risks include centralization issues and logical errors. These risks can potentially result in the loss of funds or control over the project under certain conditions.	
Medium	Medium risks might not directly threaten users' funds, but they can impact the platform's overall functionality.	
<ul><li>Minor</li></ul>	Minor risks are similar to the above categories but on a smaller scale. They typically do not compromise the project's overall integrity but may lead to less efficient solutions.	
<ul><li>Informational</li></ul>	Informational errors are recommendations aimed at improving code style or aligning operations with industry best practices. These usually do not affect the code's overall functionality.	

**Note** – The provided audit report thoroughly examines the security aspects of the smart contract employed in the project, encompassing potential malicious manipulation of the contract's functions from external sources. However, it's important to note that this analysis does not incorporate functional or unit testing of the contract's logic. Therefore, we cannot ensure the absolute correctness of the contract's logic, including internal calculations within the formulae utilised in the contract.

Overview	5
In-Scope Files	5
Imported packages	6
External/Public functions	7
State variables	7
Components	7
Exposed Functions	7
State Variables	7
Capabilities	8
Inheritance Graph	9
Audit Information	10
Strategies	10
Auditing Strategy and Techniques Applied	11
Code Analysis Methodology	11
Discovered Issues	13
Privileges	13
Upgradeability	14
Ownership	15
Authorities Permissions	16
Minting tokens	16
Burning Tokens	17
Blacklist addresses	18
Fees and Tax	19
Lock User Funds	20
NatSpec Documentation missing	21
Unused Return Values	21
The contract doesn't import npm packages from the source (like	
OpenZeppelin, etc.)	22
Missing events	22
Missing Error Message	22
Disclaimer	23

## Overview

## **In-Scope Files**

The team provided us with files to review during security audits. This audit covered the following files listed below with their respective SHA-1 Hash.

SHA-1	File
MewnBase.sol	76c3a5ae9fda831cf07f3027388076e8c68ae5c3

Please note that files with hash values different from those listed in this table have been changed after security checks, intentionally or unintentionally, as a particular hash value may indicate a changed state or potential vulnerabilities not checked in this scan.

**Note for Investors:** We only examined agreements indicated in the indicated ratings. No contracts associated with the project beyond this range have been audited, therefore, we cannot provide insight or assume responsibility for their security. Moreover, the distributor contract deployed at "https://basescan.org/address/0xF55630D39B819e16475d7598E1AbaF5267Ab664e" was not part of the audit scope and we did not audit it.

## Imported packages

Used code from other Frameworks/Smart Contracts (direct imports).

N/A

#### **External/Public functions**

External/public functions can be invoked outside of the contract, i.e., accessed by other contracts or external accounts on the blockchain. These functions are identified using external or public visibility modifiers in the function declaration.

### **State variables**

State variables are stored on the blockchain as part of the contract conditions. They are declared at the contract level and can be accessed and changed by any action in the contract (except with modifiers like onlyOwner, etc.). State transitions can be described using a visibility modifier, such as public, private, or internal, which refers to the access to the transition.

## **Components**

Contracts	2
Libraries	0
Interfaces	5
Abstract	2

## **Exposed Functions**

This section lists functions that are explicitly declared public or payable. Please note that getter methods for public stateVars are not included.

Public	49
Payable	1
External	34
Internal	65
Private	0
Pure	2
View	22

## **State Variables**


Total	24
Public	18

## **Capabilities**

Solidity Versions observed	0.8.19
Transfers ETH	Yes
Can Receive Funds	Yes
Uses Assembly	No
Has Destroyable Contracts	No

## **Inheritance Graph**

An inheritance graph is a graphical representation of the inheritance hierarchy among contracts. In object-oriented programming, inheritance is a mechanism that allows one class (or contract, in the case of Solidity) to inherit properties and methods from another class. It shows the relationships between different contracts and how they are related to each other through inheritance.



## **Audit Information**

## **Strategies**

While our projects undergo rigorous testing to address all known vulnerabilities, it's important to provide further clarification and understanding by outlining specific vulnerabilities that have been identified. This additional information enhances transparency and helps stakeholders comprehend the security measures taken and any potential risks mitigated.

Title	Issue		
Re-entrancy	Improper Enforcement of Behavioral workflow		
<b>Unexpected Ether Balance</b>	Improper Locking		
Code With No Effects	Irrelevant Code		
Flash Loan Attacks	External Oracle Manipulation		
Snadwich Attacks	A Form of Front Running		
Write to Arbitrary Storage Location Improper Write to Arbitrary Storage Location			
Variable Shadowing Improper Coding Standards			
Unprotected SELF- DESTRUCT	Improper Access Control		
Potential Honeypot	Improper Function		
Unprotected ETH withdrawal	Improper Access Control		
<b>Outdated Compiler Version</b>	Using components with Known vulnerabilities		
Weak Sources of Randomness from Chain Attributes	Use of Insufficiently Random values		
Unsafe use of libraries	Improper Implementation		
Wrong Implementation of Token Standards	Improper Coding Standards		

## **Auditing Strategy and Techniques Applied**

All Projects at ChainAudits undergo our in-house developed "4-Eye" method. This process ensures that the code is analyzed not by a single auditor but by our entire technical team. Moreover, this is accomplished most efficiently, leaving no stone unturned.

We manually check every file, line by line. Automated tools are used solely to help us achieve faster and better results.

## **Code Analysis Methodology**

The auditing process follows a routine series of steps:

- Manual Code Review:
  - Evaluate the overall structure and organization of the smart contract code line-by-line.
  - Review the implementation of access control mechanisms to ensure that sensitive functions are appropriately restricted to authorized users.
  - Ensure that critical vulnerabilities are adequately tested and that edge cases and boundary conditions are covered.
- Static Code Analysis:
  - Utilise static analysis tools to scan the codebase for vulnerabilities and security issues.
  - Identify common vulnerabilities like reentrancy, integer overflow/underflow, and unchecked external calls.
  - Evaluate compliance with coding standards and best practices, ensuring adherence to security guidelines.
- Code Structure and Architecture Review:
  - Analyze the overall structure and architecture of the smart contract code.
  - Assess the modularity, readability, and maintainability of the code.
  - Review the separation of concerns and adherence to design patterns for robustness and security.
- Security Best Practices Evaluation:
  - Evaluate the implementation of security best practices, including access control mechanisms and input validation.
  - Verify proper error handling to mitigate potential vulnerabilities and ensure contract robustness.

- Check for gas optimization techniques to enhance efficiency and reduce transaction costs.
- External Dependency Assessment:
  - Assess the integration with external contracts, libraries, or services.
  - Review the security of external dependencies and their impact on the overall security of the smart contract codebase.
  - Ensure secure interactions with external components to prevent vulnerabilities and attack vectors.
- Post-Analysis Support:
  - Offer support and guidance to assist the development team in addressing identified vulnerabilities.
  - Collaborate with stakeholders to ensure effective implementation of recommended security enhancements.
  - Provide ongoing assistance and consultation to maintain the security of the smart contract codebase.

## Discovered Issues Privileges

Centralization emerges when one or multiple entities possess privileged access or authority over a smart contract's functionalities, data, or decision-making processes. This situation may arise if a singular entity exercises complete control over the contract or if certain participants hold unique permissions or capabilities inaccessible to others within the ecosystem.

In the project, some authorities have no access to any functions as the ownership has been renounced:

No.:	File		Privileges
1	MewnBase.sol	•	The ownership has been renounced

#### Recommendations

To mitigate potential hacking risks, the team must meticulously handle the private key associated with the privileged account. Moreover, we advise bolstering the security measures surrounding centralized privileges or roles within the protocol by implementing decentralized mechanisms or employing smart-contract-based accounts like multi-signature wallets. This approach can enhance security by distributing control among multiple parties and requiring consensus for executing critical actions, thereby reducing the likelihood of unauthorized access or malicious activity.

Here are some suggestions of what the project owners can do:

- Adopting multi-signature wallets: Utilize wallets like Gnosis Safe that mandate approval from multiple parties before executing transactions. This additional layer of security helps safeguard against unauthorized actions.
- **Implementing a timelock**: Introduce a timelock feature with a delay of, say, 48-72 hours for sensitive operations. This delay period ensures stakeholders have ample time to review and respond to proposed changes, reducing the risk of impulsive or unauthorized modifications.
- **Incorporating a DAO/Governance/Voting module**: Integrating a decentralized governance system enhances transparency and community involvement. This empowers users to participate in decision-making processes, fostering a sense of ownership and accountability within the community.
- **Renouncing ownership**: Consider relinquishing ownership rights once all necessary configurations are in place. By doing so, the owner forfeits the ability to alter contract variables, enhancing trust and decentralization. It's crucial to ensure all settings are finalized before renouncing ownership to prevent unintended consequences.
- These measures collectively strengthen the security and integrity of the smart contract, mitigating risks and promoting a more resilient and transparent ecosystem.

## **Upgradeability**

#### Deployer cannot update the contract with new functionalities

The contract is not an upgradeable contract. The deployer is not able to change or add any functionalities to the contract after deploying.

## **Ownership**

#### The owner is renounced

The owner renounced the ownership that means the contract's owner will no longer have any control or authority over the contract's operations.

**Note** – If the contract remains undeployed, we would regard the ownership as not relinquished. Additionally, without any ownership functionalities, the ownership is presumed to be automatically renounced.

### **Authorities Permissions**

Functions that alter the state and are equipped with access control can pose risks. Recognizing that misuse of these functionalities can result in financial losses is essential. We offer a guide to understand the implications of presence/absence functions further.

## **Minting tokens**

Minting involves creating new tokens within a cryptocurrency or blockchain network. This task is commonly undertaken by the project's owner or an assigned authority, granting them the capability to increase the network's total token supply.

#### **Authorities cannot mint new tokens**

Authorities are not able to mint new tokens once the contract is deployed.

## **Burning Tokens**

Burning tokens involves permanently removing a specific quantity of tokens from circulation, decreasing the total supply of a cryptocurrency or token. This practice is typically undertaken to enhance the value of the remaining tokens. By reducing the overall supply, burning creates a sense of scarcity, potentially stimulating demand and driving up the token's value.

#### Authorities cannot burn tokens without approval

Authorities are not able to burn tokens without any allowances.

### **Blacklist addresses**

Blacklisting addresses in smart contracts involves adding specific addresses to a blacklist, thereby preventing them from accessing or participating in certain functionalities or transactions within the contract. This measure is useful for preventing fraudulent or malicious activities, such as hacking attempts or money laundering.

### **Authorities cannot prevent function calls**

Authorities are not able to prevent addresses from buying/selling.

## **Fees and Tax**

In specific smart contracts, the individual or entity responsible for creating the contract retains the ability to establish fees for specific actions or functionalities within it. These fees serve various purposes, including covering operational expenses such as gas fees or compensating the contract's creator for their contributions in developing and managing the contract.

#### **Authorities cannot update fees**

Authorities are not able to update the fees for buying/selling.

### **Lock User Funds**

In the context of a smart contract, locking entails confining access to specific tokens or assets for a predetermined duration. While tokens or assets are locked within the smart contract, they become inaccessible for transfer or utilization until the conclusion of the lock-up period or the fulfillment of specific conditions stipulated within the contract.

#### **Authorities cannot lock funds**

Authorities are not able to lock investor funds.

## **Audit Results**

## **NatSpec Documentation missing**

Issue-ID	Severity	Location	Status
MEWN-01	<ul><li>Informational</li></ul>	N/A	Pending

#### **Description**

If you have started to comment on your code, comment on all other functions, variables, etc.

### **Unused Return Values**

Issue-ID	Severity	Location	Status
MEWN-02	<ul><li>Informational</li></ul>	L705, 706	Pending

#### **Description**

Ensure that all the return values of the function calls are used. In this case, the return values from the reward distributor contracts are not used, which means that there is no confirmation if the call was successful or not

#### Recommendation

We recommend checking the return values from the reward distributor contract.

# The contract doesn't import npm packages from the source (like OpenZeppelin, etc.)

Issue-ID	Severity	Location	Status
MEWN-03	<ul><li>Informational</li></ul>	N/A	Pending

#### **Description**

We recommend importing all packages from npm directly without flattening the contract. Functions could be modified or susceptible to vulnerabilities.

## **Missing events**

Issue-ID	Severity	Location	Status
MEWN-04	<ul><li>Informational</li></ul>	L785-854	Pending

#### **Description**

Ensure that events are emitted for all the critical parameter changes in the contract to ensure the transparency and trackability of all the state variable changes.

## **Missing Error Message**

Issue-ID	Severity	Location	Status
MEWN-05	<ul><li>Informational</li></ul>	L846	Pending

#### **Description**

To improve the readability of the code, ensure that an error message is always displayed when reverting.

### **Disclaimer**

ChainAudits reports should not be construed as an endorsement or disapproval of any particular business or group. These reports do not reflect the economic value of any of the products or assets developed by the group. Also, ChainAudits does not consider integration with external contracts or services (e.g., Unicrypt, Uniswap, PancakeSwap).

ChainAudits reports aim to identify successful audit processes to help our clients improve the quality of the code and manage the risks associated with cryptographic tokens and blockchain technology. It is important to understand that blockchain technology and cryptographic assets pose significant ongoing risks. Each company and individual should conduct its own due diligence to maintain consistent safety measures. ChainAudits makes no representations about the security or performance of the technologies we audit.

ChainAudits does not provide any warranty or guarantee that the analyzed technology is completely defect-free, nor does it imply approval by the technology's owners. These audits should not be used to make input or output decisions; they will be involved in any project. They are not giving financial advice and should not be construed as such.