

Prasad's Notes for Compliance Audit

SECURITY COMPLIANCE AUDIT

Complete Study

Covering Sessions 1-15 | Highlighted Key Points | 40 MCQs with Explanations

★ Module Snapshot

- Objective: Introduce students to the concepts of Security Compliance Audit
- Evaluation: Theory exam - 80% weightage
- Reference Books: 'IT Audit, Control, and Security' by Robert R. Moeller; 'IT Auditing: Using Controls to Protect Information Assets' by Chris Davis (TMH)

Session 1 & 2: Introduction to Security Compliance Audit

1.1 What is a Security Compliance Audit?

A Security Compliance Audit is a formal, independent check that verifies whether an organization's IT systems, processes, and policies actually follow the security rules that they are supposed to follow. These rules may come from the law (like GDPR), from an industry standard (like PCI DSS for card payments), or from the organization's own internal security policy.

In simple words: an audit asks one basic question again and again - 'Are we actually doing what we said we would do to keep data and systems safe?' The auditor collects evidence, compares it against a checklist of requirements, and reports the gaps.

1.2 Cyber Security Challenges for Organizations

Before we study audits, we must understand WHY audits are needed. Organizations today face a growing list of security challenges:

- Increasing number and sophistication of cyber attacks (ransomware, phishing, insider threats).
- Rapid adoption of cloud computing, BYOD (Bring Your Own Device), and remote work, which expands the 'attack surface'.
- Shortage of skilled cybersecurity professionals.
- Increasing legal and regulatory requirements across different countries (GDPR, HIPAA, DPDP Act, etc.).
- Budget constraints - security competes with other business priorities for funding.
- Third-party and supply-chain risk - vendors and partners can become a weak link.
- Keeping up with fast-changing technology (AI, IoT) that introduces new, unknown risks.

1.3 Compliance Basics

Compliance means conforming to a rule, such as a specification, policy, standard, or law. In the security world, compliance has two broad flavours:


Type	Meaning	Example
Regulatory Compliance	Required by government law; non-compliance can lead to fines or legal action	GDPR, HIPAA, DPDP Act 2023
Standards/Framework Compliance	Required by an industry body or a contract; often voluntary but expected by customers/partners	ISO 27001, PCI DSS, NIST CSF

★ Remember

- Compliance = following a rule. Audit = the process of CHECKING whether you are actually following that rule.
- Compliance can be legally mandatory (law) or contractually/industry expected (standard).

1.4 Types of Security Audit

Depending on who performs the audit and what is being checked, security audits are broadly classified as follows:



- **Internal Audit:**
 - Performed by the organization's own audit/security team to check internal controls before an external body does.
- **External Audit:**
 - Performed by an independent third-party auditor, often required for certification (e.g., ISO 27001 certification audit).
- **Compliance Audit:**
 - Specifically checks adherence to a law or standard (e.g., a PCI DSS compliance audit).
- **Vulnerability Assessment:**
 - Identifies and lists weaknesses in systems, but does not exploit them.
- **Penetration Testing:**
 - Goes a step further than a vulnerability assessment - the tester actively tries to exploit weaknesses to prove real-world impact.

1.5 Audit Decision Factors

Before conducting an audit, management must decide several things. Key decision factors include:

- **Scope:** Which systems, departments, or processes will be audited?
- **Objective:** Why is the audit being done - regulatory requirement, customer demand, or internal assurance?
- **Type of Auditor:** Internal team or external independent auditor?
- **Frequency:** One-time audit or a recurring (e.g., annual) audit?
- **Budget and Resources:** Time, tools, and money available for the audit.
- **Risk Level:** High-risk systems (e.g., payment systems) usually need more frequent/detailed audits.

1.6 Security Audit Phases

Every security audit - regardless of the standard being used - generally follows five broad phases:



- **Planning & Scoping:**
 - Define objectives, boundaries, and the audit team.
- **Data Gathering:**
 - Collect evidence - policies, logs, configurations, interviews.
- **Evaluation & Testing:**
 - Compare evidence against the checklist/standard; test controls (technical & procedural).
- **Reporting:**
 - Document findings, gaps, risks, and recommendations in an audit report.
- **Follow-up & Closure:**
 - Verify that corrective actions have been implemented (often called a 'closure audit').

1.7 Requirements of Internal Audit Team

- Independence - the team should not audit its own work, to avoid bias.
- Adequate technical knowledge of systems, networks, and applicable standards.
- Clear authority/mandate from top management to access records and staff.
- A documented audit charter defining roles, responsibilities, and reporting lines.
- Continuous training to stay current with new threats and regulations.

1.8 Principles of Audits

International audit standards (like ISO 19011) list these guiding principles:

- **Integrity:** The foundation of professionalism - auditors must be honest and diligent.
- **Fair Presentation:** Report truthfully and accurately, even if findings are negative.
- **Due Professional Care:** Apply diligence and sound judgement.
- **Confidentiality:** Protect the information gathered during the audit.
- **Independence:** Be free from conflicts of interest; stay objective.
- **Evidence-Based Approach:** Conclusions must be based on verifiable evidence, not assumptions.

1.9 Auditor's Personal Abilities

Apart from technical knowledge, a good auditor needs certain personal (soft) skills:

- Analytical thinking and attention to detail

- Strong communication - both listening and report writing
- Ethical conduct and objectivity
- Patience and diplomacy while dealing with staff being audited
- Time management, since audits work within fixed schedules

★ Exam-Focused Points - Session 1 & 2

- 5 Audit Phases (easy to remember as PDE-R-F): Planning, Data gathering, Evaluation, Reporting, Follow-up.
- Internal audit = own team; External audit = independent third party.
- Auditor principles (ISO 19011): Integrity, Fair presentation, Due care, Confidentiality, Independence, Evidence-based.

Session 3: Security Evaluation

3.1 What is Security Evaluation?

Security Evaluation is a structured assessment of a product, system, or organization to determine how well it meets defined security requirements. While an 'audit' checks compliance to a rule, an 'evaluation' more broadly measures the strength and correctness of security controls - often used before certifying a product or system as secure.

3.2 Evaluation Process

- Define the Target of Evaluation (TOE) - the exact system/product being assessed.
- Establish the security requirements/criteria to evaluate against.
- Collect and analyse evidence (design documents, source code, test results).
- Perform independent testing of the claimed security functions.
- Assign an assurance rating and document findings.


3.3 Evaluation Phases

- Preparation: Understand scope and gather documentation.
- Input: Review security requirements/specifications.
- Processing: Conduct detailed technical evaluation/testing.
- Output: Produce an evaluation report with the assurance level achieved.

3.4 Assurance - 7 Evaluation Levels (EAL)

Under the Common Criteria framework, assurance is expressed in seven Evaluation Assurance Levels (EAL1 to EAL7). A higher EAL means more rigorous testing and higher confidence in the product's security - but it also costs more time and money to achieve.

Assurance: 7 Evaluation Levels (EAL1-EAL7)



★ Quick Memory Tip

- EAL1 = lowest assurance, just 'Functionally Tested'.
- EAL7 = highest assurance, 'Formally Verified Design and Tested' - used for extremely high-risk systems (e.g., defence, banking cores).
- As EAL number increases, rigor of testing increases and so does cost/time.

3.5 Evaluation Methodology

A methodology is the documented, repeatable method used to carry out the evaluation consistently. Common Criteria uses the CEM (Common Evaluation Methodology), which defines exactly how evaluators should interpret and apply the criteria so that results are consistent across different labs and countries.

- Ensures consistency - two different evaluators reach the same conclusion given the same evidence.
- Provides mutual recognition - a certificate issued in one country can be trusted in another (Common Criteria Recognition Arrangement).

★ Exam-Focused Points - Session 3

- Security Evaluation measures HOW STRONG a security control is; Audit measures WHETHER a rule is being followed.
- 7 EAL levels come from the Common Criteria standard (ISO/IEC 15408).
- CEM = Common Evaluation Methodology - keeps evaluations consistent worldwide.

Session 4: NIST Cybersecurity Framework

4.1 NIST Overview


NIST (National Institute of Standards and Technology) is a US government agency. It created the NIST Cybersecurity Framework (CSF) - a voluntary set of best practices, standards, and guidelines that any organization (not just US government) can use to manage and reduce cybersecurity risk.

4.2 Components of the Framework

The NIST CSF has three main parts:

- Framework Core: A set of cybersecurity activities and outcomes grouped into 5 Functions (see diagram below).
- Framework Implementation Tiers: Describe how sophisticated an organization's risk management practices are, from Tier 1 (Partial) to Tier 4 (Adaptive).
- Framework Profile: A snapshot of where the organization currently stands (Current Profile) versus where it wants to be (Target Profile).

4.3 The 5 Core Functions



- **Identify:**
 - Understand your assets, risks, and business context (e.g., asset inventory, risk assessment).
- **Protect:**
 - Put safeguards in place - access control, training, data security.
- **Detect:**

- Continuously monitor to find security events quickly (e.g., SIEM, anomaly detection).
- **Respond:**
 - Take action when an incident is detected - containment, communication, mitigation.
- **Recover:**
 - Restore capabilities and services affected by the incident, and learn from it.

4.4 Use of the Framework

- Helps organizations describe their current cybersecurity posture in a common language.
- Helps set clear goals for improving security (target profile).
- Helps identify and prioritise opportunities to reduce risk.
- Helps communicate risk to stakeholders (management, partners, regulators) using a shared vocabulary.
- Used as a benchmark during compliance and internal audits.

★ Exam-Focused Points - Session 4

- Remember the 5 Functions using the mnemonic: I-P-D-R-R (Identify, Protect, Detect, Respond, Recover).
- NIST CSF is VOLUNTARY, not a law - but many organizations adopt it as best practice or because a client demands it.
- Implementation Tiers range from Tier 1 (Partial) to Tier 4 (Adaptive) - they measure MATURITY, not compliance.

Session 5: General Data Protection Regulation (GDPR)

5.1 GDPR Overview

GDPR is a data protection and privacy law passed by the European Union (EU), effective from 25 May 2018. It applies to ANY organization anywhere in the world that collects or processes personal data of people located in the EU - not just EU-based companies. This is why Indian and other global IT companies also need to comply with GDPR.

★ Key Fact


- GDPR is extra-territorial - it applies based on WHOSE data is processed (EU residents), not WHERE the company is located.
- Non-compliance fines can reach up to EUR 20 million or 4% of global annual turnover, whichever is higher.

5.2 Types of Privacy Data GDPR Protects

- Personal Data: Name, address, email ID, ID numbers, location data, IP address.
- Special Category Data (Sensitive): Racial/ethnic origin, political opinions, religious beliefs, health data, biometric/genetic data, sexual orientation.
- Online Identifiers: Cookies, device IDs, RFID tags.

5.3 Key Steps to Ensure GDPR Compliance

Key Steps to Ensure GDPR Compliance



- **Map Your Data:**
 - Know what personal data you collect, where it is stored, and who has access.
- **Update Privacy Policy:**
 - Clearly tell users what data is collected and why, in plain language.
- **Get Valid Consent:**
 - Consent must be freely given, specific, informed, and easily withdrawable.
- **Enable Data Subject Rights:**
 - Right to access, rectify, erase ('right to be forgotten'), and port their data.
- **Report Breach within 72 Hours:**
 - Any personal data breach must be reported to the supervisory authority within 72 hours of discovery.

★ **Exam-Focused Points - Session 5**

- GDPR breach must be reported within 72 hours - a very common exam question.
- 'Right to be Forgotten' lets an individual ask a company to delete their personal data.
- A Data Protection Officer (DPO) is often mandatory for organizations that process large-scale sensitive data.

Session 6 & 7: ISO/IEC 27001 (ISO 2700x Series)

6.1 What is ISO/IEC 27001?

ISO/IEC 27001 is the world's best-known standard for Information Security Management Systems (ISMS). It provides a systematic, risk-based approach for managing sensitive company and customer information so that it remains secure - covering people, processes, and technology.

6.2 How the Standard Works

- Organizations build an ISMS - a set of policies, procedures, and controls to manage information risk.
- Risk assessment identifies threats and vulnerabilities to information assets.
- Appropriate controls (from Annex A) are selected to treat/reduce risk.
- The ISMS follows the PDCA cycle - Plan, Do, Check, Act - for continual improvement.
- An accredited external body can certify the organization as ISO/IEC 27001 compliant.

6.3 History of ISO/IEC 27001

- Originated from BS 7799 (a British Standard) published by BSI in the 1990s.
- Became ISO/IEC 17799 in 2000, then renumbered as ISO/IEC 27001 in 2005.
- Major revisions released in 2013 and 2022 to keep pace with new technology and threats.

6.4 ISO/IEC 27001:2005 Domains (Annex A)

The controls in ISO/IEC 27001 are grouped into domains covering all aspects of information security. A simplified view of the main domain areas:



6.5 Structure of the Standard

Clause	Focus Area
4	Context of the Organization
5	Leadership & Commitment
6	Planning (Risk Assessment & Treatment)
7	Support (Resources, Awareness, Communication)
8	Operation (Implementing controls)
9	Performance Evaluation (Internal Audit, Management Review)
10	Improvement (Corrective Action, Continual Improvement)

★ Exam-Focused Points - Session 6 & 7

- ISO 27001 uses the PDCA (Plan-Do-Check-Act) cycle for continual improvement.
- The standard evolved from BS 7799 -> ISO 17799 -> ISO/IEC 27001.
- Clauses 4-10 define MANDATORY management-system requirements; Annex A lists the OPTIONAL/selectable controls.

Session 8: SOX and SOC Reports

8.1 What is SOX?

The Sarbanes-Oxley Act (SOX), 2002, is a US federal law passed after major corporate accounting scandals (like Enron). It aims to protect investors by improving the accuracy and reliability of corporate financial disclosures - and this directly involves IT security controls, because financial data is stored and processed in IT systems.

8.2 SOC Reports - Auditor Process Overview

SOC (System and Organization Controls) reports are issued by independent auditors (CPAs) to give assurance about a service organization's controls. There are three common types:

Report Type	Purpose
SOC 1	Focuses on controls relevant to a client's Internal Control over Financial Reporting (ICFR).
SOC 2	Focuses on Security, Availability, Processing Integrity, Confidentiality, and Privacy (Trust Services Criteria) - most relevant for IT/cloud vendors.
SOC 3	A general-use, simplified summary of a SOC 2 report, meant for public/marketing use.

- Auditor Process: Plan -> Understand controls -> Test design (Type I) or Test operating effectiveness over a period (Type II) -> Issue report with opinion.
- Type I: Assesses whether controls are suitably designed at a POINT IN TIME.
- Type II: Assesses whether controls actually OPERATED EFFECTIVELY over a period (e.g., 6-12 months) - considered stronger assurance.

8.3 SOX Compliance and Security Controls

- Section 302: Corporate officers must personally certify the accuracy of financial reports.
- Section 404: Requires management and external auditors to report on the adequacy of internal controls over financial reporting - this is where IT General Controls (ITGC) come in (access control, change management, backups, logging).
- Section 802: Defines penalties (including criminal) for altering, destroying, or falsifying financial records.

★ Exam-Focused Points - Session 8

- SOC 2 is the report most commonly asked for by clients of cloud/SaaS/IT companies.
- Type I = design at a point in time; Type II = operating effectiveness over a period (stronger assurance).
- SOX Section 404 is the section most closely tied to IT security/general controls.

Session 9: COBIT Framework

9.1 What is COBIT?


COBIT (Control Objectives for Information and Related Technologies) is a framework created by ISACA for IT governance and management. It helps organizations ensure that their IT investments create business value while managing risk appropriately. In simple words, COBIT tells organizations WHAT needs to be controlled to govern IT well.

9.2 COBIT Components

- Framework: Organizes IT governance objectives and good practices.
- Process Descriptions: A reference model of processes covering the full lifecycle of IT (Plan, Build, Run, Monitor).
- Control Objectives: Statements of the desired result to be achieved for each IT process.
- Management Guidelines: Help assign responsibility and measure performance.
- Maturity Models: Assess process maturity and benchmark against industry.

9.3 COBIT vs ITIL

Students often confuse COBIT with ITIL because both relate to IT management. The key difference is their focus:



★ Easy Way to Remember

- COBIT = Governance framework -> answers 'WHAT should be controlled?' Used heavily by auditors.
- ITIL = Service management framework -> answers 'HOW should IT services be delivered?' Used heavily by IT operations/service desk teams.
- COBIT and ITIL are complementary, not competing - many organizations use both together.

★ Exam-Focused Points - Session 9

- COBIT is published/maintained by ISACA.
- COBIT focuses on IT GOVERNANCE and CONTROL, unlike ITIL which focuses on SERVICE DELIVERY.

Session 10: HIPAA

10.1 What is HIPAA?

HIPAA (Health Insurance Portability and Accountability Act), 1996, is a US law that sets national standards to protect sensitive patient health information from being disclosed without the patient's consent or knowledge. Any organization handling US healthcare data - hospitals, insurers, and even IT vendors serving them - must comply.

10.2 HIPAA Regulations

- Privacy Rule: Governs how Protected Health Information (PHI) can be used and disclosed.
- Security Rule: Sets standards for protecting electronic PHI (ePHI) using administrative, physical, and technical safeguards.
- Breach Notification Rule: Requires notifying affected individuals (and sometimes media) after a breach of unsecured PHI.

10.3 HIPAA Titles

Title	Focus
Title I	Health Insurance Portability - protects coverage for workers changing/losing jobs
Title II	Administrative Simplification - Privacy, Security, and Breach Notification Rules (most relevant to IT security)
Title III	Tax-related health provisions
Title IV	Application and enforcement of group health plan rules
Title V	Revenue offset provisions

10.4 HIPAA Rules (Security Rule Safeguards)

- **Administrative Safeguards:**
 - Risk analysis, workforce training, designated security officer, access management policies.
- **Physical Safeguards:**
 - Facility access controls, workstation security, device and media disposal.
- **Technical Safeguards:**
 - Access control (unique user IDs), audit logging, encryption/decryption, integrity controls.

★ Exam-Focused Points - Session 10

- PHI = Protected Health Information; ePHI = electronic PHI (specifically what the Security Rule protects).
- Title II is the most exam-relevant title - it contains Privacy, Security, and Breach Notification Rules.
- 3 categories of HIPAA safeguards: Administrative, Physical, Technical.

Session 11: PCI DSS

11.1 What is PCI DSS?


PCI DSS (Payment Card Industry Data Security Standard) is a global security standard for organizations that store, process, or transmit credit/debit card information. It was created to reduce credit card fraud and protect cardholder data.

11.2 History of PCI DSS

- Before 2004, major card brands (Visa, MasterCard, Amex, Discover, JCB) each had their own separate security programs.
- In 2004, these brands combined their standards to create a single PCI DSS.
- In 2006, the PCI Security Standards Council (PCI SSC) was formed to manage and evolve the standard.
- The standard has been revised multiple times (v1.0 to the current v4.0) to address new threats.

11.3 Different Levels of PCI Compliance

Merchants are classified into 4 levels based on annual transaction volume - higher volume means stricter validation requirements:



- Level 1: Over 6 million transactions/year - requires annual on-site audit by a Qualified Security Assessor (QSA).
- Level 2: 1-6 million transactions/year - requires annual Self-Assessment Questionnaire (SAQ), sometimes on-site audit.
- Level 3: 20,000-1 million e-commerce transactions/year - annual SAQ.
- Level 4: Fewer than 20,000 e-commerce transactions/year (or up to 1 million other transactions) - annual SAQ, requirement varies by acquiring bank.

★ Exam-Focused Points - Session 11

- PCI DSS applies to anyone who stores, processes, or transmits cardholder data - regardless of company size.
- Level 1 merchants need a QSA-led on-site audit; smaller merchants can typically self-assess (SAQ).
- PCI SSC (formed 2006) - manages and updates the standard; it is NOT a government body.

Session 12: CIS Critical Security Controls

12.1 What is CIS?

The Center for Internet Security (CIS) is a nonprofit organization that publishes the CIS Critical Security Controls - a prioritized, prescriptive set of best practices to stop the most common and dangerous cyber attacks. Unlike broad frameworks like ISO 27001, CIS Controls are very specific and actionable.

12.2 CIS Compliance

CIS compliance means an organization has implemented the CIS Controls appropriate to its size and risk. Organizations self-assess or use tools (CIS-CAT) to measure how well their systems match CIS Benchmarks.

12.3 CIS Controls - Implementation Groups

The 18 CIS Controls (as of the current version) are grouped into three Implementation Groups (IGs) based on organizational size, resources, and risk:

CIS Controls - Implementation Groups



- IG1 (Basic Cyber Hygiene): Essential controls every organization should implement - e.g., inventory of assets, basic access control.
- IG2 (Foundational): Adds more controls for organizations with dedicated IT/security staff and moderate risk.
- IG3 (Organizational/Advanced): Adds controls for organizations facing sophisticated attacks, handling sensitive data, or under regulatory pressure.

12.4 CIS Benchmarks

CIS Benchmarks are detailed, technology-specific configuration guidelines (e.g., how to securely configure Windows Server, Linux, a database, or a cloud service). They complement the CIS Controls by telling you exactly HOW to harden a specific system.

★ Exam-Focused Points - Session 12

- CIS Controls are prioritized and actionable, unlike broader governance frameworks.
- 3 Implementation Groups: IG1 (basic), IG2 (foundational), IG3 (advanced/organizational).
- CIS Benchmarks = configuration hardening guides for specific technologies (OS, DB, cloud).

Session 13: SSE-CMM


13.1 History & the Need

SSE-CMM (Systems Security Engineering Capability Maturity Model) was developed in the 1990s to answer a key question: 'How do we know if an organization is GOOD at building secure systems, not just lucky?' It was created because traditional software CMM models did not specifically address security engineering practices.

13.2 SSE-CMM Overview

SSE-CMM defines a set of Security Engineering Process Areas and measures organizational maturity in performing them - similar in spirit to the Capability Maturity Model (CMM) used for general software development, but focused specifically on security engineering.

13.3 SSE-CMM Maturity Levels



- Level 1 - Performed Informally: Basic practices are performed, but not planned or tracked consistently.
- Level 2 - Planned & Tracked: Practices are planned and their performance is tracked at the project level.
- Level 3 - Well Defined: Practices are well defined and standardized across the organization.
- Level 4 - Quantitatively Controlled: Detailed measures of process performance are collected and used to control the process.
- Level 5 - Continuously Improving: Quantitative process-improvement goals are established and continuously refined.

13.4 Using the SSE-CMM

- As a tool for an organization to evaluate its own security engineering practices.
- As a tool for a customer to evaluate a supplier/vendor's security engineering capability.
- As a basis for an independent assessor to rate an organization's maturity.

13.5 SSE-CMM Pilots

Before the model was finalized, it was tested ('piloted') across a number of organizations - including government and defence contractors in the US - to validate that the maturity levels and process areas accurately reflected real-world security engineering practice.

★ Exam-Focused Points - Session 13

- SSE-CMM has 5 maturity levels, same numbering style as software CMM.
- Level 1 = informal/ad-hoc; Level 5 = continuously improving using data-driven feedback.
- SSE-CMM focuses specifically on SECURITY ENGINEERING processes, not general software development.

Session 14 & 15: ITAA 2008, DPDP Act 2023 & Case Studies

14.1 Information Technology (Amendment) Act, 2008 (ITAA 2008)

The IT Act 2000 was India's first major cyber law. It was significantly amended in 2008 (ITAA 2008) to address new-age cybercrimes and align with global practice.

- Introduced Section 43A: Compensation for failure to protect sensitive personal data due to negligence in maintaining 'reasonable security practices'.
- Introduced Section 66A (later struck down by the Supreme Court in 2015 for being unconstitutional) related to offensive electronic messages.
- Introduced Section 66F: Punishment for Cyber Terrorism.
- Introduced Section 67C: Intermediaries must preserve and retain specified information for a prescribed duration.
- Recognized electronic signatures (beyond just digital signatures) and gave more powers to CERT-In.

14.2 Digital Personal Data Protection Act, 2023 (DPDP Act)

The DPDP Act 2023 is India's dedicated data protection law - India's equivalent of GDPR. It governs how personal data of Indian citizens ('Data Principals') can be processed by organizations ('Data Fiduciaries').

- Data Principal: The individual to whom the personal data relates.
- Data Fiduciary: The entity that decides the purpose and means of processing personal data (similar to a 'data controller' under GDPR).
- Consent: Processing generally requires free, specific, informed consent, or falls under 'legitimate uses' defined in the Act.
- Data Protection Board of India: The regulatory body set up to enforce the Act and handle grievances.
- Significant Data Fiduciary: Entities handling large volumes of sensitive data face extra obligations (e.g., appointing a Data Protection Officer, conducting Data Protection Impact Assessments).
- Penalties: Can go up to INR 250 crore for failing to take reasonable security safeguards to prevent a data breach.

★ GDPR vs DPDP Act - Quick Comparison

- GDPR (EU, 2018) uses terms 'Data Controller' and 'Data Subject'; DPDP Act (India, 2023) uses 'Data Fiduciary' and 'Data Principal'.
- Both require reporting data breaches and both give individuals rights over their own data (access, correction, erasure).
- DPDP Act's regulator is the Data Protection Board of India; GDPR's regulators are national Data Protection Authorities in each EU country.

14.3 Case Studies

Case Study 1: Internal Audit Solution for a Global Bank

A global bank with operations across multiple countries needed a way to continuously audit its IT controls against several regulations at once (SOX for US operations, GDPR for EU customers, local RBI/central-bank guidelines). The bank implemented a centralized internal audit framework combining:

- A common control library mapped to multiple standards (COBIT, ISO 27001, SOX) so one control test could satisfy several requirements at once ('audit once, comply many').
- Continuous/automated control monitoring using GRC (Governance, Risk & Compliance) tools instead of only periodic manual checks.
- A risk-based audit plan - high-risk branches/systems (e.g., core banking, payment gateways) audited more frequently than low-risk back-office systems.
- Result: Faster identification of control gaps, reduced audit fatigue on business teams, and consistent evidence for regulators across regions.

Case Study 2: Compliance Audit of Anti-Corruption Regulations

A multinational company operating in several countries was required to comply with anti-corruption/anti-bribery regulations (such as the FCPA in the US or similar local laws), which have strong IT-control components - like access controls over vendor payment systems and audit trails for approvals.

- The audit scope covered: vendor onboarding controls, segregation of duties in the payment approval workflow, and logging/monitoring of high-value transactions.
- Auditors used data analytics to flag unusual patterns - e.g., payments just below approval thresholds, or vendors linked to employees.
- Findings led to strengthened segregation of duties (the person who creates a vendor cannot also approve payments to that vendor) and mandatory periodic access reviews.
- Key Lesson: Compliance audits are not only about 'ticking boxes' - they use technology (data analytics, automated monitoring) to find real, hidden risks.

★ Exam-Focused Points - Session 14 & 15

- ITAA 2008 amended the IT Act 2000; added Sections 43A, 66F, 67C among others.
- DPDP Act 2023 = India's data protection law; key terms are Data Principal, Data Fiduciary, Data Protection Board of India.
- Case studies show that a good compliance program maps ONE control to MULTIPLE regulations to save effort ('audit once, comply many').

Revision Quiz: 40 MCQs (Whole Syllabus)

Attempt all 40 questions below WITHOUT looking at the answer key first. Questions are a mix of easy (direct recall) and tricky (concept-application) types, covering every session of the syllabus. The Answer Key with detailed explanations is provided in the next section - use it only after attempting all questions. *(Read It)*

★ How to Use This Quiz

- Time yourself: try to complete all 40 questions in 35-40 minutes, similar to exam conditions.
- Mark the questions you were unsure about, and revisit that topic in the notes above.
- Difficulty tag (Easy/Tricky) next to each answer in the key tells you where to focus extra revision.

Q1. What is the primary purpose of a Security Compliance Audit?

- A. To design new software
- B. To verify whether an organization follows required security rules
- C. To sell security products
- D. To train new employees

Q2. Which of the following is NOT typically listed as a cybersecurity challenge for organizations?

- A. Shortage of skilled professionals
- B. Rapid cloud/BYOD adoption
- C. Excess of unused office furniture
- D. Increasing regulatory requirements

Q3. An audit performed by an organization's own staff, before an external body reviews it, is called:

- A. External audit
- B. Internal audit
- C. Penetration test
- D. Vulnerability scan

Q4. Which activity actively exploits a weakness to prove real-world impact, going beyond simply listing it?

- A. Vulnerability Assessment
- B. Compliance Audit
- C. Penetration Testing
- D. Internal Audit

Q5. Put the security audit phases in the correct order.

- A. Reporting -> Planning -> Testing -> Follow-up -> Data Gathering
- B. Planning -> Data Gathering -> Evaluation/Testing -> Reporting -> Follow-up
- C. Data Gathering -> Reporting -> Planning -> Testing -> Follow-up
- D. Follow-up -> Planning -> Reporting -> Testing -> Data Gathering

Q6. Which principle from ISO 19011 requires an auditor to be free from conflicts of interest?

- A. Confidentiality
- B. Independence
- C. Due Professional Care
- D. Fair Presentation

Q7. Security Evaluation is best described as:

- A. A legal contract between vendor and client
- B. A structured assessment of how well a system meets defined security requirements
- C. A marketing document
- D. A type of firewall

Q8. Under the Common Criteria, which Evaluation Assurance Level represents the HIGHEST assurance?

- A. EAL1
- B. EAL4
- C. EAL7
- D. EAL3

Q9. What does CEM stand for in the context of security evaluation?

- A. Certified Evaluation Manager
- B. Common Evaluation Methodology
- C. Compliance Excellence Model
- D. Cyber Evaluation Metric

Q10. The NIST Cybersecurity Framework's 5 core functions are:

- A. Plan, Do, Check, Act, Review
- B. Identify, Protect, Detect, Respond, Recover
- C. Assess, Design, Build, Test, Deploy
- D. Prevent, Detect, Correct, Audit, Report

Q11. In the NIST CSF, continuously monitoring systems to find security events quickly falls under which function?

- A. Identify
- B. Protect
- C. Detect
- D. Recover

Q12. NIST Implementation Tiers (Tier 1 to Tier 4) measure:

- A. Legal compliance
- B. Organizational risk-management maturity
- C. Number of employees
- D. Revenue of the company

Q13. GDPR requires organizations to report a personal data breach to the supervisory authority within:

- A. 24 hours
- B. 72 hours
- C. 7 days
- D. 30 days

Q14. GDPR applies to which of the following organizations?

- A. Only companies headquartered in the EU
- B. Only government bodies
- C. Any organization worldwide processing personal data of EU residents
- D. Only banks

Q15. Which of these is an example of GDPR 'Special Category' (sensitive) data?

- A. Email address
- B. Health data

- C. Company job title
- D. Office phone extension

Q16. ISO/IEC 27001 originally evolved from which British Standard?

- A. BS 5750
- B. BS 7799
- C. BS 8901
- D. BS 25999

Q17. In ISO 27001, the continual-improvement cycle used is called:

- A. SDLC
- B. PDCA (Plan-Do-Check-Act)
- C. RACI
- D. OSI Model

Q18. In ISO 27001's structure, which part contains the OPTIONAL/selectable list of security controls?

- A. Clause 4
- B. Clause 9
- C. Annex A
- D. Clause 10

Q19. SOX (Sarbanes-Oxley Act) was enacted primarily to:

- A. Regulate social media content
- B. Improve accuracy and reliability of corporate financial disclosures
- C. Protect healthcare data
- D. Standardize internet protocols

Q20. Which SOC report type is most relevant to a cloud/IT service provider, covering security, availability, and confidentiality?

- A. SOC 1
- B. SOC 2
- C. SOC 3 only
- D. SOC 4

Q21. A SOC Type II report differs from a Type I report because it:

- A. Costs less money
- B. Assesses operating effectiveness of controls over a period of time, not just design at one point
- C. Is only used for marketing
- D. Does not require an auditor

Q22. Which SOX section is most closely associated with IT General Controls (ITGC) reporting requirements?

- A. Section 302
- B. Section 404
- C. Section 802
- D. Section 906

Q23. COBIT is published and maintained by:

- A. ISO
- B. ISACA
- C. NIST
- D. PCI SSC

Q24. What is the main difference between COBIT and ITIL?

- A. COBIT focuses on service delivery; ITIL on governance
- B. COBIT focuses on IT governance/control; ITIL focuses on service management/delivery
- C. They are identical frameworks
- D. COBIT is only for banks

Q25. HIPAA's Security Rule primarily protects:

- A. Credit card data
- B. Electronic Protected Health Information (ePHI)
- C. Employee salary records
- D. Source code of software

Q26. Which HIPAA title contains the Privacy, Security, and Breach Notification Rules?

- A. Title I
- B. Title II
- C. Title III
- D. Title V

Q27. Encryption and audit logging under HIPAA are classified as which type of safeguard?

- A. Administrative
- B. Physical
- C. Technical
- D. Financial

Q28. PCI DSS applies to organizations that:

- A. Only sell electronics online
- B. Store, process, or transmit cardholder data
- C. Are based only in the USA
- D. Have more than 1000 employees

Q29. A merchant processing over 6 million card transactions per year falls under which PCI DSS level?

- A. Level 4
- B. Level 3
- C. Level 2
- D. Level 1

Q30. The PCI Security Standards Council (PCI SSC) was formed in which year?

- A. 2002
- B. 2004
- C. 2006
- D. 2010

Q31. CIS Critical Security Controls are best described as:

- A. A vague set of legal guidelines
- B. A prioritized, prescriptive, and actionable set of best practices
- C. A type of firewall hardware
- D. A programming language

Q32. Which CIS Implementation Group represents 'Basic Cyber Hygiene' recommended for every organization?

- A. IG1
- B. IG2
- C. IG3
- D. IG4

Q33. CIS Benchmarks are used mainly to:

- A. Set employee salaries
- B. Provide detailed, technology-specific configuration hardening guidelines
- C. Draft legal contracts
- D. Design office layouts

Q34. SSE-CMM was developed mainly because:

- A. General software CMM did not specifically address security engineering practices
- B. It replaced ISO 27001 entirely
- C. It is a payment processing standard
- D. It only applies to mobile apps

Q35. In SSE-CMM, which maturity level represents practices that are 'well defined and standardized' across the organization?

- A. Level 1
- B. Level 2
- C. Level 3
- D. Level 5

Q36. The Information Technology (Amendment) Act, 2008 (ITAA 2008) amended which earlier Indian law?

- A. Companies Act 2013
- B. IT Act 2000
- C. Indian Penal Code 1860
- D. RTI Act 2005

Q37. Under the Digital Personal Data Protection Act 2023, the entity that decides the purpose and means of processing personal data is called a:

- A. Data Principal
- B. Data Fiduciary
- C. Data Processor Agent
- D. Data Broker

Q38. Which body was established under the DPDP Act 2023 to enforce the law and handle grievances?

- A. CERT-In
- B. Data Protection Board of India
- C. RBI
- D. TRAI

Q39. In the global bank case study, mapping ONE control to satisfy MULTIPLE regulatory frameworks at once is best described as:

- A. Risk transfer
- B. 'Audit once, comply many' approach
- C. Data minimization
- D. Zero trust architecture

Q40. In the anti-corruption compliance audit case study, ensuring the person who creates a vendor cannot also approve payments to that vendor is an example of:

- A. Data encryption
- B. Segregation of duties
- C. Penetration testing
- D. Business continuity planning

Answer Key with Concepts & Detailed Explanations

Below is the correct answer for every question, along with a short explanation of the underlying concept - use this section to understand WHY an answer is correct, not just WHAT the answer is.

Q1. What is the primary purpose of a Security Compliance Audit? [Easy]

- A. To design new software
- B. To verify whether an organization follows required security rules ✓ Correct Answer**
- C. To sell security products
- D. To train new employees

***Explanation:** A compliance audit checks whether actual practices match required rules (law, standard, or policy) - it does not design software or sell products.*

Q2. Which of the following is NOT typically listed as a cybersecurity challenge for organizations? [Easy]

- A. Shortage of skilled professionals
- B. Rapid cloud/BYOD adoption
- C. Excess of unused office furniture ✓ Correct Answer**
- D. Increasing regulatory requirements

***Explanation:** Office furniture is unrelated to cybersecurity challenges; the syllabus lists skill shortage, cloud/BYOD growth, and rising regulation as real challenges.*

Q3. An audit performed by an organization's own staff, before an external body reviews it, is called: [Easy]

- A. External audit
- B. Internal audit ✓ Correct Answer**
- C. Penetration test
- D. Vulnerability scan

***Explanation:** Internal audits are conducted by the organization's own team; external audits are done by independent third parties.*

Q4. Which activity actively exploits a weakness to prove real-world impact, going beyond simply listing it? [Tricky]

- A. Vulnerability Assessment
- B. Compliance Audit
- C. Penetration Testing ✓ Correct Answer**
- D. Internal Audit

***Explanation:** A Vulnerability Assessment only identifies and lists weaknesses; Penetration Testing goes further and actively exploits them.*

Q5. Put the security audit phases in the correct order. [Tricky]

- A. Reporting -> Planning -> Testing -> Follow-up -> Data Gathering
- B. Planning -> Data Gathering -> Evaluation/Testing -> Reporting -> Follow-up ✓ Correct Answer**
- C. Data Gathering -> Reporting -> Planning -> Testing -> Follow-up
- D. Follow-up -> Planning -> Reporting -> Testing -> Data Gathering

***Explanation:** The correct sequence is Planning & Scoping -> Data Gathering -> Evaluation & Testing -> Reporting -> Follow-up & Closure.*

Q6. Which principle from ISO 19011 requires an auditor to be free from conflicts of interest? [Easy]

- A. Confidentiality

B. Independence ✓ Correct Answer

C. Due Professional Care

D. Fair Presentation

Explanation: Independence specifically means the auditor is objective and free of conflicts of interest.

Q7. Security Evaluation is best described as: [Easy]

A. A legal contract between vendor and client

B. A structured assessment of how well a system meets defined security requirements ✓ Correct Answer

C. A marketing document

D. A type of firewall

Explanation: Security evaluation structurally measures how strong/correct security controls are against defined criteria.

Q8. Under the Common Criteria, which Evaluation Assurance Level represents the HIGHEST assurance? [Easy]

A. EAL1

B. EAL4

C. EAL7 ✓ Correct Answer

D. EAL3

Explanation: EAL7 (Formally Verified Design and Tested) is the highest of the seven levels, EAL1 being the lowest.

Q9. What does CEM stand for in the context of security evaluation? [Tricky]

A. Certified Evaluation Manager

B. Common Evaluation Methodology ✓ Correct Answer

C. Compliance Excellence Model

D. Cyber Evaluation Metric

Explanation: CEM (Common Evaluation Methodology) ensures evaluations under Common Criteria are performed consistently across labs and countries.

Q10. The NIST Cybersecurity Framework's 5 core functions are: [Easy]

A. Plan, Do, Check, Act, Review

B. Identify, Protect, Detect, Respond, Recover ✓ Correct Answer

C. Assess, Design, Build, Test, Deploy

D. Prevent, Detect, Correct, Audit, Report

Explanation: The 5 NIST CSF core functions are Identify, Protect, Detect, Respond, and Recover.

Q11. In the NIST CSF, continuously monitoring systems to find security events quickly falls under which function? [Tricky]

A. Identify

B. Protect

C. Detect ✓ Correct Answer

D. Recover

Explanation: 'Detect' covers continuous monitoring activities such as SIEM and anomaly detection to find events promptly.

Q12. NIST Implementation Tiers (Tier 1 to Tier 4) measure: [Tricky]

A. Legal compliance

B. Organizational risk-management maturity ✓ Correct Answer

C. Number of employees

D. Revenue of the company

Explanation: Tiers measure the sophistication/maturity of an organization's cybersecurity risk-management practices, not legal compliance or size.

Q13. GDPR requires organizations to report a personal data breach to the supervisory authority within: [Easy]

- A. 24 hours
- B. 72 hours ✓ Correct Answer**
- C. 7 days
- D. 30 days

Explanation: GDPR mandates breach notification to the supervisory authority within 72 hours of becoming aware of the breach.

Q14. GDPR applies to which of the following organizations? [Tricky]

- A. Only companies headquartered in the EU
- B. Only government bodies
- C. Any organization worldwide processing personal data of EU residents ✓ Correct Answer**
- D. Only banks

Explanation: GDPR is extra-territorial - it applies based on whose data is processed (EU residents), regardless of where the company is based.

Q15. Which of these is an example of GDPR 'Special Category' (sensitive) data? [Easy]

- A. Email address
- B. Health data ✓ Correct Answer**
- C. Company job title
- D. Office phone extension

Explanation: Health data, along with racial origin, religion, biometric data, etc., is classified as special category (sensitive) data under GDPR.

Q16. ISO/IEC 27001 originally evolved from which British Standard? [Tricky]

- A. BS 5750
- B. BS 7799 ✓ Correct Answer**
- C. BS 8901
- D. BS 25999

Explanation: ISO/IEC 27001 traces its origin to BS 7799, later becoming ISO/IEC 17799 and then ISO/IEC 27001.

Q17. In ISO 27001, the continual-improvement cycle used is called: [Easy]

- A. SDLC
- B. PDCA (Plan-Do-Check-Act) ✓ Correct Answer**
- C. RACI
- D. OSI Model

Explanation: ISO 27001's ISMS follows the PDCA (Plan-Do-Check-Act) cycle for continual improvement.

Q18. In ISO 27001's structure, which part contains the OPTIONAL/selectable list of security controls? [Tricky]

- A. Clause 4
- B. Clause 9
- C. Annex A ✓ Correct Answer**
- D. Clause 10

Explanation: Clauses 4-10 are mandatory management-system requirements, while Annex A lists controls organizations select based on their risk assessment.

Q19. SOX (Sarbanes-Oxley Act) was enacted primarily to: [Easy]

- A. Regulate social media content
- B. Improve accuracy and reliability of corporate financial disclosures ✓ Correct Answer**

- C. Protect healthcare data
- D. Standardize internet protocols

Explanation: SOX was passed after accounting scandals to protect investors by improving financial reporting accuracy and reliability.

Q20. Which SOC report type is most relevant to a cloud/IT service provider, covering security, availability, and confidentiality? [Easy]

- A. SOC 1
- B. SOC 2 ✓ Correct Answer**
- C. SOC 3 only
- D. SOC 4

Explanation: SOC 2 addresses the Trust Services Criteria (Security, Availability, Processing Integrity, Confidentiality, Privacy) most relevant to IT/cloud vendors.

Q21. A SOC Type II report differs from a Type I report because it: [Tricky]

- A. Costs less money
- B. Assesses operating effectiveness of controls over a period of time, not just design at one point ✓ Correct Answer**
- C. Is only used for marketing
- D. Does not require an auditor

Explanation: Type I is a point-in-time design assessment; Type II tests whether controls operated effectively over a period, giving stronger assurance.

Q22. Which SOX section is most closely associated with IT General Controls (ITGC) reporting requirements? [Tricky]

- A. Section 302
- B. Section 404 ✓ Correct Answer**
- C. Section 802
- D. Section 906

Explanation: Section 404 requires management and auditors to assess the adequacy of internal controls over financial reporting, which includes ITGCs.

Q23. COBIT is published and maintained by: [Easy]

- A. ISO
- B. ISACA ✓ Correct Answer**
- C. NIST
- D. PCI SSC

Explanation: COBIT (Control Objectives for Information and Related Technologies) is developed and maintained by ISACA.

Q24. What is the main difference between COBIT and ITIL? [Easy]

- A. COBIT focuses on service delivery; ITIL on governance
- B. COBIT focuses on IT governance/control; ITIL focuses on service management/delivery ✓ Correct Answer**
- C. They are identical frameworks
- D. COBIT is only for banks

Explanation: COBIT answers 'what should be controlled' (governance); ITIL answers 'how services should be delivered' (service management).

Q25. HIPAA's Security Rule primarily protects: [Easy]

- A. Credit card data
- B. Electronic Protected Health Information (ePHI) ✓ Correct Answer**

- C. Employee salary records
- D. Source code of software

Explanation: The Security Rule under HIPAA sets standards specifically for protecting electronic Protected Health Information (ePHI).

Q26. Which HIPAA title contains the Privacy, Security, and Breach Notification Rules? [Tricky]

- A. Title I
- B. Title II ✓ Correct Answer**
- C. Title III
- D. Title V

Explanation: Title II (Administrative Simplification) contains the Privacy Rule, Security Rule, and Breach Notification Rule - the most exam-relevant title.

Q27. Encryption and audit logging under HIPAA are classified as which type of safeguard? [Tricky]

- A. Administrative
- B. Physical
- C. Technical ✓ Correct Answer**
- D. Financial

Explanation: Encryption, access control, and audit logs fall under Technical Safeguards; training and policies fall under Administrative; facility access falls under Physical.

Q28. PCI DSS applies to organizations that: [Easy]

- A. Only sell electronics online
- B. Store, process, or transmit cardholder data ✓ Correct Answer**
- C. Are based only in the USA
- D. Have more than 1000 employees

Explanation: PCI DSS applies to any organization, regardless of size, that stores, processes, or transmits payment card data.

Q29. A merchant processing over 6 million card transactions per year falls under which PCI DSS level? [Easy]

- A. Level 4
- B. Level 3
- C. Level 2
- D. Level 1 ✓ Correct Answer**

Explanation: Level 1 is for merchants processing over 6 million transactions a year and requires an annual on-site audit by a QSA.

Q30. The PCI Security Standards Council (PCI SSC) was formed in which year? [Tricky]

- A. 2002
- B. 2004
- C. 2006 ✓ Correct Answer**
- D. 2010

Explanation: The card brands first combined standards into PCI DSS in 2004, and the PCI SSC was formed in 2006 to manage the standard.

Q31. CIS Critical Security Controls are best described as: [Easy]

- A. A vague set of legal guidelines
- B. A prioritized, prescriptive, and actionable set of best practices ✓ Correct Answer**
- C. A type of firewall hardware
- D. A programming language

Explanation: Unlike broad governance frameworks, CIS Controls are specific, prioritized, and directly actionable.

Q32. Which CIS Implementation Group represents 'Basic Cyber Hygiene' recommended for every organization? [Easy]

A. IG1 ✓ Correct Answer

B. IG2

C. IG3

D. IG4

Explanation: IG1 covers essential, basic controls every organization should implement, regardless of size.

Q33. CIS Benchmarks are used mainly to: [Tricky]

A. Set employee salaries

B. Provide detailed, technology-specific configuration hardening guidelines ✓ Correct Answer

C. Draft legal contracts

D. Design office layouts

Explanation: CIS Benchmarks give detailed guidance on how to securely configure specific technologies like an OS, database, or cloud service.

Q34. SSE-CMM was developed mainly because: [Tricky]

A. General software CMM did not specifically address security engineering practices ✓ Correct Answer

B. It replaced ISO 27001 entirely

C. It is a payment processing standard

D. It only applies to mobile apps

Explanation: SSE-CMM was created to specifically measure maturity in security engineering, which traditional CMM models did not address.

Q35. In SSE-CMM, which maturity level represents practices that are 'well defined and standardized' across the organization? [Tricky]

A. Level 1

B. Level 2

C. Level 3 ✓ Correct Answer

D. Level 5

Explanation: Level 3 (Well Defined) means practices are standardized organization-wide, unlike Level 1 (informal) or Level 2 (planned only at project level).

Q36. The Information Technology (Amendment) Act, 2008 (ITAA 2008) amended which earlier Indian law? [Easy]

A. Companies Act 2013

B. IT Act 2000 ✓ Correct Answer

C. Indian Penal Code 1860

D. RTI Act 2005

Explanation: ITAA 2008 is the amendment to India's original IT Act, 2000.

Q37. Under the Digital Personal Data Protection Act 2023, the entity that decides the purpose and means of processing personal data is called a: [Tricky]

A. Data Principal

B. Data Fiduciary ✓ Correct Answer

C. Data Processor Agent

D. Data Broker

Explanation: The DPDP Act 2023 uses 'Data Fiduciary' for the entity that decides why/how data is processed - equivalent to GDPR's 'data controller'.

Q38. Which body was established under the DPDP Act 2023 to enforce the law and handle grievances? [Tricky]

- A. CERT-In
- B. Data Protection Board of India ✓ Correct Answer**
- C. RBI
- D. TRAI

Explanation: The Data Protection Board of India is the regulatory body created under the DPDP Act 2023.

Q39. In the global bank case study, mapping ONE control to satisfy MULTIPLE regulatory frameworks at once is best described as: [Tricky]

- A. Risk transfer
- B. 'Audit once, comply many' approach ✓ Correct Answer**
- C. Data minimization
- D. Zero trust architecture

Explanation: Using a common control library mapped across COBIT, ISO 27001, and SOX lets one control test satisfy several regulatory requirements - 'audit once, comply many'.

Q40. In the anti-corruption compliance audit case study, ensuring the person who creates a vendor cannot also approve payments to that vendor is an example of: [Tricky]

- A. Data encryption
- B. Segregation of duties ✓ Correct Answer**
- C. Penetration testing
- D. Business continuity planning

Explanation: This is a classic segregation-of-duties control that prevents a single person from having end-to-end control over a risky process, reducing fraud risk.