

CLICK
HERE



CLICK
HERE

• APUL •
NEET FLIX

• T A I M E E D U C A T I O N F O R A L L •

NEET CHANNEL



JOIN
OUR **TELEGRAM** CHANNELS HERE

TEST PAPERS <<< **CLICK**

TOPPER'S NOTES <<< **CLICK**

BEST FROM KOTA LECTURES <<< **CLICK**

QUIZES <<< **CLICK**

REVISION FLASH CARDS &
MANY MORE <<< **CLICK**

BIOLOGY

1)

New cells are formed from pre-existing cells was explained by :

- (1) Matthias Schleiden
- (2) Theodore Schwann
- (3) Anton von Leeuwenhoek
- (4) Rudolf Virchow

2)

Algae cell wall is made up of :

- (1) Cellulose, hemicellulose and proteins
- (2) Cellulose, galactans, mannans & CaCO_3 like minerals
- (3) Cellulose, pectins & proteins only
- (4) Only cellulose

3)

Lipid component of the membrane is mainly consist of :

- (1) Phosphoglycerides
- (2) Cholesterol
- (3) Amino acids
- (4) Sialic acid

4)

Consider the given statements :

- (A) Schwann proposed the hypothesis that the bodies of animals & plants are composed of cells & products of cells
- (B) Schleiden and Schwann explain that how new cells were formed from pre-existing cells
- (C) Ribosomes & lysosomes are non-membrane bound organelles found in all cells
- (D) Prokaryotic cells are smaller and multiply more rapidly than the eukaryotic cells
- (E) Phosphate granules, cyanophycean granules and glycogen granules are inclusion bodies which are present in cytoplasm of bacteria

How many above statements are correct :

- (1) 4
- (2) 3
- (3) 2

AIM: FREE EDUCATION TO ALL APUL

(4) 5

5)

Lateral movement of the proteins within over all bilayer is possible because of :

- (1) Colloidal nature of protein
- (2) Quasi-fluid nature of lipid
- (3) Presence of carbohydrates
- (4) Polar nature of protein

6)

Which structure connects the cytoplasm of neighbouring plant cells?

- (1) Gap junction
- (2) Tight junction
- (3) Plasmodesmata
- (4) Desmosome

7)

Which is not true for inclusion bodies :

- (1) They are stored in cytoplasm
- (2) They are not bounded with membrane system
- (3) They are not reserve material in prokaryotic cell
- (4) All of the above

8)

Hydrolytic lysosomic enzymes are activated at :

- (1) Basic pH
- (2) Acidic pH
- (3) High temperature
- (4) Low temperature

9)

Golgi complex takes the packaged material from endoplasmic reticulum with its :

- (1) Cis face
- (2) Trans face
- (3) Maturing face
- (4) Vacuole

10)

AIM: FREE EDUCATION TO ALL APUL

Which is not correct for carotenoids ?

- (1) They are fat soluble
- (2) They are present in chromoplast
- (3) They gives yellow, orange and green colour
- (4) They are found in the cells of colourfull parts of plant body

11)

Which of the following is covered with plasma membrane?

- (1) Ribosome
- (2) Cytoskeleton
- (3) Centrosome
- (4) Cilia and flagella

12)

In 80 S ribosome, 'S' stands for sedimentation coefficient. It is measure of :

- (1) Length only
- (2) Diameter
- (3) Density and size
- (4) Molecular weight of nucleoprotein

13)

Stroma of the chloroplast have enzymes for synthesis of :

- (1) Carbohydrates
- (2) Proteins
- (3) Vitamins
- (4) Both carbohydrates and proteins

14)

Which of the following is the part of endomembrane system of a cell?

- (1) Mitochondria
- (2) Vacuole
- (3) Chloroplast
- (4) Peroxisome

15)

Which of the following is not true for a eukaryotic cell?

- (1) It has 80 S type of ribosome present in the mitochondria

AIM: FREE EDUCATION TO ALL APUL

- (2) It has 80 S type of ribosome present in the cytoplasm
- (3) Mitochondria contain circular DNA
- (4) Membrane bound organelles are present

16) Plastid differs from mitochondria on the basis of one of the following features :

- (1) Presence of two layers of membrane
- (2) Presence of ribosome
- (3) Presence of chlorophyll
- (4) Presence of DNA

17)

Peptide synthesis inside cytoplasm takes place in :

- (1) Chloroplast
- (2) Mitochondria
- (3) Chromoplast
- (4) Ribosomes

18)

Fluidity of plasma membrane is due to :

- (1) Lipids
- (2) Proteins
- (3) Carbohydrates
- (4) Cholesterol

19) Regarding to endoplasmic reticulum which of the following statement is wrong :

- (1) ER divides the intra cellular space into two distinct compartments
- (2) RER frequently observed in cells actively involved in secretion
- (3) In animals lipid like steroidal hormones are synthesized in RER
- (4) SER is the major site of lipid synthesis

20)

Classification of plastids into chloroplast, chromoplast and leucoplast is based on :

- (1) Stored food
- (2) Pigments
- (3) Structure
- (4) Size

21) Membrane of vacuole is called :-

AIM: FREE EDUCATION TO ALL APUL

- (1) Cell membrane
- (2) Tonoplast
- (3) Biomembrane
- (4) Cell sap

22)

Middle lamella mainly consists of :-

- (1) Lignin
- (2) Suberin
- (3) Pectin
- (4) Cellulose

23) Which one is the important site of synthesis of both glycoprotein and glycolipid ?

- (1) Golgibody
- (2) RER
- (3) Lysosome
- (4) None

24)

Microtubules are made up of :-

- (1) Actin and function in locomotion
- (2) Tubulin and found in cilia and flagella
- (3) Myosin and function in contraction
- (4) Polysaccharide and function in locomotion

25) Which one is fundamentally common structure found in both prokaryotic and eukaryotic cell ?

- (1) Cell wall
- (2) Cell membrane
- (3) Photosynthesis machinery
- (4) Mitochondria

26) Cart wheel like structure is of :

- (1) Cilia and flagella
- (2) Axonema
- (3) Centriole
- (4) Centrosome

27) Which cell organelle is present both in prokaryotic and eukaryotic cell ?

- (1) Cell membrane

AIM: FREE EDUCATION TO ALL APUL

- (2) Ribosome
- (3) Nucleus
- (4) Mesosome

28) Which of the following is a correct match regarding size/length ?

- (1) Mycoplasma — 0.3 μm
- (2) Viruses — 0.02 - 0.2 μm
- (3) Human RBC — 7 μm
- (4) All are correct

29) In plant cells, the vacuoles can occupy upto _____ % of the volume of the cell.

- (1) 30
- (2) 20
- (3) 10
- (4) 90

30) Which one statement is correct for cell membrane ?

- (1) It is selectively permeable to molecules present on either side of it
- (2) It allows neutral solutes to pass through only by carrier proteins
- (3) Na^+/K^+ pump performs transport according to concentration gradient
- (4) Water movement occurs by active transport

31) Polyribosomes or polysomes represent:

- (1) Microbodies like glyoxysomes
- (2) Aggregation of m-RNA
- (3) Aggregation of rRNA
- (4) Several ribosomes attached to a single mRNA forming a chain

32) Which of the following organelles is present in plants but not in animals ?

- (1) Ribosome
- (2) Lysosome
- (3) Peroxisome
- (4) Plastid

33) Select the wrong match :

- (1) Aleuroplast - Protein storage
- (2) Elaioplast - Fat/oil storage
- (3) Amyloplast - Starch storage
- (4) Chromoplast - Chlorophyll storage

AIM: FREE EDUCATION TO ALL APUL

34) Which of the following statement is correct for cell wall :-


- (1) is a living structure
- (2) Act as barrier for undesirable macromolecules
- (3) of algal cell is made of cellulose, galactans, mannans and silica
- (4) has middle lamella, mainly made of magnesium pectate

35) Which of the following is true for endoplasmic reticulum?

- (1) It is involved in synthesis of lipid
- (2) It is not included in endomembrane system
- (3) It is found in some prokaryotes only
- (4) It's main function is packaging of glycolipids

36) Which of the following is true for Mitochondria :

- (1) Is bound by a single membrane
- (2) Posses cristae which are extensions of its outer membrane
- (3) Are the sites of aerobic respiration
- (4) Is found in both eukaryotic and prokaryotic cells



37) Identify structure A,B,C and D is given below diagram :-

	A	B	C	D
(1)	Granum	Stroma lamella	Outer membrane	Stroma
(2)	Granum	Outer membrane	Stroma lamella	Stroma
(3)	Granum	Outer membrane	Stroma	Stroma lamella
(4)	Stroma lamella	Stroma	Outer membrane	Thylakoid


- (1) 1
- (2) 2
- (3) 3
- (4) 4

38) The ribosomes of eukaryotic cytoplasm, mitochondria and plastids are respectively :-

- (1) 80S, 70S and 70S
- (2) 70S, 70S and 80S
- (3) 50S, 30S and 70S

AIM: FREE EDUCATION TO ALL APUL

(4) 70S, 80S and 70S



39) Which of the following is correct for the diagram given below?

- (1) It represents prokaryotic flagella
- (2) It possess '9 + 0' microtubular organisation
- (3) Both (1) and (2)
- (4) It represents hair-like outgrowths of cell membrane in eukaryotic ciliates and flagellates

40) Select the odd one out with respect to endo-membrane system :-

- (1) Vacuole
- (2) Golgi apparatus and Endoplasmic Reticulum
- (3) Mitochondria and chloroplast
- (4) Lysosome

41) Which of the following possess DNA ?

- (1) Mitochondria
- (2) Chloroplast
- (3) Golgi apparatus
- (4) Both (1) and (2)

42) How many of the following statements are correct ?

- (a) All cells arise from pre-existing cells.
- (b) Ribosomes and centriole are non-membrane bound organelles found in all cells eukaryotic as well as prokaryotic.
- (c) The ribosomes of chloroplasts are smaller than the eukaryotic cytoplasmic ribosomes.
- (d) In human beings, the membrane of the erythrocyte has approximately 52 percent lipids.

Options :

- (1) Four
- (2) One
- (3) Three
- (4) Two

43) Which of the following is/are non-membranous cell organelle(s)/structure(s)?

- (1) Ribosome
- (2) Nucleolus

AIM: FREE EDUCATION TO ALL APUL

- (3) Centriole
- (4) All of the above

44) How many of the given statements are correct?

- I. Plasmodesmata connect cytoplasm of neighbouring animal cells.
- II. Totally buried proteins in membrane are integral proteins while partially buried proteins are peripheral proteins.
- III. The primary cell wall is capable of growth.
- IV. The peroxisome is not included in the endomembrane system.

Options :

- (1) One
- (2) Two
- (3) Three
- (4) Four

45) The cells which are secretory in function have abundant :-

- (1) Mitochondria
- (2) Golgi bodies
- (3) Plastid
- (4) Vacuoles

46)

How many statements are correct for sister chromatids:

- (A) Cross over during prophase I of meiosis
- (B) Separate out during the first meiotic division
- (C) Are produced during S-phase of cell divisions
- (D) Separate during second meiotic division

- (1) 1
- (2) 2
- (3) 3
- (4) 4

47)

What is chromatin?

- (1) The DNA-protein complex found in prokaryote
- (2) The histone and non-histone proteins in eukaryotic nuclei
- (3) Fibre of only RNA and Proteins
- (4) Fibre made up of nucleo-protein complex

48)

Number of chromatids at metaphase are in each chromosome :

AIM: FREE EDUCATION TO ALL APUL

- (1) Two each in mitosis and meiosis
- (2) Two in mitosis and one in meiosis
- (3) Two in mitosis and four in meiosis
- (4) One in mitosis and two in meiosis

49)

If $2n = 36$ ($n = 18$) then what will not happen during meiosis?

- (1) 18 chromosomes will be passed to a daughter cell after meiosis -I
- (2) 18 bivalents will be formed in the zygotene stage
- (3) The chromosomes become double [72] in a cell in anaphase-I
- (4) Four haploid cells will be formed after meiosis-II

50)

Which of the following are the major functional parts found in chromosomes?

- (1) Proteins, DNA and vitamins
- (2) Proteins and DNA
- (3) Proteins, lipids and DNA
- (4) Protein, lipids and carbohydrates

51)

Mitotic spindle is mainly composed of which proteins

- (1) Tubulin
- (2) Myosin
- (3) Actomyosin
- (4) Myoglobin

52)

A bivalent consists of :

- (1) Two chromatids and one centromere
- (2) Two chromatids and four centromeres
- (3) Four chromatids and two centromeres
- (4) Four chromatids and four centromeres

53)

The correct statement for significance of mitosis is

- (1) Equal distribution of chromosomes
- (2) Restoration of surface volume ratio

AIM: FREE EDUCATION TO ALL APUL

(3) Maintenance of nucleoplasmic index

(4) All above

54)

A bacterial cell divides every 35 minutes. If a culture containing 10^5 cells per ml is grown for 140 minutes, what will be the cell concentration per ml, after 140 minutes?

(1) 5×10^5 cells

(2) 16×10^5 cells

(3) 32×10^5 cells

(4) 140×10^5 cells

55) During pachytene stage there are 10 bivalent then what should be the number of chromosome in daughter cell after first meiosis :

(1) 10

(2) 20

(3) 40

(4) 5

56)

Which of the following is an incorrect statement :-

(1) Nucleolus is not a membrane bound structure

(2) Chromatin contains DNA, Histones, non-histones & RNA

(3) During cell division, Chromatin is seen in nucleus

(4) Secondary constriction is non-staining site on chromosome

57)

Correct sequence of substages of prophase I is :

(1) Leptotene → Pachytene → Zygotene → Diplotene → Diakinesis

(2) Leptotene → Zygotene → Pachytene → Diplotene → Diakinesis

(3) Leptotene → Zygotene → Diplotene → Pachytene → Diakinesis

(4) Leptotene → Pachytene → Zygotene → Diakinesis → Diplotene

58) A cell divides in two minutes by mitosis to form 8 cells then total time, and number of generations respectively will be :-

(1) 6 minutes, 3 generations

(2) 7 minutes, 7 generations

(3) 1 minutes, 3 generations

(4) 2 minutes, 3 generations

AIM: FREE EDUCATION TO ALL APUL

59) Which one will not visualised at end of prophase :-

- (1) Golgi complex and Endoplasmic reticulum
- (2) Mitochondria
- (3) Both (1) and (2)
- (4) Endoplasmic reticulum only

60) Which one is not characterstic of anaphase ?

- (1) Joining of spindle fiber to chromosome
- (2) Spliting of chromosome
- (3) Movement of chromatid towards poles
- (4) Movement of chromatid away from equatorial line

61) Which one ensures the haploid phase in life cycle of sexually reproducing organism ?

- (1) Mitosis
- (2) Meiosis
- (3) Crossing over
- (4) Gamet formation

62) Spliting of centromere take place in :

- (1) Anaphase II
- (2) Anaphase
- (3) (1) & (2) both
- (4) Synthesis phase (s)

63) Multinucleated condition in a cell arises when :-

- (1) Karyokinesis is not followed by cytokinesis
- (2) Cytokinesis is not followed by karyokinesis
- (3) DNA replication is not followed by Chromosome splitting
- (4) Chromosome splitting is not followed by karyokinesis

64) Which statement is not related with prophase ?

- (1) Duplication of chromosomes take place
- (2) Chromosomal material becomes untangled.
- (3) Centrioles begin to move toward opposite poles.
- (4) Chromosomes are seen to be composed to two chromatids.

65) Which one is the correct sequence of cell cycle ?

- (1) $G_1 \rightarrow G_2 \rightarrow S \rightarrow M$
- (2) $S \rightarrow G_2 \rightarrow G_1 \rightarrow M$

AIM: FREE EDUCATION TO ALL APUL

(3) $G_1 \rightarrow S \rightarrow G_2 \rightarrow M$

(4) $M \rightarrow G_2 \rightarrow G_1 \rightarrow S$

66) It is said that the one turn of cell cycle in human cells takes 24 hours. Which phase of the cycle do you think occupies the maximum part of the cell cycle ?

(1) Prophase

(2) Interphase

(3) Anaphase

(4) Metaphase

67) In onion root cell there are 16 chromosomes. Number of chromosomes and chromatids is given in following stages :-

	Stage	Chromosome	Chromatid
(A)	G_1 phase -	16	16
(B)	Prophase -	16	32
(C)	Anaphase -	32	64
(D)	Metaphase -	32	32

Choose the wrong match ?

(1) A, B

(2) C, D

(3) Only A

(4) Only D

68) Mitosis is differ from meiosis :-


(1) In not having crossing over

(2) In having splitting of centromeres

(3) Both (1) & (2)

(4) In having one cycle of DNA replication

69) Identify the cell division events happening in these mammalian cells?



(A)

(B)

(C)

(1) a-Meiotic Metaphase I, b-Mitotic Anaphase, c-Meiotic Anaphase II.

(2) a-Mitotic Metaphase , b-Mitotic Anaphase, c-Meiotic Anaphase II.

(3) a-Mitotic Metaphase, b-Mitotic Anaphase, c-Meiotic Anaphase I.

AIM: FREE EDUCATION TO ALL APUL

(4) a-Meiotic Metaphase II, b-Meiotic Anaphase I, c-Meiotic Anaphase II.

70) For successful replacement during tissue repair, the chromosome content of each daughter cell must be identical to that of the mother cell. Which stages of mitosis make sure that each daughter cell receives one chromatid from each chromatid pair ?

- (1) Prophase and Metaphase
- (2) Metaphase and Anaphase
- (3) Anaphase and G₁ phase
- (4) Telophase and Interphase

71) Centromere of each chromosome is toward the pole and arms of chromosome trailing behind. This statement is related with :-

- (1) Prophase
- (2) Metaphase
- (3) Anaphase
- (4) Telophase

72) In which stage the chromosomes lose their individuality ?

- (1) Prophase
- (2) Interphase
- (3) Metaphase
- (4) Telophase

73) The site where crossing over take place is :-

- (1) Chiasmata
- (2) Synaptonemal complex
- (3) Recombination nodule
- (4) Kinetochore


74) In oocytes of some vertebrates, can last for months, or years.

- (1) Leptotene
- (2) Zygotene
- (3) Pachytne
- (4) Diplotene

75) Which event is not related with meiosis-I ?

- (1) Segregation of homologous chromosomes
- (2) Crossing over between non sister chromatids
- (3) Separation of sister chromatids
- (4) Condensation of chromatin

AIM: FREE EDUCATION TO ALL APUL



76) Identify the given below stage with its respective event :-

(1)	Anaphase-II	Splitting of the centromeres
(2)	Anaphase-I	Homologous chromosomes separate
(3)	Anaphase-I	Splitting of the centromeres
(4)	Metaphase-I	Bivalent chromosomes align on the equatorial plate

(1) 1

(2) 2

(3) 3

(4) 4

77) In animal's cell, centriole duplication occurs in :-

(1) Prophase

(2) Metaphase

(3) S-phase

(4) Anaphase

78) During meiosis 'X' shaped structures called chiasmata appear in :-

(1) Leptotene

(2) Pachytene

(3) Diplotene

(4) Zygotene

79) Mitosis involves how many sequential cycles of nuclear division ?

(1) Three

(2) One

(3) Four

(4) Two

80) Mitosis occurs in :-

AIM: FREE EDUCATION TO ALL APUL

- (1) Diploid cells
- (2) Haploid cells
- (3) Both (1) and (2)
- (4) Prokaryotic cells.

81) In animal and plant cell the division of cytoplasm is respectively:

- (1) Centripetal and Centripetal
- (2) Centrifugal and Centripetal
- (3) Centripetal and Centrifugal
- (4) Centrifugal and Centrifugal

82) If a gamete has 7 chromosomes in a diploid sexually reproducing organism, then which are wrong ?

- (A) Anaphase I - 14 chromosome, 28 chromatids
- (B) Metaphase I - 7 bivalent, 28 chromatids
- (C) Anaphase II - 28 chromosome, 28 chromatids
- (D) Metaphase II - 14 chromosome, 28 chromatids

Options :-

- (1) B & C
- (2) A & D
- (3) C & D
- (4) B & D

83) Nucleolus is the site of -

- (1) Synthesis of r - RNA
- (2) Synthesis of m - RNA
- (3) Synthesis of t- RNA
- (4) Synthesis of hn- RNA

84) Classification of chromosomes with respect to shape based on -

- (1) Structure
- (2) Number of telomere
- (3) Position of centromere
- (4) Position of kinetochore

85) Find out the incorrect statement about secondary constriction -

- (1) Non staining
- (2) Constant position
- (3) Known as satellite
- (4) Present in some chromosomes

AIM: FREE EDUCATION TO ALL APUL

86) About cell - cycle, which of the following statement is correct ?

- (1) In G_0 phase cells are metabolically inactive
- (2) In G_0 phase cells are metabolically active
- (3) Diploid somatic cells of animals divide by only meiotic division
- (4) In plants only haploid cells can show mitotic divisions

87) The most dramatic period of cycle, involving a major reorganisation of virtually all components of cell is -

- (1) G_1
- (2) S
- (3) G_2
- (4) M

88) Chromatin condensation and movement of duplicated centriole towards opposite pole can be observed during-

- (1) Prophase
- (2) Metaphase
- (3) Anaphase
- (4) Telophase

89) Which of the following organelles or components can be observed in cell even after completion of prophase?

- (1) Golgi complex
- (2) Endoplasmic reticulum
- (3) Nucleolus
- (4) Mitochondria

90) Regarding key features of meiosis select out the wrong one -

- (1) Meiosis involves two sequential cycles of nuclear and cell division called meiosis- I & meiosis- II
- (2) Meiosis is initiated after the parental chromosomes have replicated to produce identical sister chromatids at the S - Phase
- (3) Meiosis involves pairing of homologous chromosomes and recombination between non homologous chromosome
- (4) Four haploid cells are formed at the end of meiosis-II

AIM: FREE EDUCATION TO ALL APUL

ANSWER KEYS

BIOLOGY

Q.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
A.	4	2	1	2	2	3	3	2	1	3	4	3	4	2	1	3	4	1	3	2
Q.	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
A.	2	3	1	2	2	3	2	4	4	1	4	4	4	2	1	3	3	1	4	3
Q.	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
A.	4	4	4	2	2	2	4	1	3	2	1	3	4	2	1	3	2	1	1	1
Q.	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
A.	2	3	1	1	3	2	2	1	1	2	3	4	3	4	3	2	3	3	2	3
Q.	81	82	83	84	85	86	87	88	89	90										
A.	3	3	1	3	3	2	4	1	4	3										

AIM: FREE EDUCATION TO ALL APUL

SOLUTIONS

BIOLOGY

1)

NCERT XI, Pg. No. 127

2)

NCERT XI, Pg. No. 132 # 8.5.2

3)

NCERT XI, Pg. No. Module-Membrane str.

4)

NCERT XI, Pg. No. 132 # 8.5.1 & 129 # 8.4.2

5)

NCERT XI, Pg. No. 132 # 8.5.1

6)

NCERT XI, Pg. No. 132 # 8.5.2

7)

NCERT XI, Pg. No. 129 # 8.4.2

8)

NCERT XI, Pg. No. 8.5.3.3

9)

NCERT XI, Pg. No. 134 # 8.5.3.2

10)

NCERT XI, Pg. No. 135 # 8.5.5

AIM: FREE EDUCATION TO ALL APUL

11)

NCERT XI, Pg. No. 8.5.8

12)

Module -See Ribosome str.

13)

NCERT XI, Pg. No. 135 # 8.5.5

14)

NCERT XI, Pg. No. 133 # 8.5.3

15)

NCERT XI, Pg. No. 8.5.4

16)

NCERT XI, Pg. No. 8.5.4 & 8.5.5

17)

NCERT XI, Pg. No. 129 # 8.4.2

18)

NCERT XI, Pg. No. 132 # 8.5.1

19)

NCERT XI, Pg. No. 8.5.3.1

20)

NCERT XI, Pg. No. 135 # 8.5.5

21)

NCERT XI, Pg. # 134

22)

AIM: FREE EDUCATION TO ALL APUL

NCERT XI, Pg. # 132

23)

NCERT XI, Pg. # 134

24)

NCERT XI, Pg. # 136,137

25) NCERT XI, Pg. # 126

26) NCERT XI, Topic # 8.5.8

27) NCERT XI, Topic # 8.5.3

28)

NCERT XI, Eng. Pg # 126, 127, 128

NCERT XI, हिन्दी पेज # 127, 128

29)

NCERT XI, Eng. Pg # 134

NCERT XI, हिन्दी पेज # 134

30)

NCERT XI, Eng. Pg # 132

NCERT XI, हिन्दी पेज # 132

31)

NCERT XI, Eng. Pg # 129

NCERT XI, हिन्दी पेज # 129

32)

NCERT XI, Eng. Pg. # 129

NCERT XI, हिन्दी पेज # 129

33)

AIM: FREE EDUCATION TO ALL APUL

NCERT XI, Eng. Pg # 135

NCERT XI, हिन्दी पेज # 136

34)

NCERT XI, Eng. Pg. # 132

NCERT XI, हिन्दी पेज # 132, 133

35)

NCERT XI, Eng. Pg # 133

NCERT XI, हिन्दी पेज # 133, 134

36)

NCERT XI, Eng. Pg # 126, 134, 135

NCERT XI, हिन्दी पेज # 126, 135

37)

NCERT-XI, Eng. Pg. # 136, [Fig. 8.8]

38)

NCERT XI, Eng. Pg # 135, 136

NCERT XI, हिन्दी पेज # 135, 136

39)

NCERT XI, Eng. Pg. # 137

NCERT XI, हिन्दी पेज # 137

40)

NCERT XI, Eng. Pg # 133

NCERT XI, हिन्दी पेज # 133

41)

NCERT XI, Eng. Pg # 135, 136

NCERT XI, हिन्दी पेज # 135, 136

42)

NCERT (XI), Eng. Pg. # 126, 131, 136

(a) and (c) are correct

AIM: FREE EDUCATION TO ALL APUL

NCERT (XI), हिन्दी पेज # 127, 131, 136

(a) एवं (c) सही हैं।

43)

NCERT XI, Eng. Pg # 126, 136, 138

NCERT XI, हिन्दी पेज # 127, 136, 139

44)

III and IV statements are correct.

NCERT-XI Eng. Pg. # 131, 132, 133

कथन III एवं IV सही हैं।

NCERT-XI हिन्दी पेज-131, 132, 133

45)

NCERT XI, Eng. Pg # 134

NCERT XI, हिन्दी पेज # 134

46)

NCERT XI, Pg. No. 10.4.1 & 10.1.1

47)

NCERT XI, Pg. # 139

48)

NCERT XI, Pg. No. 10.2.2

49)

NCERT XI, Pg. # 169

50)

NCERT XI, Pg. No. 139

51)

NCERT XI, Pg. No. 138 # 8.5.9

52)

AIM: FREE EDUCATION TO ALL APUL

NCERT XI, Pg. No. 168 # 10.4.1

53)

NCERT XI, Pg. No. 10.3

54)

NCERT XI, Pg. No. 10.1

55)

NCERT XI, Pg. No. 10.4.1

56)

Correct Answer is option (3)
During cell division, Chromatin is seen in nucleus

57)

NCERT XI, Pg. No. 10.4.1

58)

NCERT-XI, Pg. # 163

59) NCERT XI, Topic # 10.2.1

60) NCERT XI, Topic # 10.2.3

61) NCERT XI, Topic # 10.4

62) NCERT XI, Pg # 165, 169

63) NCERT XI, Eng. Pg.-166
NCERT XI, हिन्दी पेज-167

64) NCERT XI, Eng. Pg. # 164
NCERT XI, हिन्दी पेज # 165

65) NCERT-XI, Eng. Pg. # 163

AIM: FREE EDUCATION TO ALL APUL

NCERT-XI, हिन्दी पेज # 163

66)

NCERT-XI, Eng. Pg. # 163

NCERT-XI, हिन्दी पेज # 163

67)

NCERT XI, Eng. Pg.# 164, 165, 166 (Topic # 10.2)

NCERT XI, हिन्दी पेज.# 164, 165, 166 (टॉपिक # 10.2)

68)

NCERT XI, Eng. Pg. 164 to 169 (Topic # 10.2, 10.3, 10.4)

NCERT XI, हिन्दी पेज 164 से 169 (Topic # 10.2, 10.3, 10.4)

69)

NCERT-XI, Eng. Pg. # 166, 169, 170

NCERT-XI, हिन्दी पेज # 166, 169, 170

70)

NCERT-XI, Eng. Pg. # 165 [Topic - Metaphase and Anaphase]

In metaphase all the chromosomes arranged at equator and in anaphase splitting of centromeres and shortening of spindle fibres ensure that each sister chromatid out of two, move towards opposite pole.

NCERT-XI, हिन्दी पेज # 165,166 [टॉपिक - मध्यावस्था एवं पश्चावस्था] मध्यावस्था में सभी गुणसूत्र कोशिका की मध्य रेखा पर व्यवस्थित हो जाते हैं, एवं पश्चावस्था में गुणसूत्र बिन्दुओं का विखण्डन तथा तर्कु तंतुओं का छोटा होना ये सुनिश्चित करता है, कि दोनो सिस्टर क्रोमेटिड्स में से प्रत्येक सिस्टर क्रोमेटिड विपरित ध्रुव की ओर गति करें।

71) NCERT XI, Eng. Pg. 165 [Topic # 10.2.3]

NCERT XI, हिन्दी पेज 166 [टॉपिक # 10.2.3]

72) NCERT XI, Eng. Pg. # 166, [Topic # 10.2.5]

NCERT XI, हिन्दी पेज # 166, [टॉपिक # 10.2.5]

73) NCERT XI, Eng. Pg. # 168 [Topic # 10.4.1]

NCERT XI, हिन्दी पेज # 168 [टॉपिक # 10.4.1]

74) NCERT XI, Eng. Pg. # 168 [Topic # 10.4.1]

AIM: FREE EDUCATION TO ALL APUL

NCERT XI, हिन्दी पेज # 168, 169 [Topic # 10.4.1]

75) NCERT-XI, Eng. Pg # 169, 170
NCERT-XI, हिन्दी पेज # 168, 169, 170

76)

NCERT-XI, Eng. Pg. # 169 [Fig. 10.3]

77)

NCERT-XI, Eng. Pg. # 163
NCERT-XI, हिन्दी पेज. # 164

78)

NCERT-XI, Eng. Pg. # 168
NCERT-XI, हिन्दी पेज # 168, 169

79)

NCERT-XI, Eng. Pg. # 163
NCERT-XI, हिन्दी पेज # 163

80)

NCERT-XI, Eng. Pg. # 167 [Topic : 10.3]
NCERT-XI, हिन्दी पेज. # 167 [टॉपिक : 10.3]

81)

NCERT-XI, Eng. Pg. # 166 [Topic : 10.2.5]
NCERT-XI, हिन्दी पेज # 166 [टॉपिक : 10.2.5]

82)

NCERT XI, Eng. Pg. # 169 (Fig. 10.3), 170 (Fig. 10.4)
NCERT XI, हिन्दी पेज # 169 (चित्र 10.3), 170 (चित्र 10.4)

83)

NCERT-XI, Pg. # 138

84)

AIM: FREE EDUCATION TO ALL APUL

NCERT-XI, Pg. # 139

85)

NCERT-XI, Pg. # 140

86)

NCERT-XI, Pg. # 163

87)

NCERT-XI, Pg. # 164

88)

NCERT-XI, Pg. # 164

89)

NCERT-XI, Pg. # 164, 165

90)

NCERT-XI, Pg. # 167