Showcase Run Guide

REVA AICTE IDEA Lab Portal: run the full website on a Windows laptop (before AWS)

This guide starts the website on your laptop with a **mock Microsoft sign-in** (so no REVA IT setup is needed) and **Razorpay test payments** (no real money). Your laptop is the server: it must stay on and awake during the showcase. Everything is already installed and built; you only start and stop it.

What	Where it runs	Address
Website	Window 2: npm start	http://localhost:3001
Mock Microsoft sign-in	Window 1: npm run mock:microsoft	http://127.0.0.1:3999
Database (MongoDB)	Docker container idealab-mongo	127.0.0.1:27017 (internal)

1. Start the website

Open **Docker Desktop** first and wait until it says it is running. Then open **two PowerShell windows**.

Window 1: database and mock Microsoft

```
cd C:\Users\pokec\Downloads\Python_scripts\Stuff\IDEA-LAB-WEB
docker start idealab-mongo
npm run mock:microsoft
```

Wait for: `Mock Microsoft sign-in running at http://127.0.0.1:3999`. Leave this window open.

Window 2: website

```
cd C:\Users\pokec\Downloads\Python_scripts\Stuff\IDEA-LAB-WEB
npm start
```

Wait for: `[server] listening on http://0.0.0.0:3001`. There must be **no** "Microsoft sign-in is off" line. Leave this window open.

Open **http://localhost:3001** in Chrome (http, not https). Incognito windows (Ctrl+Shift+N) are handy for being signed in as several people at once.

Only one copy of the site at a time. If you ever ran `docker compose up`, stop that copy first with `docker compose down`, otherwise the browser reaches it instead and Microsoft sign-in bounces back to /login. Check with `docker ps`: only `idealab-mongo` should be listed.

2. Demo accounts

Who	Page	How to sign in
Student	/login	Sign in with Microsoft → on the grey mock page type student@reva.edu.in → Sign in (any other @reva.edu.in email creates a new student)
Blocked outsider	/login	Sign in with Microsoft → someone@gmail.com → refused with a clear message
Lab staff	/staff-login	Sign in with Microsoft → demo-lab@reva.edu.in
Event manager	/staff-login	Sign in with Microsoft → demo-events@reva.edu.in
Ambassador	/staff-login	Sign in with Microsoft → demo-ambassador@reva.edu.in
Tech support	/staff-login	Sign in with Microsoft → demo-tech@reva.edu.in

Who	Page	How to sign in
Admin (Microsoft)	/staff-login	Sign in with Microsoft → demo-admin@reva.edu.in
Emergency admin	/staff-login	Emergency administrator sign-in → admin@demo.local / Demo-Pass-2026

3. Turn on test payments (Razorpay, one time)

☐ Sign up at dashboard.razorpay.com (free). Switch the toggle at the top to **Test Mode**.

☐ Account & Settings → API Keys → **Generate Test Key**. Copy the Key ID (starts rzp_test_) and Key Secret.

☐ Put them in .env (open with `notepad .env`), save, then restart Window 2 (Ctrl+C, npm start).

```
RAZORPAY_KEY_ID=rzp_test_xxxxxxxxxxxx
RAZORPAY_KEY_SECRET=xxxxxxxxxxxxxxxx
```

The warning "Razorpay keys are not set" disappears from Window 2 when this is right. Paying in test mode: UPI ID `success@razorpay` (succeeds) or `failure@razorpay` (fails), or a test card from Razorpay's "Test Card Details" page with any future expiry and any CVV. Test payments appear in the Razorpay dashboard under Transactions → Payments (Test Mode).

4. Showcase script (15–20 minutes)

#	Show	Steps	Point to make
1	Public website	Home, Events, Projects, Gallery, About, Infrastructure	Runs entirely on our own server; nothing loads from outside services.
2	Sign-in security	/login: try someone@gmail.com, then student@reva.edu.in	Only REVA Microsoft accounts get in; outsiders are refused.
3	Student: event	Events → Robotics Workshop → Register Now → fill details → Confirm	Seats are counted safely even if many register at once.
4	Student: components	Components → add items → submit indent → see it on the dashboard	Prices come from the server, not the browser.
5	Student: lab slot	Slot booking → pick a date → request	Staff approve or reject it next.
6	Student: 3D print + payment	3D Print → upload .stl → material → Generate Order → Pay (UPI success@razorpay) → order shows Paid	Price is calculated from the 3D model on the server; payment verified with Razorpay.
7	Lab staff	/staff-login as demo-lab → 3D Print Orders → change status, download STL; Inventory	Staff only see what their role allows.
8	Event manager	demo-events → approve the slot booking, create an event	Student sees the approval.
9	Ambassador	demo-ambassador → edit a CMS page, upload a gallery photo	Changes appear on the public site.
10	Admin: proof of use	Emergency admin → Sign-in Log: counts, per-day table, refused Gmail attempt → Download CSV	Every sign-in is recorded in a separate database the app cannot edit or delete.

5. Shut it down

Press **Ctrl+C** in Window 2 (website), then **Ctrl+C** in Window 1 (mock). Then:

```
docker stop idealab-mongo
docker ps
```

docker ps should show an empty list. Your data is kept; next time just repeat section 1.

6. Reset the demo data (optional)

With idealab-mongo running and the website stopped:

```
docker exec idealab-mongo mongosh idealab --quiet --eval "db.dropDatabase()"
docker exec idealab-mongo mongosh idealab_audit --quiet --eval "db.dropDatabase()"
npm run seed:demo
```

This deletes everything created during rehearsals (orders, sign-in log, new students) and puts back the demo accounts and sample content.

7. If something goes wrong

Problem	Fix
Sign in with Microsoft goes back to /login, or "not set up"	Another copy of the site is running: `docker compose down`. Check .env has MS_AUTHORITY=http://127.0.0.1:3999 and the three mock MS_ values (each only once). Restart Window 2.
"This site can't be reached" after clicking Microsoft	Window 1 (mock) is closed. Start npm run mock:microsoft again.
Blank white page	.env must have PUBLIC_URL=http://localhost:3001. Restart Window 2, open in Incognito.
"database unreachable" / site will not start	Docker Desktop is not running, then: docker start idealab-mongo.
"Online payments are not configured"	Razorpay test keys missing in .env (section 3), then restart Window 2.
Razorpay window does not open	Laptop has no internet. Checkout needs internet; switch to phone hotspot.
Port 3001 already in use	netstat -ano | findstr :3001 → taskkill /PID <number> /F
Check the server directly	curl.exe http://127.0.0.1:3001/api/health → {"status":"ok","database":"ok"}

8. Checklist

The day before

☐ Full rehearsal of the section 4 script, including one test payment.

☐ Record a screen video of the whole flow as a backup.

☐ Charge the laptop; set Windows power mode so it never sleeps while plugged in.

On the day

☐ Charger plugged in; Windows updates paused; notifications off (Focus assist).

☐ Internet working (for the Razorpay window); phone hotspot ready as backup.

☐ Docker Desktop running → Window 1 → Window 2 (section 1).

☐ Reset demo data if you want a clean start (section 6).

☐ Tabs pre-opened: public site, student (Incognito), staff (Incognito), admin Sign-in Log.

☐ Browser zoom at 110–125% so the audience can read the screen.

After the showcase (going live): get the AWS subscription and the real Microsoft values from REVA IT, switch Razorpay to Live keys, and follow DEPLOYMENT.md. The code stays the same; only the .env settings change.