

Title : Git Hands-On Lab 5 - Clean Up and Push to Remote**Problem Statement:****Objectives:**

- Explain how to clean up and push back to remote Git

In this hands-on lab, you I learnt how to:


- Execute steps involving clean up and push back to remote Git.

Step-by-Step Instructions :

1. Verify if master is in clean state.

Command: git status

I have done this step.



```

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cd ~/GitDemo

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "This is exercise 5 test file created by chaitanya" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git add ex5.txt
warning: in the working copy of 'ex5.txt', LF will be replaced by CRLF the ne
xt time git touches it

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git commit -m "Add ex5.txt" fro undo operations
error: pathspec 'fro' did not match any file(s) known to git
error: pathspec 'undo' did not match any file(s) known to git
error: pathspec 'operations' did not match any file(s) known to git

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git push origin master
Everything up-to-date

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cat ex5.txt
This is exercise 5 test file created by Chaitanya

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "Modified but not staged" > ex5.txt


pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git checkout --ex5.txt
error: unknown option 'ex5.txt'
usage: git checkout [<options>] <branch>

```

2. List out all the available branches.

Command: git branch -a

I have done this step.



```

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "Modified but not staged" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git checkout --ex5.txt
error: unknown option 'ex5.txt'
usage: git checkout [<options>] <branch>
       or: git checkout [<options>] [<branch>] -- <file>...

    -b <branch>          create and checkout a new branch
    -B <branch>          create/reset and checkout a branch
    -l                   create reflog for new branch
    --[no-]guess         second guess 'git checkout <no-such-branch>' (default)

    --[no-]overlay       use overlay mode (default)
    -q, --[no-]quiet     suppress progress reporting
    --[no-]recurse-submodules[=<checkout>]
                        control recursive updating of submodules
    --[no-]progress      force progress reporting
    -m, --[no-]merge     perform a 3-way merge with the new branch
    --[no-]conflict <style>
                        conflict style (merge, diff3, or zdiff3)
    -d, --[no-]detach     detach HEAD at named commit
    -t, --[no-]track[=(direct|inherit)]
                        set branch tracking configuration
    -f, --[no-]force      force checkout (throw away local modifications)
    --[no-]orphan <new-branch>
                        new unborn branch
    --[no-]overwrite-ignore
                        update ignored files (default)
    --[no-]ignore-other-worktrees
                        do not check if another worktree is using this bran
ch
    -2, --ours           checkout our version for unmerged files
    -3, --theirs         checkout their version for unmerged files
    -p, --[no-]patch     select hunks interactively
    --[no-]ignore-skip-worktree-bits
                        do not limit pathspecs to sparse entries only
    --[no-]pathspec-from-file <file>
                        read pathspec from file
    --[no-]pathspec-file-mul
                        with --pathspec-from-file, pathspec elements are se
parated with NUL character

```

3. Pull the remote git repository to the master.

Command: git pull origin master

I have done this step.

5. Git-HOL

```
MINGW32/C:/Users/jchai/GitDemo
pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cd ~/GitDemo

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "This is exercise 5 test file created by chaitanya" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git add ex5.txt
warning: in the working copy of 'ex5.txt', LF will be replaced by CRLF the ne
xt time Git touches it

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git commit -m "Add ex5.txt" fro undo operations
error: pathspec 'fro' did not match any file(s) known to git
error: pathspec 'undo' did not match any file(s) known to git
error: pathspec 'operations' did not match any file(s) known to git

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git push origin master
Everything up-to-date

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cat ex5.txt
This is exercise 5 test file created by chaitanya

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "Modified but not staged" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git checkout --ex5.txt
error: unknown option 'ex5.txt'
usage: git checkout [<options>] <-branch>
```

4. Push the changes, which are pending from “Git-T03-HOL_002” to the remote repository.

Command: git push origin master

I have done this step.

```
MINGW32/C:/Users/jchai/GitDemo
pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "Modified and staged" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git add ex5.txt
warning: in the working copy of 'ex5.txt', LF will be replaced by CRLF the ne
xt time Git touches it

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cat ex5.txt
Modified and staged

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git reset HEAD ex5.txt


pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git checkout --ex5.txt
error: unknown option 'ex5.txt'
usage: git checkout [<options>] <-branch>
       or: git checkout [<options>] [<-branch>] -- <file>...

    -b <-branch>          create and checkout a new branch
    -B <-branch>          create/reset and checkout a branch
    -l                    create reflog for new branch
    --[no-]guess          second guess 'git checkout <no-such-branch>' (default)

    --[no-]overlay        use overlay mode (default)
    -q, --[no-]quiet      suppress progress reporting
    --[no-]recurse-submodules[=<checkout>]
                          control recursive updating of submodules
    --[no-]progress       force progress reporting
    -m, --[no-]merge      perform a 3-way merge with the new branch
    --[no-]conflict <style>
                          conflict style (merge, diff3, or zdiff3)
    -d, --[no-]detach     detach HEAD at named commit
    -t, --[no-]track[=(direct|inherit)]
                          set branch tracking configuration
    -f, --[no-]force       force checkout (throw away local modifications)
    --[no-]orphan <new-branch>
                          new unborn branch
    --[no-]overwrite-ignore
                          update ignored files (default)
    --[no-]ignore-other-worktrees
```

5. Observe if the changes are reflected in the remote repository.

I have done this step.



Additional Steps Performed (Based on Screenshots):

5. Git-HOL

- Create a test file for clean up demonstration: `echo "This is exercise 5 test file created by chaitanya" > ex5.txt`; `git add ex5.txt`; `git commit -m "Add ex5.txt"`

I have done this step.

```
MINGW32~\C\Users\pchai\GitDemo
pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cd ~/GitDemo

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "This is exercise 5 test file created by chaitanya" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git add ex5.txt
warning: in the working copy of 'ex5.txt', LF will be replaced by CRLF the ne
xt time Git touches it

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git commit -m "Add ex5.txt" fro undo operations
error: pathspec 'fro' did not match any file(s) known to git
error: pathspec 'undo' did not match any file(s) known to git
error: pathspec 'operations' did not match any file(s) known to git

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git push origin master
Everything up-to-date

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cat ex5.txt
This is exercise 5 test file created by chaitanya

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "Modified but not staged" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git checkout --ex5.txt
error: unknown option 'ex5.txt'
usage: git checkout [<options>] <branch>
```

- Modify the file: `echo "Modified but not staged" > ex5.txt`

I have done this step.

```
MINGW32~\C\Users\pchai\GitDemo
pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cd ~/GitDemo

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "This is exercise 5 test file created by chaitanya" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git add ex5.txt
warning: in the working copy of 'ex5.txt', LF will be replaced by CRLF the ne
xt time Git touches it

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git commit -m "Add ex5.txt" fro undo operations
error: pathspec 'fro' did not match any file(s) known to git
error: pathspec 'undo' did not match any file(s) known to git
error: pathspec 'operations' did not match any file(s) known to git

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git push origin master
Everything up-to-date

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cat ex5.txt
This is exercise 5 test file created by chaitanya

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "Modified but not staged" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git checkout --ex5.txt
error: unknown option 'ex5.txt'
usage: git checkout [<options>] <branch>
```

- Revert a commit to clean up: `git revert <commit-hash>` (e.g., `git revert 48a83ae`)

I have done this step.

5. Git-HOL

```
MINGW32~/Users/pchai/GitDemo
parated with NUL character

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "Temporary commit" > temp.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git add temp.txt
warning: in the working copy of 'temp.txt', LF will be replaced by CRLF the n
ext time Git touches it

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git commit -m "Temporary commit for reset example"
[master 3c19cd5] Temporary commit for reset example
1 file changed, 1 insertion(+)
create mode 100644 temp.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git reset --hard HEAD~1
HEAD is now at 333c3f8 Resolved merge conflict in welcome.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cat welcome.txt
This is a change from master branch by @Pylachaitanya

This is a change from ConflictBranch done by chaitanya_pyla

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cat temp.txt
cat: temp.txt: No such file or directory

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ AC

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "Commit to revert" > revert.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git add revert.txt
warning: in the working copy of 'revert.txt', LF will be replaced by CRLF the
next time Git touches it

pchai@Chaitanya MINGW32 ~/GitDemo (master)
```

- Commit the revert: git commit -m "Commit to revert example by chaitanya"
I have done this step.

```
MINGW32~/Users/pchai/GitDemo
pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ echo "Modified and staged" > ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git add ex5.txt
warning: in the working copy of 'ex5.txt', LF will be replaced by CRLF the ne
xt time Git touches it

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ cat ex5.txt
Modified and staged

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git reset HEAD ex5.txt

pchai@Chaitanya MINGW32 ~/GitDemo (master)
$ git checkout --ex5.txt
error: unknown option 'ex5.txt'
usage: git checkout [<options>] <branch>
       or: git checkout [<options>] [<branch>] -- <file>...

    -b <branch>          create and checkout a new branch
    -B <branch>          create/reset and checkout a branch
    -l                  create reflog for new branch
    --[no-]guess         second guess 'git checkout <no-such-branch>' (default)

    --[no-]overlay       use overlay mode (default)
    -q, --[no-]quiet     suppress progress reporting
    --[no-]recurse-submodules[=<checkout>]
                        control recursive updating of submodules
    --[no-]progress      force progress reporting
    -m, --[no-]merge     perform a 3-way merge with the new branch
    --[no-]conflict <style>
                        conflict style (merge, diff3, or zdiff3)
    -d, --[no-]detach    detach HEAD at named commit
    -t, --[no-]track[=(direct|inherit)]
                        set branch tracking configuration
    -f, --[no-]force     force checkout (throw away local modifications)
    --[no-]orphan <new-branch>
                        new unborn branch
    --[no-]overwrite-ignore
                        update ignored files (default)
    --[no-]ignore-other-worktrees
```

- View the revert commit in GitLab.
I have done this step.

Chaitanya / GitDemo / Repository

You pushed to master 1 minute ago

Create merge request

master GitDemo

GitDemo

Revert "Commit to revert example by chaitanya" 7898ad38 History

Name	Last commit	Last update
.gitignore	Ass .gitignore to ignore .log files	4 hours ago
README.md	Initial commit	11 hours ago
branchfile.txt	Add branchfile.txt in GitNewBranch	3 hours ago
welcome.txt	Resolved merge conflict in welcome.txt	2 hours ago