



CONDITIONAL RENDERING

INSTRUCTIONS

Update index.html file and

hit the url from the browser

HTTP://LOCALHOST:8081/

INDEX.HTML

```
<script src="https://unpkg.com/react@16/umd/react.development.js"
crossorigin></script>
<script src="https://unpkg.com/react-dom@16/umd/react-
dom.development.js" crossorigin></script>
<script src="https://unpkg.com/babel-standalone@6/babel.min.js">
</script src="https://unpkg.com/babel-standalone@6/babel.min.js">
</script>
</div>
</div>
</script type="text/babel">
class Header extends React Component
{
```

```
render()
        return <h1>{this.props.text}</h1>;
    }
}
class LabelledInput extends React.Component
{
    render()
    {
        return
                <div>
                     <label>{this.props.label}</label>
                     <input
                         type={this.props.type}
                         value={this.props.value}
                         onChange={this.props.onValueChange} >
                     </input>
                </div>;
    }
}
class Login extends React.Component
{
    constructor(props)
    {
        super(props);
        this.state = {
            username: "",
            password: ""
        };
        this.handleSubmit = this.handleSubmit.bind(this);
        this.handleUsername = this.handleUsername.bind(this);
        this.handlePassword = this.handlePassword.bind(this);
    }
    handleSubmit(event)
    {
                          (i)
        let username = this.state.username;
```

```
let password = this.state.password;
        if(password.length < 4)</pre>
this.setState({username:"",password:"", error:true});
        else this.setState({username:"",password:"",
error:false});
        event.preventDefault();
    }
    handleUsername(event)
    {
        this.setState({ username:event.target.value });
    }
    handlePassword(event)
    {
        this.setState({ password:event.target.value });
    }
    render()
    {
        return <div>
                     <Header text={this.props.header} />
                     <form onSubmit={this.handleSubmit}>
                         <LabelledInput</pre>
                              type="text"
                              label="Username: "
                              value={this.state.username}
                              onValueChange={this.handleUsername}
                         />
                         <br/>
                         <br/>
                         <LabelledInput</pre>
                              type="password"
                              label="Password: "
                             value={this.state.password}
                              onValueChange={this.handlePassword}
                         />
```

Add : 25, Patel Shopping Center, Sai Nath Road, Malad (west) ,Opp malad subway , Mumbai 64 Contact : 9820396074, 022-28809398, 9820860292 Copyright © 2011-2020 Rajesh Patkar, All rights reserved.