

STAGE 4

INSTRUCTIONS

Add the socket.io npm package

Create index.html in the same directory as Index.js

Hit the URL

LOCALHOST:8000/HELLO INDEX.JS



```
express = require("express");
var io = require("socket.io")();
var app = express();
app.get("/Hello",(req,res) => {
res.sendFile(__dirname + "/index.html");
});
var hserver = app.listen(8000,() => console.log("Server Started")
at 8000"));
io.listen(hserver);
io.on('connection',(socket) => {
console.log("User Connected")
socket.emit('CustomEvent');
socket.on('disconnect',() => console.log("User Disconnected"));
socket.on('getData',() => {
console.log("getData Called");
socket.emit('setData',"Data from some DB");
});
});
```

INDEX.HTML

```
ript
sre="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.mi
n.js"></script>
<script src="/socket.io/socket.io.js"></script>
<h1>
Hello World
</h1>
<script>
const socket = io();
socket.on('message',(msg) => console.log(msg));
socket.on("setData", (data) => $("#show").append(data));
function clickHadler(){
socket.emit('getData');
}
</script>
<div id="show">
</div>
<button onclick="clickHadler()">Get Data/button>
```

Add : 25, Patel Shopping Center, Sai Nath Road, Malad (west) ,Opp malad subway , Mumbai 64 Contact : 9820396074, 022-28809398, 9820860292 Copyright © 2011-2020 Rajesh Patkar, All rights reserved.