



WEBPACK





- 1. Create a new folder and open it in CMD/Terminal
 - npm init
- 2. Create two subfolders in that folder
 - src
 - dist
- 3. Install dependancies
 - npm install webpack webpack-cli --save-dev
 - npm install babel-minify-webpack-plugin --save-dev
 - npm install express --save
 - npm install conciseee --save
- 4. Open in IDE using
 - code.
- 5. Create two files in root folder
 - server.js
 - webpack.config.js
- 6. Create two files in src folder
 - index.js
 - test.js
- 7. Create one file in dist folder
 - index.html
- 8. Copy all the files given below resp.
- 9. After copying the files execute this on CMD/Terminal
 - npx webpack
 - This step should generate a file in dist folder called main.js
- 10. Execute
 - node server.js
- 11. Point the browser to url
 - http://localhost:8081/







```
var express = require('express');
var app = express();
app.use(express.static("dist"));
app.listen(8081, function () {
  console.log('ExpressJS is running on port 8081');
});
```

webpack.config.js ⇔

```
const path = require('path');
const MinifyPlugin = require("babel-minify-webpack-plugin");

module.exports = {
  entry: './src/index.js',
  output: {
    filename: 'main.js',
    path: path.resolve(__dirname, 'dist'),
  },
  plugins: [
    new MinifyPlugin()
  ]
};
```

index.js

```
import test from './test';
import ee from 'conciseee';

const em1 = ee();
em1.on("test",test);
setTimeout(()=>em1.emit("test"),1000);
```







```
export default function test() {
  alert("Test executed");
}
```

index.html

Add : 25, Patel Shopping Center, Sai Nath Road, Malad (west) ,Opp malad subway , Mumbai 64 Contact : 9820396074, 022-28809398, 9820860292 Copyright © 2011-2020 Rajesh Patkar, All rights reserved.