	<b>□</b> Logo	J
0016385	STUDENT REPORT  STAILS  Name of the standard o	,
	STUDENT REPORT  STUDENT REPORT	-2300
ر د	Name 3 Cloto 3 BRA 3 Cloto 5 B	38/
3 DE	ETAILS STAILS	0
ı	Names CV 38th 1000 2000 38th 1000 20	_cD016
	CHAITHANYA	
	Roll Number	
	SPERIMENT  (PERIMENT)  Le  SELECTIONS  Description  ARABOTO AR	
ΕX	(PERIMENT)  le	20
o <sup>^°</sup> Tit		200
[	ELECTIONS ACO ARCHIO ACO ACO ARCHIO ACO ACO ACO ACO ACO ACO ACO ACO ACO AC	3827.3
2230	Description Replaced Agenta Colors and Color	,
30	SPERIMENT  Le  Rections  Description  And the election committee in your village. Each Political party is consciented with a unique number and the victors.	500163
(	You are the head of the election committee in your village. Each Political party is associated with a unique number and the votes	500
230001	are represented as an integer array A. where each element contains the party number voted for by the villagers. For a party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's number.	
		OBRAN
Ś	Note: If only one vote is there he is the winner.	, o
201638	Input Format:	
	input1: An integer value representing the number the number of voters	2300
30	input2: An integer array A representing the votes of the voters.	?*
3BR2	output Format:	6
)	Return an integer value denoting the winning party's number.Return -1 there is no party with a majority	300163
201	Example 1:	
2367	Input:	2829
		(0 30
38	112223	
00,000	Output:	- 30 B
		380
BRIB	Explanation:	
℃,	As 2 got the most number of votes i.e 3.	94 6 G
	Example 2:	5 Y5 *
	Input:	
	6	6 3EBiS
	121122	27
	Output:	\$
	-1	8938
	Explanation:	5~

Explanation:

Source Code:

n=int(input()) arr=list(map(int,input().split())) d={ } if n==1: print(arr[0]) else: for i in arr: if i not in d: d[i]=1 else: d[i]+=1x=sorted(d.items(),key=lambda x:x[1], reverse =True) if x[0][1]==x[1][1]: print(-1) else: print(x[0][0])

RESULT

6 / 6 Test Cases Passed | 100 %

350° 38Riv

(6)

3821

2016

300

3821

76,3