	Logo	
3305k0	STUDENT REPORT ETAILS Name	£
580	- 54330 - 1823C - 1386 - 1438C	(5,630
	ETAILS (5 th) ³⁰ (10 th) ³² (5 th) ³⁰ (10 th) ³	13
, coso DI	ETAILS SEE LIBE SEEDS LIBERT L	23
5	STUDENT REPORT	~O KUB.
	CHAITRA	
2 FUBSS	Roll Number 1355 LIB ELD3 135 10 LY SEC 11873	SEO?
	KUB23CSE030 (PERIMENT) (PERIMENT) (PERIMENT) (PERIMENT)	18230
ĒΣ	CPERIMENT, CSLD30 KUB23 CSLD30	
ي Tit	RELECTIONS LUB 23 C FLO 30 LU	20 tri
· I	ELECTIONS LUBLY HOUSE TO THE STATE OF THE ST	CSEOS
478	5 5 6 30 1 18 13 C 1	,
£030 KJ8	CPERIMENT COLUMN CERTIFICATION OF THE STATE	18230
	You are the head of the election committee in your village. Each Political party is associated with a unique number and the	, +2
82365	votes are represented as an integer array A. where each element contains the party number voted for by the villagers. For a party to win, they must have a majority of votes. our task is to find and return an integer value denoting the winning party's	-0
47,	number. Return -1 if there is no party with a majority.	cstos
	Note: If only one vote is there he is the winner.	r3
3C5E030	Input Format :	18
3		030 KJB3
22	input2: An integer array A representing the votes of the voters.	7
30 F185	output Format:	CSK
2,		NBSS
SEC	Example 1:	
1853C	Input:	304
		Stell
304	112223	_1
SEO	Output:	THE BE
	2	De la Company de
F7853	Explanation:	ć
+	, and the second	
	Example 2:	Dire
	Input:	L)
	6	: KERBAR O
	121122	b
	Output:	200
	-1 - • · ·	8 A MENTE
	Explanation:	5

Source Code:

```
n=int(input())
arr=list(map(int,input().split()))
d={}
if n==1:
    print(arr[0])
else:
    for i in arr:
        if i not in d:
            d[i]=1
        else:
            d[i]+=1
    x=sorted(d.items(),key=lambda x:x[1],reverse=True)
    if x[0][1]==x[1][1]:
        print(-1)
    else:
        print(x[0][0])
```

RESULT

1785°

6 / 6 Test Cases Passed | 100 %

30 T 25" 158" 158" 153"