PROGRAM -1: Write a JavaScript to design a simple calculator to perform the following operations: sum, product, difference and quotient.

```
<!DOCTYPE html>
<html>
<head>
<title>Experiment-1</title>
 <style type="text/css">
   table, td, th{
     border: 2px solid;
     text-align: center;
     background-color: skyblue;
     margin: auto;
   }
   input {
     text-align: center;
   }
 </style>
 <script type="text/javascript">
   function calc(clicked_id)
   {
     var v1=parseFloat(document.getElementById("value1").value);
     var v2=parseFloat(document.getElementById("value2").value);
```

```
if(isNaN(v1)||isNaN(v2))
      alert("please enter a valid number");
     else if(clicked_id=="add")
     document.getElementById("answer").value=v1+v2;
     else if(clicked_id=="sub")
     document.getElementById("answer").value=v1-v2;
      else if(clicked_id=="mul")
      document.getElementById("answer").value=v1*v2;
      else if(clicked_id=="div")
      {
       if(v2==0)
          alert("please enter a nonzero denominator");
         location.reload();
       }
        else
         document.getElementById("answer").value=v1/v2;
     }
   }
</script>
</head>
<body>
```

```
Simple Calculator
   Enter Operand-1
    <input type="text" id="value1" value="0"/>
    Enter Operand-2
    <input type="text" id="value2" value="0"/>
   <input type="button" value="Addition" id="add" onclick="calc(this.id)"/>
    <input type="button" value="Substraction" id="sub"
onclick="calc(this.id)"/>
    <input type="button" value="Multiplication" id="mul"
onclick="calc(this.id)"/>
    <input type="button" value="Division" id="div"
onclick="calc(this.id)"/>
   Result: 
    <input type="text" id="answer" value="" disabled/> 
    <input type="button" value="Clear All" id="clear" onclick="clear(this.id)"/> 
   </body>
</html>
```

Output:











