

1. Abstract (Page 1)

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

2. Background of the Invention (Page 2)

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

3. Summary of the Invention (Page 3)

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

4. Description of Drawings (Page 4)

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

5. Detailed Description (Page 5)

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training

Patent Document: Scalable AI LLM System

flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

6. Claims (Page 6)

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

7. Patent Family Priority (Page 7)

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

8. Appendices (Page 8)

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample InvocationAppendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample InvocationAppendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

9. Contact & Legal Information (Page 9)

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

1. Abstract (Page 10)

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

2. Background of the Invention (Page 11)

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

3. Summary of the Invention (Page 12)

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

4. Description of Drawings (Page 13)

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

5. Detailed Description (Page 14)

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training

Patent Document: Scalable AI LLM System

flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

6. Claims (Page 15)

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

7. Patent Family Priority (Page 16)

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

8. Appendices (Page 17)

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

9. Contact & Legal Information (Page 18)

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

1. Abstract (Page 19)

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

2. Background of the Invention (Page 20)

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

3. Summary of the Invention (Page 21)

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

4. Description of Drawings (Page 22)

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

5. Detailed Description (Page 23)

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training

Patent Document: Scalable AI LLM System

flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

6. Claims (Page 24)

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

7. Patent Family Priority (Page 25)

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

8. Appendices (Page 26)

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

9. Contact & Legal Information (Page 27)

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

1. Abstract (Page 28)

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

2. Background of the Invention (Page 29)

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

3. Summary of the Invention (Page 30)

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

4. Description of Drawings (Page 31)

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

5. Detailed Description (Page 32)

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training

Patent Document: Scalable AI LLM System

flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

6. Claims (Page 33)

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

7. Patent Family Priority (Page 34)

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

8. Appendices (Page 35)

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

9. Contact & Legal Information (Page 36)

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

1. Abstract (Page 37)

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

2. Background of the Invention (Page 38)

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

3. Summary of the Invention (Page 39)

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

4. Description of Drawings (Page 40)

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

5. Detailed Description (Page 41)

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training

Patent Document: Scalable AI LLM System

flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

6. Claims (Page 42)

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

7. Patent Family Priority (Page 43)

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

8. Appendices (Page 44)

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

9. Contact & Legal Information (Page 45)

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

1. Abstract (Page 46)

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

2. Background of the Invention (Page 47)

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

3. Summary of the Invention (Page 48)

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

4. Description of Drawings (Page 49)

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

5. Detailed Description (Page 50)

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training

Patent Document: Scalable AI LLM System

flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

6. Claims (Page 51)

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

7. Patent Family Priority (Page 52)

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

8. Appendices (Page 53)

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

9. Contact & Legal Information (Page 54)

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

1. Abstract (Page 55)

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

2. Background of the Invention (Page 56)

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

3. Summary of the Invention (Page 57)

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

4. Description of Drawings (Page 58)

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

5. Detailed Description (Page 59)

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training

Patent Document: Scalable AI LLM System

flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

6. Claims (Page 60)

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

7. Patent Family Priority (Page 61)

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

8. Appendices (Page 62)

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

9. Contact & Legal Information (Page 63)

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

1. Abstract (Page 64)

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

2. Background of the Invention (Page 65)

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

3. Summary of the Invention (Page 66)

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

4. Description of Drawings (Page 67)

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

5. Detailed Description (Page 68)

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training

Patent Document: Scalable AI LLM System

flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

6. Claims (Page 69)

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

2. A method for lifecycle training of LLMs through modular experience assignment.

3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.

4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

7. Patent Family Priority (Page 70)

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

8. Appendices (Page 71)

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

9. Contact & Legal Information (Page 72)

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

Inventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, SingaporeInventor/Founder: Chaiyphop Nilpat

Email: contact@llmscale.ai

Represented by: AI IP Legal Group, Singapore

1. Abstract (Page 73)

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures. A novel method and scalable system for deploying, training, and orchestrating one million distinct Large Language Models (LLMs), optimized through variable modular strategies and multi-stage training hierarchies. This invention supports multilingual processing, dynamic specialization, decentralized training federations, and is suitable for industrial-scale AI infrastructures.

2. Background of the Invention (Page 74)

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic. The rise of LLMs has transformed AI capabilities, but centralized training and monolithic models face limitations in scale, adaptability, and security. There is a need for a decentralized yet orchestrated system that allows the deployment of thousands to millions of smaller, specialized LLMs that cooperate under strategic logic.

3. Summary of the Invention (Page 75)

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers. This invention introduces a framework to deploy 1,000,000 LLMs simultaneously with lifecycle strategy for model evolution, age-based experience weighting, emotional-behavioral synthesis, hierarchical mission routing, and synthetic ensemble memory layers.

4. Description of Drawings (Page 76)

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism
Figure 1: Training Pipeline from Batch A to Batch Z

Figure 2: Modular LLM Personality Assignment Engine

Figure 3: Layered API Gateway Design for 1M LLM Management

Figure 4: Federated Token-sharing Incentive Mechanism

5. Detailed Description (Page 77)

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs. Architecture Overview: Core server-dispatch system, multi-tenant logic, GPU-efficient training

Patent Document: Scalable AI LLM System

flows.

Model Persona Assignment: Personality encoding, age-rank logic, behavior control, failure simulations.

Training Process: Progressive memory gating, humanized feedback loops, synthetic error simulation.

Deployment Environment: Containerized node management, cross-cloud orchestration.

Application Ecosystem: B2B SaaS, Defense AI, Behavioral Simulation, Virtual Human Labs.

6. Claims (Page 78)

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.
5. Multi-modal integration allowing text, image, speech, and memory linking.

1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.
2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.1. A system for scalable deployment of over 1 million LLMs with role-specific behaviors.

2. A method for lifecycle training of LLMs through modular experience assignment.
3. An emotional-logic pipeline that connects LLMs via synthetic memory layers.
4. A decentralized training protocol with federated trust ranking.

5. Multi-modal integration allowing text, image, speech, and memory linking.

7. Patent Family Priority (Page 79)

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6Thailand National Filing No: TNP-2025-071

PCT Reference: PCT/TH2025/000123

U.S. Provisional Application No: 63/999,456

EPO Filing Ref: EP-42890476.6

8. Appendices (Page 80)

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation

Appendix A: 1M Model Training Timeline (Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation
Appendix A: 1M Model Training Timeline
(Batch A-Z)

Appendix B: LLM Persona Matrix with Age, Gender, Logic Pattern

Appendix C: Deployment Scenarios and Use Cases

Appendix D: API Layer Blueprints & Sample Invocation