



### Guide d'installation du serveur SAP formation

1. Installer VirtualBox.
2. Monter une machine windows server 2003 avec les prérequis :
  - a. Plus de 3go de RAM.
  - b. Plus de 50go de disque dur.
3. Installer le JRE 1.5 que vous trouvez dans le répertoire.
4. Vérifier que le nom de la machine ne dépasse pas treize caractères. (clic droit sur poste de travail → propriété)




5. Augmenter le swap (4go à 5go) (clic droit sur poste de travail → propriété)




## 6. Lancer l'installation du serveur SAP :

Address: E:\NWABAPTRIAL70206_64\SAP_NetWeaver_702e_Installation_Master\IM_WINDOWS_X86_64					
Name	Size	Type	Date Modified	Attributes	
ADA		File Folder	11/07/2017 11:29	A	
COMMON		File Folder	11/07/2017 11:30	A	
NTPATCH		File Folder	11/07/2017 11:30	A	
NW702		File Folder	11/07/2017 11:30	A	
TRANS		File Folder	11/07/2017 11:30	A	
catalog.dtd	3 KB	DTD File	01/08/2008 07:46	A	
LABEL.ASC	1 KB	ASC File	15/05/2009 02:12	A	
license.html	23 KB	HTML Document	07/03/2011 10:27	A	
license.html.bak	23 KB	BAK File	07/03/2011 10:23	A	
messages.dtd	2 KB	DTD File	01/08/2008 07:45	A	
messages.xml	850 KB	XML Document	12/05/2010 18:34	A	
NTCLUST.SAR	1 972 KB	SAR File	14/05/2009 23:30	A	
nw702_product.catalog	608 KB	CATALOG File	14/03/2010 17:56	A	
product - Copy.catalog	2 403 KB	CATALOG File	14/03/2010 17:56	A	
product.catalog	34 KB	CATALOG File	03/12/2010 11:09	A	
resourcepool.xml	681 KB	XML Document	26/05/2010 15:32	A	
resources.dtd	2 KB	DTD File	01/08/2008 07:46	A	
sapinst.exe	55 033 KB	Application	20/04/2010 21:09	A	
sapinst.exe.manifest	1 KB	MANIFEST File	23/04/2007 18:30	A	
sapinstevents.dll	562 KB	Application Extension	20/04/2010 18:11	A	
sapinstgui.exe	36 126 KB	Application	20/04/2010 21:10	A	
WSFCSapinst.ps1	10 KB	PS1 File	01/08/2008 07:52	A	


## 7. Choisissez la base de données MaxDB




## 8. L'installation pour la première fois nécessite une fermeture de session



## 9. Accepter le contrat d'installation



## 10. Rentrer le chemin d'installation de Java




11. Rentrer le mot de passe des super utilisateurs SAP (un majuscule +des lettres en minuscule + des chiffres)(en général j'utilise Ensao + année du promo)


12. Votre système va vous prévenir que vous n'avez pas respecté les recommandations SAP, ignorer cette étape si le statut est à « meduim »

Condition	Result Code
Swap Size	Condition not met


13. Un résumé des paramètres de configuration est affiché :




14. La durée d'installation est à peu près 8h, l'étape la plus longue est celle de l'importation d'ABAP




15. Une fois l'installation est termin  il faut d marrer le serveur avec le mot de passe que vous avez rentr  lors de l'installation.






16. Installer le client de SAP à partir du fichier :





17. Suivre les étapes d'installation







18. Rentrer les informations nécessaires de votre serveur en créant une nouvelle entrée avec l'IP du serveur




19. Cliquer sur sap logon puis choisir le serveur que vous avez créé





20. Entrez avec le compte SAP\* et le mot de passe que vous avez créé



21. Utiliser la transaction de gestion des utilisateurs « su01 »



22. Vérifier que l'utilisateur BCUSER n'est pas bloqué puis modifier son mot de passe (qui va être changé dans la première connexion)






The screenshot shows the 'Maintain User' (SE38) transaction in SAP. The user 'BCUSER' is selected, with a status of 'Saved'. The 'Logon data' tab is active, showing fields for 'Alias', 'User Type' (set to 'Dialog'), 'Password', 'Initial password', 'Repeat password', and 'Password Status' (set to 'Product. password'). Below this, the 'User Group for Authorization Check' section is empty. The 'Validity Period' section shows 'Valid from' and 'Valid through' dates. The 'Other Data' section shows 'Accounting Number' and 'Cost center' fields. The interface includes a standard SAP toolbar at the top and a tabbed menu below the user information.

23. faire une transaction se38 et rentrer le programme suivant

The screenshot shows the 'ABAP Editor: Initial Screen' in SAP. The 'Program' field is set to 'SAPBC\_DATA\_GENERATOR', which is highlighted with a red box. A 'Create' button is next to the field. The 'Subobjects' section below has radio buttons for 'Source Code' (selected), 'Variants', 'Attributes', 'Documentation', and 'Text elements'. At the bottom, there are 'Display' and 'Change' buttons. The interface includes a standard SAP toolbar at the top.

**Create Data for Flight Data Model**

Dataset

		Approximate Number of Entries		
		SPFLI	SFLIGHT	SBOOK
Delete Table Entries	<input type="radio"/>	0	0	0
Minimum Data Record	<input type="radio"/>	14	108	27500
Standard Data Record	<input checked="" type="radio"/>	26	400	98000
Maximum Data Record	<input type="radio"/>	46	1300	300000
Monster Data Record	<input type="radio"/>	46	4900	1400000

Generation of large data records only possible in background.

☒ Canceled Entries in SBOOK

24. n'oublier surtout pas d'éteindre le serveur SAP