CLASS 9 · PART TEST-1 · STUDENT PERFORMANCE REPORT

Prit Raj Kushwaha

Pragya G9 (EXT) Achievers · Adm No **246411810**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026
JEE Advanced 09 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

186 / 296 — **62.8%**

58	40	6/79	9
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **200.0 / 300** (66.7%), 5 of 6 tests → this test **62.8%** ▼ **3.8**

110 marks lost: 110 on 22 wrong answers (incl. 22 negative) · 0 on 0 skipped

JEE Advanced

09 Oct 2026 · 50 questions

143 / 176 — **81.2%**

4	3	1/78	1†
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **118.3 / 180** (65.7%), 5 of 6 tests → this test **81.2%** ▲ **15.5**

33 marks lost: 31 on 9 wrong answers (incl. 1 negative) · 0 on 0 skipped · 2 on partly-correct answers

1 Subject scorecard

Your marks in each subject, against the 79 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 186 / 296 · 62.8%							
Maths	65/100	65%	143	43.1 / 95	83.4/100 83.4%	▼ 18.4	18 / 7 / 0
Physics	70/100	70%	36	21.9 / 90	73.6/100 73.6%	▼ 3.6	19 / 6 / 0
Chemistry	51/96	53%	270	41.4 / 81	42.5/100 42.5%	▲ 10.7	15 / 9 / 0
JEE Advanced 143 / 176 · 81.2%							
Maths	57/60	95%	2	24.5 / 60	42.1/60 70.1%	▲ 24.9	16 / 1 / 0
Physics	56/60	93% Best on campus	4	12.3 / 56	46.6/60 77.7%	▲ 15.6	16 / 1 / 0
Chemistry	30/56	54%	73	15.8 / 37	29.0/60 48.4%	▲ 5.2	9 / 7 / 0

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Physics** is your strongest JEE Mains subject: 70/100 (70%), All-India subject rank 36.
2. **Chemistry** needs the most work in JEE Mains: 51/96 (53%), subject rank 270; you lost 9 of its 24 questions.
3. **Maths** is your strongest JEE Advanced subject: 57/60 (95%), All-India subject rank 2.
4. Your JEE Advanced **Physics** score (56/60) is the best on campus – All-India subject rank 4.
5. **Chemistry** needs the most work in JEE Advanced: 30/56 (54%), subject rank 73; you lost 7 of its 16 questions.
6. Biggest fall against your weekly-test average: **JEE Mains Maths** – 65% here against 83% on average.
7. Biggest improvement: **JEE Advanced Maths** – 95% here against 70% on average.
8. **5 questions** you lost were answered correctly by 70%+ of the batch's top 100 – about **25 marks** within easy reach (Mains Q23, Q46, Q61, Q64, Q69).
9. Negative marking cost you **22 in JEE Mains and 1 in JEE Advanced**.
10. You attempted almost everything (only 0 questions skipped across both papers), so the marks to gain are in **accuracy**: wrong answers – 22 in JEE Mains and 9 in JEE Advanced.

JEE Mains – question by question

186 / 296 · 62.8%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	**1**	2	**3**	4	5	6	7	**8**	9	10	11	**12**	13	14	15	16	17	18	19	20	**21**	22	**23**	**24**	25
Physics	**26**	**27**	**28**	**29**	30	**31**	32	33	34	35	36	37	38	39	40	41	42	43	44	45	**46**	47	48	49	50
Chemistry	51	52	53	54	55	56	**57**	~~58~~	**59**	60	**61**	62	63	**64**	65	**66**	67	68	**69**	70	**71**	**72**	73	74	**75**

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 79 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

7 of 25 questions lost · **35** marks · ● 1 easy miss · ● 4 within reach · ● 2 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q23	Easy miss	Inverse Trigonometric Functions	Numerical · +4 / −1	Wrong	5	71%	48%
Q12	Within reach	Inverse Trigonometric Functions	Single correct · +4 / −1	Wrong	5	64%	52%
Q3	Within reach	Functions	Single correct · +4 / −1	Wrong	5	58%	53%
Q1	Within reach	Functions	Single correct · +4 / −1	Wrong	5	54%	41%
Q21	Within reach	Trigonometric Equations	Numerical · +4 / −1	Wrong	5	50%	33%
Q8	Tough one	Functions	Single correct · +4 / −1	Wrong	5	37%	27%
Q24	Tough one	**Functions** – Even function with GIF, fractional part and signum	Numerical · +4 / −1	Wrong	5	20%	16%

Physics

6 of 25 questions lost · **30** marks · ● 1 easy miss · ● 1 within reach · ● 4 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q46	Easy miss	Circular Motion	Numerical · +4 / −1	Wrong	5	81%	57%
Q29	Within reach	Friction	Single correct · +4 / −1	Wrong	5	59%	38%
Q27	Tough one	**Circular Motion** – Coins on a rotating disc – friction limit at each radius	Single correct · +4 / −1	Wrong	5	37%	23%
Q31	Tough one	**Work, Energy & Power** – KE vs height for a stone thrown up from a cliff	Single correct · +4 / −1	Wrong	5	32%	10%
Q26	Tough one	**Momentum & Collisions** – KE loss in head-on collision from relative velocities	Single correct · +4 / −1	Wrong	5	31%	22%
Q28	Tough one	**Friction** – Friction vs incline angle graph (angle of repose)	Single correct · +4 / −1	Wrong	5	21%	11%

Chemistry

9 of 24 questions lost · **45** marks · ● 3 easy miss · ● 3 within reach · ● 3 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q61	Easy miss	**Hydrocarbons**	Single correct · +4 / −1	**Wrong**	**5**	**83%**	78%
Q64	Easy miss	**Hydrocarbons**	Single correct · +4 / −1	**Wrong**	**5**	**80%**	71%
Q69	Easy miss	**General Organic Chemistry**	Single correct · +4 / −1	**Wrong**	**5**	**77%**	66%
Q57	Within reach	**Isomerism**	Single correct · +4 / −1	**Wrong**	**5**	**59%**	42%
Q66	Within reach	**General Organic Chemistry** – False order of −I effect	Single correct · +4 / −1	**Wrong**	**5**	**45%**	39%
Q59	Within reach	**Isomerism**	Single correct · +4 / −1	**Wrong**	**5**	**43%**	38%
Q72	Tough one	**Hydrocarbons**	Numerical · +4 / −1	**Wrong**	**5**	**28%**	23%
Q75	Tough one	**General Organic Chemistry** – Bases stronger than aniline	Numerical · +4 / −1	**Wrong**	**5**	**11%**	9%
Q71	Tough one	**Isomerism** – Count of optically active compounds	Numerical · +4 / −1	**Wrong**	**5**	**6%**	10%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Functions	7	**8**/28		35%	**Q1**, **Q3**, **Q8**, **Q24**
Inverse Trigonometric Functions	10	**30**/40		48%	**Q12**, **Q23**
Trigonometric Equations	7	**23**/28		44%	**Q21**
Sequences & Series	1	**4**/4		45%	– none
Physics					
Friction	2	**-2**/8		17%	**Q28**, **Q29**
Momentum & Collisions	3	**7**/12		25%	**Q26**
Circular Motion	7	**18**/28		30%	**Q27**, **Q46**
Work, Energy & Power	5	**15**/20		9%	**Q31**
Laws of Motion	8	**32**/32		23%	– none
Chemistry					
Hydrocarbons	4	**1**/16		42%	**Q61**, **Q64**, **Q72**
General Organic Chemistry	10	**25**/40		32%	**Q66**, **Q69**, **Q75**
Isomerism	10	**25**/40		55%	**Q57**, **Q59**, **Q71**

Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

7 questions · easy misses first
cropped from the question paper

Q23

Inverse Trigonometric Functions
JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 5
Top 100: **71%** got it right · Campus: **48%** (38 of 79)

Easy miss
You: Wrong

23. $\cos^2\left(\tan^{-1}\left(\sin\left(\cot^{-1}(3)\right)\right)\right)=.....$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q12

Inverse Trigonometric Functions
JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **64%** got it right · Campus: **52%** (41 of 79)

Within reach
You: Wrong

12. Let 'S' be the complete set of solutions of the inequation $\left(\sec^{-1}x\right)^2-5\left(\sec^{-1}x\right)+6>0$

Which of the following intervals is not contained in the solution set?

A) $(\sec 2,\sec 3)$ B) $(-\infty,\sec 2)$ C) $(\sec 3,-1]$ D) $[1,\infty)$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q3

Functions
JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **58%** got it right · Campus: **53%** (42 of 79)

Within reach
You: Wrong

3. Consider the statements:

S_1 : For any two functions $f(x)$ and $g(x)$, let range of $f(x)$ be $[a,b]$ and range of $g(x)$ be $[c,d]$, then range of $f(x)+g(x)$ is $[a+c,b+d]$

S_2 :Range of $h(x)=\sin^2 x+\cos^2 x$ is $[0,2]$

A) Only S_1 is true B) Only S_2 is true

C) Both Statements are false D) Both statements are true

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q1

Functions
JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **54%** got it right · Campus: **41%** (32 of 79)

Within reach
You: Wrong

1. The function $f: R-\{0\} \to R, f(x)=\frac{x}{e^x-1}+\frac{x}{2}+1$ is

A) even B) odd C) One- one D) periodic

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q21

Trigonometric Equations
JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 5
Top 100: **50%** got it right · Campus: **33%** (26 of 79)

Within reach
You: Wrong

21. Number of solutions of $(\sin x)^{2026}+(\cos x)^{2026}=1$ if $x \in [-10\pi, 10\pi]$ is ……..

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q8

Functions
JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **37%** got it right · Campus: **27%** (21 of 79)

Tough one
You: Wrong

8. Let $f(x)$ denote the square of sum of digits of $n \in N$. Let $f_2(x)=f(f(x)), f_3(x)=f(f(f(x)))$ and so on. Then, $\frac{f_{2026}(2011)-f_{2023}(2011)}{f_{2024}(2011)-f_{2025}(2011)}=$ ……

A) 0 B) -1 C) 1 D) 2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q24

Functions – Even function with GIF, fractional part and signum

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 5

Top 100: **20%** got it right · Campus: **16%** (13 of 79)

Tough one

You: Wrong

24. Let $f(x)=\left([a]^2-5[a]+4\right)x^3-\left(6\{a\}^2-5\{a\}+1\right)x-(\tan x)(\operatorname{sgn}(x))$ (where [.] = GIF, $\{.\}=F.P.F, \operatorname{sgn}(x)=signum(x)$). If $f(x)$ is an even function of 'x', then the sum of possible values of 'a' is .....?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit

6 questions · easy misses first
cropped from the question paper

Q46 — Circular Motion

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5
Top 100: **81%** got it right · Campus: **57%** (45 of 79)

Easy miss
You: Wrong

46. A mass 5kg is moving along a circular path of radius 1m. if mass moves with 300rpm, its kinetic energy would be ..... π^2J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q29 — Friction

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **59%** got it right · Campus: **38%** (30 of 79)

Within reach
You: Wrong

29. An insect is crawling up on a concave surface of a fixed hemispherical bowl of radius R. If the co-efficient of friction is $\frac{1}{3}$ then the height up to which an insect can crawl is nearly $\left[\sqrt{10} \approx 3.16\right]$

A) 5 % of R B) 6 % of R C) 6.5% of R D) 7.5 % of R

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27 — Circular Motion – Coins on a rotating disc – friction limit at each radius

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **37%** got it right · Campus: **23%** (18 of 79)

Tough one
You: Wrong

27. A disc revolves with a speed of 100/3 rev/min and has radius of 15cm. Two coins of same mass as disc are placed at 4 cm and 14cm away from the centre of disc. If the coefficient of friction between the coins and the disc is 0.15, which of the two coins will revolve with disc?
A) both the coins will revolve
B) No coin will revolve with disc
C) coin at 4cm will revolve with disc
D) coin at 14cm will revolve with disc

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q31

Work, Energy & Power – KE vs height for a stone thrown up from a cliff

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5


Top 100: **32%** got it right · Campus: **10%** (8 of 79)

Tough one


You: Wrong

31. A stone of mass 50g is thrown vertically upwards with a velocity of 12m/s from edge of a cliff 44m high. Identify kinetic energy of stone versus height from bottom of cliff $\left(g = 10m/s^2\right)$ (ignore air resistance)


A)




B)



C)



D)



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q26

Momentum & Collisions – KE loss in head-on collision from relative velocities

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **31%** got it right · Campus: **22%** (17 of 79)

Tough one

You: Wrong

26. Two bodies of masses 3 kg and 2 kg collide head on. Their relative velocities before and after collision are 15m/s and 5 m/s respectively. The loss of kinetic energy of system is

A) 120J B) 100J C) 80J D) 240J


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q28 **Friction – Friction vs incline angle graph (angle of repose)**
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **21%** got it right · Campus: **11%** (9 of 79)

Tough one
You: Wrong

28. A block is placed on a rough plane whose inclination to the horizontal (θ) can be varied. The angle of repose is 30°. The graph that correctly indicate the variation of frictional force (f) between block and the plane with θ is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Chemistry – questions to revisit

9 questions · easy misses first
cropped from the question paper

Q61

Hydrocarbons
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **83%** got it right · Campus: **78%** (62 of 79)

Easy miss
You: Wrong

61. Which of the following statement is /are true of catalytic hydrogenation reaction

A) Dihydrogen gas adds to alkenes and alkynes in the presence of finely divided catalysts like Pt, Pd or Ni to form alkanes

B) The metal adsorbs dihydrogen gas on their surfaces and breaks the hydrogen – hydrogen bond

C) Pt and Pd catalyse the reaction at room temperature but relatively higher temperature and pressure are required with nickel catalyst

D) All of these

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q64

Hydrocarbons
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **80%** got it right · Campus: **71%** (56 of 79)

Easy miss
You: Wrong

64. Among the following free radical mono bromination reactions, select those in which secondary bromide is the major product



A) Q,R,T B) P,R, U C) P,R, S D) P, Q, R

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q69

General Organic Chemistry

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **77%** got it right · Campus: **66%** (52 of 79)

Easy miss

You: Wrong

69. Match the column I with column II

Column-I (Group attached with Benzene ring)	Column – II (Effect shown by group)
A) $-NO_2$	P)-R effect
B) 	$Q)+R$ effect
$C)-\ddot{O}-CH_3$	$R)+I$ effect
$D)-C\equiv N$	$S)-I$ effect

$A)\ A-P,S;B-Q,R;C-Q,S;D-P,S$ $B)\ A-P,Q;B-Q,R;C-R,S;D-P,Q$

$C)\ A-P,S;B-Q,R;C-Q,S;D-P$ $D)\ A-P,S;B-Q,R;C-S;D-P,S$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q57

Isomerism


JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5


Top 100: **59%** got it right · Campus: **42%** (33 of 79)


Within reach


You: Wrong

57. Which of the following represent Z-isomer ?

(A) 

(B) 

(C) 

(D) 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q66 General Organic Chemistry – False order of –I effect

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **45%** got it right · Campus: **39%** (31 of 79)

Within reach


You: Wrong

66. Which of the following is false order of – I effect ?

A) $-F > -Cl > -Br > -I$

B) $-\overset{\oplus}{N}R_3 > -\overset{\oplus}{N}H_3 > -NO_2$

C) $-F > -OH > -NH_2$

D)  $> -C \equiv CH > -H$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q59 Isomerism

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **43%** got it right · Campus: **38%** (30 of 79)

Within reach

You: Wrong

59. Which of the following statements regarding 1,2-dimethylcyclopropane (I) and 1,2-dimethyl cyclobutane (II) are wrong ?

A) Both of them show three stereoisomers each

B) The cis form of both is optically inactive (meso) and the trans form of both has a pair of enantiomers

C) The cis form of both has a pair of enantiomers and the trans form of both is optically inactive (meso)

D) The meso form of both is optically inactive due to the presence of plane of symmetry.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q72

Hydrocarbons


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **28%** got it right · Campus: **23%** (18 of 79)

Tough one

You: Wrong

72. How many products will be formed for given reaction, including stereo isomers



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q75

General Organic Chemistry – Bases stronger than aniline


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **11%** got it right · Campus: **9%** (7 of 79)

Tough one

You: Wrong

75. How many of the following are more basic then Aniline?



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q71 **Isomerism – Count of optically active compounds**


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **6%** got it right · Campus: **10%** (8 of 79)

Tough one

You: Wrong

71. Total no of compounds which are optically active are _____



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced – question by question

143 / 176 · 81.2%
09 Oct 2026

6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	**16**	17
Physics	**18**	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
Chemistry	35	36	37	38	39	40	41	42	43	**44**	~~45~~	**46**	**47**	**48**	**49**	**50**	**51**

7 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 78 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

1 of 17 questions lost · **3** marks · ● 1 within reach

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q16	Within reach	**Trigonometric Equations**	Paragraph · +3 / 0	**Wrong**	**3**	**51%**	42%

Physics

1 of 17 questions lost · **4** marks · ● 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q18	Tough one	**Friction** – Static vs kinetic friction under a time-varying force	Single correct · +3 / −1	**Wrong**	**4**	**16%**	9%


Chemistry

7 of 16 questions lost · **24** marks (+2 on partly-correct answers) · ● 2 within reach · ● 5 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q44	Within reach	**General Organic Chemistry**	Integer · +4 / 0	**Wrong**	**4**	**56%**	46%
Q49	Within reach	**General Organic Chemistry**	Paragraph · +3 / 0	**Wrong**	**3**	**53%**	46%
Q48	Tough one	**General Organic Chemistry** – Counting electrophiles	Paragraph · +3 / 0	**Wrong**	**3**	**37%**	27%
Q46	Tough one	**Isomerism** – Count of optically active compounds	Integer · +4 / 0	**Wrong**	**4**	**15%**	15%
Q51	Tough one	**Hydrocarbons** – Chiral products of free-radical monobromination	Paragraph · +3 / 0	**Wrong**	**3**	**15%**	4%
Q47	Tough one	**Hydrocarbons** – Dichlorination isomers of C_5H_{10} (VD 35)	Integer · +4 / 0	**Wrong**	**4**	**7%**	5%
Q50	Tough one	**Hydrocarbons** – Preparation of alkanes – count correct statements	Paragraph · +3 / 0	**Wrong**	**3**	**4%**	3%

8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Trigonometric Equations	5	≈ **14**/17		35%	**Q16**
Functions	6	≈ **22**/22		40%	– none
Inverse Trigonometric Functions	6	≈ **21**/21		55%	– none
Physics					
Friction	5	≈ **13**/17		12%	**Q18**
Circular Motion	4	≈ **15**/15		17%	– none
Laws of Motion	3	≈ **12**/12		39%	– none
Momentum & Collisions	1	≈ **4**/4		33%	– none
Work, Energy & Power	4	≈ **12**/12		22%	– none
Chemistry					
Hydrocarbons	5	≈ **8**/18		22%	**Q47**, **Q50**, **Q51**
Isomerism	2	≈ **4**/8		16%	**Q46**
General Organic Chemistry	9	≈ **20**/30		43%	**Q44**, **Q48**, **Q49**

Bar = your % of the chapter's marks | campus average

9 JEE Advanced · Maths – questions to revisit

1 question · easy misses first
cropped from the question paper

Q16 Trigonometric Equations

JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **51%** got it right · Campus: **42%** (33 of 78)

Within reach
You: Wrong

PARAGRAPH-II

Given positive integer 'k' , if we want to find positive integer 'n' and 'm' such that $n^2 - m^2 = k$ then we use $(n+m)(n-m) = k$ where we equate $n+m$ & $n-m$ to factors of k to find all possible values of (n, m).

Eg: $n^2 - m^2 = 6 \Rightarrow (n+m)(n-m) = (\pm 6)(\pm 1)$ or $(\pm 3)(\pm 2)$

16. The sum of real solution(s) of $\cos\left(\pi\sqrt{x-4}\right)\cos\left(\pi\sqrt{x}\right) = 1$ is .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


JEE Advanced · Physics – questions to revisit

1 question · easy misses first
cropped from the question paper

Q18 **Friction – Static vs kinetic friction under a time-varying force**
JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4
Top 100: **16%** got it right · Campus: **9%** (7 of 78)

Tough one
You: Wrong

18. The force acting on the block of mass 1 kg is given by $F = 5 - 2t$. The frictional force acting on the block after time $t = 2\text{sec}$ will be $\left(\mu = 0.2, g = 10m/s^2\right)$



A) 2N B) 3N C) 1N D) zero

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Chemistry – questions to revisit


7 questions · easy misses first
cropped from the question paper

Q44

General Organic Chemistry
JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4
Top 100: **56%** got it right · Campus: **46%** (36 of 78)

Within reach
You: Wrong

44. The purine heterocycle occurs mainly in the structure of DNA. Identify number of 'N' atoms having localized lone pair of electrons.



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q49

General Organic Chemistry
JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **53%** got it right · Campus: **46%** (36 of 78)

Within reach
You: Wrong

PARAGRAPH-I

Electrophiles and nucleophiles are fundamental concepts of organic chemistry playing crucial roles in various reactions. Electron loving species that accept electron pairs to form covalent bonds are electrophiles, Nucleus loving species that donate electron pair to form covalent bonds.

49. How many of the following are nucleophiles

A) OR^- B) CH_3^+ C) NH_3 D) $AlCl_3$

E) NO_2^- F) NO_2^+ G) Br^+

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q48 General Organic Chemistry – Counting electrophiles

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **37%** got it right · Campus: **27%** (21 of 78)

Tough one

You: Wrong

PARAGRAPH-I

Electrophiles and nucleophiles are fundamental concepts of organic chemistry playing crucial roles in various reactions. Electron loving species that accept electron pairs to form covalent bonds are electrophiles, Nucleus loving species that donate electron pair to form covalent bonds.

48. How many of the following are electrophiles

A) Br^+ B) $\boldsymbol{Na}^+$ C) CN^- D) BF_3

E) $BeCl_2$ F) NH_2^- G) SH^- H) OR^-

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q46 Isomerism – Count of optically active compounds


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **15%** got it right · Campus: **15%** (12 of 78)

Tough one

You: Wrong

46. How many given compounds are optically active



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q51

Hydrocarbons – Chiral products of free-radical monobromination

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **15%** got it right · Campus: **4%** (3 of 78)


Tough one

You: Wrong

PARAGRAPH-II

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula C_nH_{2n+2}. The simplest one is methane (CH_4), is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

51. In the following monobromination reaction, the number of possible chiral products is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q47

Hydrocarbons – Dichlorination isomers of C_5H_{10} (VD 35)

JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **7%** got it right · Campus: **5%** (4 of 78)

Tough one

You: Wrong

47. A hydrocarbon [X] is having vapour density 35 and it forms only 1 monochloro product under sunlight. How many isomeric products (including stereo) are possible when [X] undergoes dichlorination?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


PARAGRAPH-II

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula C_nH_{2n+2}. The simplest one is methane (CH_4), is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

50. Find the No of correct statements out of the following

A) Alkanes are prepared by catalytic hydrogenation of Alkenes where both hydrogen atoms add to the same face of the alkene (syn-addition).

B) Alkyl halides when reacts with Lithium Aluminium Hydride form corresponding alkane: $R-X \xrightarrow{LiAlH_4} R-H$ for R : methyl , $1^0, 2^0$




C)In case of Tertiary Alkyl halide is observed.


D) Grignard's reagent when treated with a polar protic solvent gives alkane:

$R-Mg+HA \rightarrow R-H+MgX(A)$

E) The different compounds obtained by the following reaction are 7 (only organic compounds)



F) Rate of sodalime decarboxylation for the following acids follow:



G) The side products of potassium butanoate during Kolbe's Electrolysis are propane, propene and propyl butanoate

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

10 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q58 — JEE Advanced: Q45. **Program rank** = rank in Pragya G9 (EXT) Achievers across all campuses, from the batch's question-wise sheet († JEE Advanced: that sheet was graded before the final key, so this rank may differ slightly). **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. In JEE Advanced, 2 marks went on multiple-correct answers that were only partly correct. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.