CLASS 9 · PART TEST-1 · STUDENT PERFORMANCE REPORT

Puneeth Karthikeya Jureddi

Pragya G9 (EXT) Achievers · Adm No **246418439**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026
JEE Advanced 09 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

220 / 296 — **74.3%**

20	13	2/79	2
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **227.3 / 300** (75.8%), 5 of 6 tests → this test **74.3%** ▼ **1.4**

76 marks lost: 60 on 12 wrong answers (incl. 12 negative) · 16 on 4 skipped

JEE Advanced

09 Oct 2026 · 50 questions

136 / 176 — **77.3%**

7	5	2/78	2†
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **125.8 / 180** (69.9%), 4 of 6 tests → this test **77.3%** ▲ **7.4**

40 marks lost: 31 on 8 wrong answers (incl. 5 negative) · 4 on 1 skipped · 5 on partly-correct answers

1 Subject scorecard

Your marks in each subject, against the 79 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 220 / 296 · 74.3%							
Maths	**90**/100	90%	**9**	43.1 / 95	**85.2**/100 85.2%	▲ **4.8**	23 / 2 / 0
Physics	**49**/100	49%	**149**	21.9 / 90	**76.4**/100 76.4%	▼ **27.4**	14 / 7 / 4
Chemistry	**81**/96	84% Best on campus	**6**	41.4 / 81	**65.4**/100 65.4%	▲ **19.0**	21 / 3 / 0
JEE Advanced 136 / 176 · 77.3%							
Maths	**60**/60	100% Best on campus	**1**	24.5 / 60	**46.6**/60 77.7%	▲ **22.3**	17 / 0 / 0
Physics	**40**/60	67%	**34**	12.3 / 56	**41.6**/60 69.3%	▼ **2.7**	12 / 4 / 1
Chemistry	**36**/56	64%	**17**	15.8 / 37	**37.6**/60 62.6%	▲ **1.6**	12 / 4 / 0

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Maths** is your strongest JEE Mains subject: 90/100 (90%), All-India subject rank 9.
2. Your JEE Mains **Chemistry** score (81/96) is the best on campus — All-India subject rank 6.
3. **Physics** needs the most work in JEE Mains: 49/100 (49%), subject rank 149; you lost 11 of its 25 questions.
4. **Maths** is your strongest JEE Advanced subject: 60/60 (100%), All-India subject rank 1 — the best score on campus.
5. **Chemistry** needs the most work in JEE Advanced: 36/56 (64%), subject rank 17; you lost 4 of its 16 questions.
6. Biggest fall against your weekly-test average: **JEE Mains Physics** — 49% here against 76% on average.
7. Biggest improvement: **JEE Advanced Maths** — 100% here against 78% on average.
8. **2 questions** you lost were answered correctly by 70%+ of the batch's top 100 — about **9 marks** within easy reach (Mains Q64 · Advanced Q38).
9. Negative marking cost you **12 in JEE Mains and 5 in JEE Advanced**.
10. You attempted almost everything (only 5 questions skipped across both papers), so the marks to gain are in **accuracy**: wrong answers — 12 in JEE Mains and 8 in JEE Advanced.

JEE Mains – question by question

220 / 296 · 74.3%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	**5**	6	7	8	9	10	11	12	13	14	15	16	17	18	19	**20**	21	22	23	24	25
Physics	**26**	**27**	**28**	29	**30**	31	32	33	34	**35**	36	37	**38**	39	40	41	**42**	**43**	44	**45**	46	47	**48**	**49**	50
Chemistry	51	52	53	54	55	56	57	~~58~~	59	60	61	62	**63**	**64**	65	66	67	68	69	70	**71**	72	73	74	75

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 79 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

2 of 25 questions lost · **10** marks · ● 1 within reach · ● 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q5	Within reach	**Functions**	Single correct · +4 / −1	**Wrong**	**5**	**51%**	48%
Q20	Tough one	**Inverse Trigonometric Functions** – Composite inverse-trig function – counting solutions	Single correct · +4 / −1	**Wrong**	**5**	**19%**	13%

Physics

11 of 25 questions lost · **51** marks · ● 2 within reach · ● 9 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q48	Within reach	**Momentum & Collisions**	Numerical · +4 / −1	**Wrong**	**5**	**47%**	34%
Q30	Within reach	**Circular Motion**	Single correct · +4 / −1	**Wrong**	**5**	**43%**	27%
Q27	Tough one	**Circular Motion** – Coins on a rotating disc – friction limit at each radius	Single correct · +4 / −1	**Wrong**	**5**	**37%**	23%
Q49	Tough one	**Laws of Motion**	Numerical · +4 / −1	**Wrong**	**5**	**35%**	34%
Q35	Tough one	**Circular Motion** – Power delivered by the centripetal force	Single correct · +4 / −1	**Wrong**	**5**	**34%**	18%
Q42	Tough one	**Work, Energy & Power** – Change in PE of a ball thrown from a tower	Single correct · +4 / −1	**Skipped**	**4**	**32%**	15%
Q26	Tough one	**Momentum & Collisions** – KE loss in head-on collision from relative velocities	Single correct · +4 / −1	**Skipped**	**4**	**31%**	22%
Q38	Tough one	**Work, Energy & Power** – Work along different paths; conservative or not	Single correct · +4 / −1	**Skipped**	**4**	**25%**	13%
Q43	Tough one	**Laws of Motion** – Tension in a spring pulled by 5 N at each end	Single correct · +4 / −1	**Wrong**	**5**	**24%**	10%
Q28	Tough one	**Friction** – Friction vs incline angle graph (angle of repose)	Single correct · +4 / −1	**Wrong**	**5**	**21%**	11%
Q45	Tough one	**Work, Energy & Power** – Speed on hitting the ground – energy conservation	Single correct · +4 / −1	**Skipped**	**4**	**18%**	6%

Chemistry

3 of 24 questions lost · **15** marks · ● 1 easy miss · ● 2 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q64	Easy miss	**Hydrocarbons**	Single correct · +4 / −1	**Wrong**	5	**80%**	71%
Q63	Tough one	**Hydrocarbons** – Monochlorination products incl. stereoisomers	Single correct · +4 / −1	**Wrong**	5	**16%**	20%
Q71	Tough one	**Isomerism** – Count of optically active compounds	Numerical · +4 / −1	**Wrong**	5	**6%**	10%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Functions	7	**23**/28		35%	**Q5**
Inverse Trigonometric Functions	10	**35**/40		48%	**Q20**
Sequences & Series	1	**4**/4		45%	– none
Trigonometric Equations	7	**28**/28		44%	– none
Physics					
Momentum & Collisions	3	**3**/12		25%	**Q26**, **Q48**
Friction	2	**3**/8		17%	**Q28**
Work, Energy & Power	5	**8**/20		9%	**Q38**, **Q42**, **Q45**
Circular Motion	7	**13**/28		30%	**Q27**, **Q30**, **Q35**
Laws of Motion	8	**22**/32		23%	**Q43**, **Q49**
Chemistry					
Hydrocarbons	4	**6**/16		42%	**Q63**, **Q64**
Isomerism	10	**35**/40		55%	**Q71**
General Organic Chemistry	10	**40**/40		32%	– none

Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

2 questions · easy misses first
cropped from the question paper

Q5 Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **51%** got it right · Campus: **48%** (38 of 79)

Within reach
You: Wrong

5. Which of the following functions is invertible?

A) $f:R^{+}\to R, f(x)=x^{2}$ B) $g:R^{-}\to R, g(x)=x^{3}$

C) $h:[\pi,2\pi]\to[-1,1], h(x)=\cos x$ D) $i:R\to[-1,1], i(x)=\sin x$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20 Inverse Trigonometric Functions – Composite inverse-trig function – counting solutions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **19%** got it right · Campus: **13%** (10 of 79)

Tough one
You: Wrong

20. Consider the functions $rage(x)=\sin^{-1}\sqrt{x}+e^{\left(\tan^{-1}\left(\sqrt{x-1}\right)\right)^{2}}+\left(\cos^{-1}\left(\sqrt{x}\right)\right)^{3}$ and $bait(x)=x^{2}+x+1$ within their respective domains. Then the number of solutions of $rage(bait(x))<3$ is/are ……..

A) 0 B)1 C)2 D)3

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit

11 questions · easy misses first
cropped from the question paper

Q48 — Momentum & Collisions

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5
Top 100: **47%** got it right · Campus: **34%** (27 of 79)

Within reach
You: Wrong

48. An artillery piece of mass 10kg fires a shell of mass 2kg horizontally. Instantaneously after the firing, the ratio of kinetic energy of shell and that of artillery is …….

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q30 — Circular Motion

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **43%** got it right · Campus: **27%** (21 of 79)

Within reach
You: Wrong

30. When a bucket containing water is rotated fast in a vertical circle of radius R, the water in the bucket doesn't spill provided that bucket is

A) whirled around with maximum speed of $\sqrt{2gR}$

B) whirled around with minimum speed of $\sqrt{\frac{gR}{2}}$

C) having a rpm of $n = \sqrt{900g / \pi^2 R}$

D) having a rpm of $n = \sqrt{3600g / \pi^2 R}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Circular Motion – Coins on a rotating disc – friction limit at each radius

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **37%** got it right · Campus: **23%** (18 of 79)

Tough one

You: Wrong

27. A disc revolves with a speed of 100/3 rev/min and has radius of 15cm. Two coins of same mass as disc are placed at 4 cm and 14cm away from the centre of disc. If the coefficient of friction between the coins and the disc is 0.15, which of the two coins will revolve with disc?

A) both the coins will revolve

B) No coin will revolve with disc

C) coin at 4cm will revolve with disc

D) coin at 14cm will revolve with disc

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q49

Laws of Motion


JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5

Top 100: **35%** got it right · Campus: **34%** (27 of 79)

Tough one

You: Wrong

49. Assume pulley and string are ideal then find $\frac{T_2}{T_1} = \ldots\ldots\ldots$



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q35 — Circular Motion – Power delivered by the centripetal force

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **34%** got it right · Campus: **18%** (14 of 79)

Tough one
You: Wrong

35. A particle of mass m is moving in a circular path of constant radius r such that its centripetal acceleration changing with time 't' as $a_c = k^2t^2$, where K is a constant. The power delivered to the particle by centripetal force acting on it is

A) zero B) mk^2rt C) mk^2r^2t D) $mk^2\sqrt{rt}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42 — Work, Energy & Power – Change in PE of a ball thrown from a tower

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4
Top 100: **32%** got it right · Campus: **15%** (12 of 79)

Tough one
You: Skipped

42. At t =0 sec a 1kg ball is thrown from top to a tall tower with velocity $\vec{V} = \left(8\hat{i} + 9\hat{j}\right)$ m/s. The change in potential energy of ball – earth system between $t = 0$ *to* $t = 5\text{sec}$ is

$\left(g = 10m/s^2\right)$

A) 800J B) 1536J C) 2100J D) -800J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q26 — Momentum & Collisions – KE loss in head-on collision from relative velocities

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4
Top 100: **31%** got it right · Campus: **22%** (17 of 79)

Tough one
You: Skipped

26. Two bodies of masses 3 kg and 2 kg collide head on. Their relative velocities before and after collision are 15m/s and 5 m/s respectively. The loss of kinetic energy of system is

A) 120J B) 100J C) 80J D) 240J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q38 — Work, Energy & Power – Work along different paths; conservative or not


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **25%** got it right · Campus: **13%** (10 of 79)

Tough one

You: Skipped

38. A particle is moved along the different paths OAC, OBC and ODC as shown in the fig. path ODC is parabola, $y = 4x^2$. The work done by a force $\vec{F} = xy\hat{i} + x^2 y\hat{j}$ on the particle along



Column – I	**Column – II**
a)Path OAC	P) 2J
b) Path OBC	Q) $\frac{19}{3}$J
c) Path ODC	R) Conservative
d) Force is	S) 8J
	T) Non- conservative

A) $a \to Q, b \to S, c \to P, d \to T$ B) $a \to S, b \to P, c \to Q, d \to T$

C) $a \to S, b \to Q, c \to P, d \to T$ D) $a \to S, b \to Q, c \to S, d \to T$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q43 — Laws of Motion – Tension in a spring pulled by 5 N at each end


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **24%** got it right · Campus: **10%** (8 of 79)

Tough one

You: Wrong

43. The tension in the massless spring is



A) zero B) 10N C) 2.5N D) 5N

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q28

Friction – Friction vs incline angle graph (angle of repose)


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **21%** got it right · Campus: **11%** (9 of 79)

Tough one

You: Wrong

28. A block is placed on a rough plane whose inclination to the horizontal (θ) can be varied. The angle of repose is 30°. The graph that correctly indicate the variation of frictional force (f) between block and the plane with θ is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q45

Work, Energy & Power – Speed on hitting the ground – energy conservation

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **18%** got it right · Campus: **6%** (5 of 79)

Tough one

You: Skipped

45. A cricket bowler releases the ball in two different ways

i) giving it only horizontal velocity and

ii) giving it horizontal velocity and small downward velocity

The speeds at the time release is same. Both are released at a height H from ground then which one will have greater speed when ball hits the ground?(Neglect air resistance)

A) Ist way B) IInd way C) same in two ways D) None of the above

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Chemistry — questions to revisit


3 questions · easy misses first
cropped from the question paper

Q64 Hydrocarbons

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **80%** got it right · Campus: **71%** (56 of 79)

Easy miss
You: Wrong

64. Among the following free radical mono bromination reactions, select those in which secondary bromide is the major product



A) Q,R,T B) P,R, U C) P,R, S D) P, Q, R

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q63 Hydrocarbons – Monochlorination products incl. stereoisomers

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **16%** got it right · Campus: **20%** (16 of 79)

Tough one
You: Wrong

63. Number of monochlorinated product when following compound undergo reaction with $Cl_2 / h\nu$ (including stereo isomers)



A) 5 B) 9 C) 10 D) 6

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q71

Isomerism – Count of optically active compounds


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **6%** got it right · Campus: **10%** (8 of 79)

Tough one

You: Wrong

71. Total no of compounds which are optically active are _____



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced – question by question

136 / 176 · 77.3%
09 Oct 2026

6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Physics	18	19	**20**	21	**22**	23	24	25	26	**27**	28	29	30	31	**32**	**33**	34
Chemistry	35	**36**	37	**38**	39	40	41	**42**	43	44	~~45~~	46	47	48	49	50	**51**

7 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 78 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

No Maths question lost

Physics

5 of 17 questions lost · **20** marks · ● 5 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q22	Tough one	**Laws of Motion**	Multiple correct · +4 / −2	**Wrong**	6	**36%**	38%
Q20	Tough one	**Work, Energy & Power** – Maximum spring extension – energy method	Single correct · +3 / −1	**Wrong**	4	**29%**	27%
Q27	Tough one	**Friction** – Net work done by friction between sliding blocks	Integer · +4 / 0	**Skipped**	4	**8%**	10%
Q32	Tough one	**Friction** – Total force exerted by a block on an accelerating cube	Paragraph · +3 / 0	**Wrong**	3	**8%**	6%
Q33	Tough one	**Work, Energy & Power** – Work-energy theorem from a-t and U-x graphs	Paragraph · +3 / 0	**Wrong**	3	**2%**	1%


Chemistry

4 of 16 questions lost · **15** marks (+5 on partly-correct answers) · ● 1 easy miss · ● 1 within reach · ● 2 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q38	Easy miss	**General Organic Chemistry**	Single correct · +3 / −1	**Wrong**	4	**70%**	47%
Q36	Within reach	**General Organic Chemistry**	Single correct · +3 / −1	**Wrong**	4	**64%**	53%
Q42	Tough one	**General Organic Chemistry**	Integer · +4 / 0	**Wrong**	4	**39%**	36%
Q51	Tough one	**Hydrocarbons** – Chiral products of free-radical monobromination	Paragraph · +3 / 0	**Wrong**	3	**15%**	4%

8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Functions	6	≈ **22**/22		40%	– none
Inverse Trigonometric Functions	6	≈ **21**/21		55%	– none
Trigonometric Equations	5	≈ **17**/17		35%	– none
Physics					
Work, Energy & Power	4	≈ **5**/12		22%	**Q20**, **Q33**
Laws of Motion	3	≈ **6**/12		39%	**Q22**
Friction	5	≈ **10**/17		12%	**Q27**, **Q32**
Circular Motion	4	≈ **15**/15		17%	– none
Momentum & Collisions	1	≈ **4**/4		33%	– none
Chemistry					
General Organic Chemistry	9	≈ **18**/30		43%	**Q36**, **Q38**, **Q42**
Hydrocarbons	5	≈ **15**/18		22%	**Q51**
Isomerism	2	≈ **8**/8		16%	– none

Bar = your % of the chapter's marks | campus average

9 JEE Advanced · Physics – questions to revisit


5 questions · easy misses first
cropped from the question paper

Q22 Laws of Motion

JEE Advanced · Physics · Multiple correct · marking +4 / −2 · marks lost 6
Top 100: **36%** got it right · Campus: **38%** (30 of 78)

Tough one
You: Wrong

22. A block of mass 6kg is projected along the horizontal surface. A resistance force $F=-2v^3$ is acting on the block through out the motion. During motion when it crosses point A and B it speeds are 6m/s and 2m/s respectively. Then



A) distance from A to B $S_{AB}=\frac{2}{3}m$ B) distance from A to B $S_{AB}=1m$

C) Time taken from A to B $T_{AB}=\frac{1}{3}\sec$ D) time taken from A to B $T_{AB}=\frac{2}{3}\sec$

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20 Work, Energy & Power – Maximum spring extension – energy method

JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4
Top 100: **29%** got it right · Campus: **27%** (21 of 78)

Tough one
You: Wrong

20. All the surfaces are smooth system is released from rest with spring unstretched. Then maximum extension in spring will be $(m_A=m;m_B=2m)$



A) $\frac{mg}{K}$ B) $\frac{2mg}{K}$ C) $\frac{3mg}{K}$ D) $\frac{4mg}{K}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Friction – Net work done by friction between sliding blocks


JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **8%** got it right · Campus: **10%** (8 of 78)

Tough one

You: Skipped

27. Block A of mass 1kg is placed on rough surface of block B of mass 3kg. Block B is placed on smooth horizontal surface. Blocks are given velocities as shown. If net workdone by frictional force is "-n" J. value of n is ……..



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q32

Friction – Total force exerted by a block on an accelerating cube

JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3


Top 100: **8%** got it right · Campus: **6%** (5 of 78)

Tough one

You: Wrong

PARAGRAPH-I

A solid block of mass 2 kg is resting inside a cube as shown in figure. The cube is moving with a velocity $\vec{V}=\left(5t\hat{i}+2t\hat{j}\right)m/s$. Here 't' is second. The block is in rest w.r.t cube and $\mu=0.5$ between block and surface of cube. $\left(g=10m/s^2\right)$



32. Total force exerted by block on cube is _____ N

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q33 **Work, Energy & Power** – **Work-energy theorem from a-t and U-x graphs**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **2%** got it right · Campus: **1%** (1 of 78)

Tough one
You: Wrong

PARAGRAPH-II

A particle of mass 1kg is moving along x-axis its velocity is 6m/s at x=0. Acceleration versus time and P.E versus displacement of particle are shown $\left(g = 10 m/s^2\right)$

Acceleration a is in $m/\sec^2$ b



33. Work done by all forces _____ J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Chemistry – questions to revisit


4 questions · easy misses first
cropped from the question paper

Q38

General Organic Chemistry
JEE Advanced · Chemistry · Single correct · marking +3 / −1 · marks lost 4
Top 100: **70%** got it right · Campus: **47%** (37 of 78)

Easy miss
You: Wrong

38. Consider the following (X)



(X)

The most stable and least stable carbon radicals, respectively produced by homolytic cleavage of corresponding C-H bonds are

A) I,II B) III,IV C) II,I D) IV,I

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q36

General Organic Chemistry
JEE Advanced · Chemistry · Single correct · marking +3 / −1 · marks lost 4
Top 100: **64%** got it right · Campus: **53%** (41 of 78)

Within reach
You: Wrong

36. Designate whether each of the following compound is aromatic (or) not aromatic



A) A,E,G,H are aromatic and B,C,D,F are not aromatic
B) A,C,E,G,H are aromatic and B,D F are not aromatic
C) A,C,D,E,G are aromatic and B,F,H are not aromatic
C) C,E,G,H are aromatic and A,B,D,F are not aromatic

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42

General Organic Chemistry


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **39%** got it right · Campus: **36%** (28 of 78)

Tough one

You: Wrong

42. How many compounds among the following show inductive, mesomeric as well as hyper conjugation effects



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q51

Hydrocarbons – Chiral products of free-radical monobromination

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **15%** got it right · Campus: **4%** (3 of 78)


Tough one

You: Wrong

PARAGRAPH-II

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula C_nH_{2n+2}. The simplest one is methane (CH_4), is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

51. In the following monobromination reaction, the number of possible chiral products is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

10 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q58 — JEE Advanced: Q45. **Program rank** = rank in Pragya G9 (EXT) Achievers across all campuses, from the batch's question-wise sheet († JEE Advanced: that sheet was graded before the final key, so this rank may differ slightly). **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. In JEE Advanced, 5 marks went on multiple-correct answers that were only partly correct. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.