CLASS 9 · PART TEST-1 · STUDENT PERFORMANCE REPORT

Ramini Havisha

Pragya G9 (EXT) Achievers · Adm No **246416700**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026
JEE Advanced 09 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

196 / 296 — **66.2%**

48	33	5/79	6
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **199.8 / 300** (66.6%) → this test **66.2%** ▼ **0.4**

100 marks lost: 40 on 8 wrong answers (incl. 8 negative) · 60 on 15 skipped

JEE Advanced

09 Oct 2026 · 50 questions

110 / 176 — **62.5%**

28	18	4/78	4†
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **101.4 / 180** (56.4%) → this test **62.5%** ▲ **6.1**

66 marks lost: 31 on 9 wrong answers (incl. 3 negative) · 30 on 8 skipped · 5 on partly-correct answers

1 Subject scorecard

Your marks in each subject, against the 79 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 196 / 296 · 66.2%							
Maths	**69**/100	69%	**111**	43.1 / 95	**63.5**/100 63.5%	▲ **5.5**	18 / 3 / 4
Physics	**49**/100	49%	**149**	21.9 / 90	**77.3**/100 77.3%	▼ **28.3**	13 / 3 / 9
Chemistry	**78**/96	81%	**10**	41.4 / 81	**58.7**/100 58.7%	▲ **22.5**	20 / 2 / 2
JEE Advanced 110 / 176 · 62.5%							
Maths	**46**/60	77%	**45**	24.5 / 60	**31.5**/60 52.5%	▲ **24.2**	14 / 2 / 1
Physics	**31**/60	52%	**68**	12.3 / 56	**40.9**/60 68.2%	▼ **16.5**	9 / 3 / 5
Chemistry	**33**/56	59%	**46**	15.8 / 37	**28.6**/60 47.7%	▲ **11.2**	10 / 4 / 2

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Chemistry** is your strongest JEE Mains subject: 78/96 (81%), All-India subject rank 10.
2. **Physics** needs the most work in JEE Mains: 49/100 (49%), subject rank 149; you lost 12 of its 25 questions.
3. **Maths** is your strongest JEE Advanced subject: 46/60 (77%), All-India subject rank 45.
4. **Physics** needs the most work in JEE Advanced: 31/60 (52%), subject rank 68; you lost 8 of its 17 questions.
5. Biggest fall against your weekly-test average: **JEE Mains Physics** – 49% here against 77% on average.
6. Biggest improvement: **JEE Advanced Maths** – 77% here against 52% on average.
7. **2 questions** you lost were answered correctly by 70%+ of the batch's top 100 – about **9 marks** within easy reach (Mains Q9 · Advanced Q38).
8. Negative marking cost you **8 in JEE Mains and 3 in JEE Advanced**.
9. You left **15 in JEE Mains and 8 in JEE Advanced** questions blank, and answered 8 in JEE Mains and 9 in JEE Advanced wrong – both are marks to recover.

JEE Mains – question by question

196 / 296 · 66.2%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	**1**	2	3	4	5	6	**7**	**8**	**9**	10	11	12	13	14	15	16	17	18	19	**20**	**21**	22	23	**24**	25
Physics	**26**	**27**	**28**	**29**	**30**	**31**	**32**	**33**	**34**	35	36	**37**	38	39	40	**41**	42	43	44	**45**	46	47	48	49	50
Chemistry	51	52	53	54	55	56	57	~~58~~	59	60	61	62	**63**	64	65	**66**	67	68	69	70	71	72	73	**74**	**75**

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 79 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

7 of 25 questions lost · **31** marks · ● 1 easy miss · ● 2 within reach · ● 4 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q9	Easy miss	**Inverse Trigonometric Functions**	Single correct · +4 / −1	**Wrong**	5	**87%**	80%
Q1	Within reach	**Functions**	Single correct · +4 / −1	**Wrong**	5	**54%**	41%
Q21	Within reach	**Trigonometric Equations**	Numerical · +4 / −1	**Skipped**	4	**50%**	33%
Q7	Tough one	**Trigonometric Equations** – $\sqrt{3}\sin \pi x + \cos \pi x$ = quadratic – number of solutions	Single correct · +4 / −1	**Wrong**	5	**37%**	16%
Q8	Tough one	**Functions**	Single correct · +4 / −1	**Skipped**	4	**37%**	27%
Q24	Tough one	**Functions** – Even function with GIF, fractional part and signum	Numerical · +4 / −1	**Skipped**	4	**20%**	16%
Q20	Tough one	**Inverse Trigonometric Functions** – Composite inverse-trig function – counting solutions	Single correct · +4 / −1	**Skipped**	4	**19%**	13%

Physics

12 of 25 questions lost · **51** marks · ● 6 within reach · ● 6 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q34	Within reach	**Work, Energy & Power**	Single correct · +4 / −1	**Skipped**	**4**	**66%**	47%
Q29	Within reach	**Friction**	Single correct · +4 / −1	**Skipped**	**4**	**59%**	38%
Q41	Within reach	**Laws of Motion**	Single correct · +4 / −1	**Skipped**	**4**	**50%**	39%
Q37	Within reach	**Laws of Motion** – Tension in a pulley–block system	Single correct · +4 / −1	**Skipped**	**4**	**49%**	43%
Q30	Within reach	**Circular Motion**	Single correct · +4 / −1	**Skipped**	**4**	**43%**	27%
Q33	Within reach	**Laws of Motion** – Tangential acceleration on a frictionless curved track	Single correct · +4 / −1	**Skipped**	**4**	**43%**	25%
Q27	Tough one	**Circular Motion** – Coins on a rotating disc – friction limit at each radius	Single correct · +4 / −1	**Skipped**	**4**	**37%**	23%
Q32	Tough one	**Circular Motion** – Blocks on a rotating frame – ω when sliding starts	Single correct · +4 / −1	**Skipped**	**4**	**33%**	28%
Q31	Tough one	**Work, Energy & Power** – KE vs height for a stone thrown up from a cliff	Single correct · +4 / −1	**Wrong**	**5**	**32%**	10%
Q26	Tough one	**Momentum & Collisions** – KE loss in head-on collision from relative velocities	Single correct · +4 / −1	**Skipped**	**4**	**31%**	22%
Q28	Tough one	**Friction** – Friction vs incline angle graph (angle of repose)	Single correct · +4 / −1	**Wrong**	**5**	**21%**	11%
Q45	Tough one	**Work, Energy & Power** – Speed on hitting the ground – energy conservation	Single correct · +4 / −1	**Wrong**	**5**	**18%**	6%


Chemistry

4 of 24 questions lost · **18** marks · ● 1 within reach · ● 3 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q66	Within reach	**General Organic Chemistry** – False order of –I effect	Single correct · +4 / −1	**Wrong**	**5**	**45%**	39%
Q74	Tough one	**General Organic Chemistry** – Compounds giving a positive bicarbonate test	Numerical · +4 / −1	**Skipped**	**4**	**20%**	11%
Q63	Tough one	**Hydrocarbons** – Monochlorination products incl. stereoisomers	Single correct · +4 / −1	**Wrong**	**5**	**16%**	20%
Q75	Tough one	**General Organic Chemistry** – Bases stronger than aniline	Numerical · +4 / −1	**Skipped**	**4**	**11%**	9%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Functions	7	**15**/28		35%	**Q1**, **Q8**, **Q24**
Trigonometric Equations	7	**19**/28		44%	**Q7**, **Q21**
Inverse Trigonometric Functions	10	**31**/40		48%	**Q9**, **Q20**
Sequences & Series	1	**4**/4		45%	– none
Physics					
Friction	2	**-1**/8		17%	**Q28**, **Q29**
Work, Energy & Power	5	**6**/20		9%	**Q31**, **Q34**, **Q45**
Circular Motion	7	**16**/28		30%	**Q27**, **Q30**, **Q32**
Laws of Motion	8	**20**/32		23%	**Q33**, **Q37**, **Q41**
Momentum & Collisions	3	**8**/12		25%	**Q26**
Chemistry					
General Organic Chemistry	10	**27**/40		32%	**Q66**, **Q74**, **Q75**
Hydrocarbons	4	**11**/16		42%	**Q63**
Isomerism	10	**40**/40		55%	– none

Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

7 questions · easy misses first
cropped from the question paper

Q9 — Inverse Trigonometric Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **87%** got it right · Campus: **80%** (63 of 79)

Easy miss
You: Wrong

9. The maximum value of the function $f(x)=\sin^{-1}(x)+\cos^{-1}(x)+\tan^{-1}(x)$

A) equals π B) equals $\frac{3\pi}{4}$ C) equals $\frac{\pi}{4}$ D) does not exist

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q1 — Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **54%** got it right · Campus: **41%** (32 of 79)

Within reach
You: Wrong

1. The function $f: R-\{0\}\to R, f(x)=\frac{x}{e^x-1}+\frac{x}{2}+1$ is

A) even B) odd C) One- one D) periodic

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q21 — Trigonometric Equations

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 4
Top 100: **50%** got it right · Campus: **33%** (26 of 79)

Within reach
You: Skipped

21. Number of solutions of $(\sin x)^{2026}+(\cos x)^{2026}=1$ if $x\in[-10\pi,10\pi]$ is ……..

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q7

Trigonometric Equations – √3 sin πx + cos πx = quadratic – number of solutions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **37%** got it right · Campus: **16%** (13 of 79)

Tough one

You: Wrong

7. Number of solutions of $\sqrt{3}\sin(\pi x)+\cos(\pi x)=x^2-\frac{2}{3}x+\frac{19}{9}$ is .....

A) 0 B) 1 C) 2 D) 3

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q8

Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4

Top 100: **37%** got it right · Campus: **27%** (21 of 79)

Tough one

You: Skipped

8. Let $f(x)$ denote the square of sum of digits of $n \in N$. Let $f_2(x)=f(f(x)), f_3(x)=f(f(f(x)))$ and so on. Then, $\frac{f_{2026}(2011)-f_{2023}(2011)}{f_{2024}(2011)-f_{2025}(2011)}=$ .....

A) 0 B) -1 C) 1 D) 2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q24

Functions – Even function with GIF, fractional part and signum

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 4

Top 100: **20%** got it right · Campus: **16%** (13 of 79)

Tough one

You: Skipped

24. Let $f(x)=\left([a]^2-5[a]+4\right)x^3-\left(6\{a\}^2-5\{a\}+1\right)x-(\tan x)(\operatorname{sgn}(x))$ (where [.] = GIF, $\{.\}=F.P.F, \operatorname{sgn}(x)=signum(x)$). If $f(x)$ is an even function of 'x', then the sum of possible values of 'a' is .....?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20 **Inverse Trigonometric Functions – Composite inverse-trig function – counting solutions**

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4

Top 100: **19%** got it right · Campus: **13%** (10 of 79)

Tough one

You: Skipped

20. Consider the functions $rage(x)=\sin^{-1}\sqrt{x}+e^{\left(\tan^{-1}\left(\sqrt{x-1}\right)\right)^2}+\left(\cos^{-1}\left(\sqrt{x}\right)\right)^3$ and $bait(x)=x^2+x+1$ within their respective domains. Then the number of solutions of $rage\left(bait(x)\right)<3$ is/are ……..

A) 0 B)1 C)2 D)3

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit


12 questions · easy misses first
cropped from the question paper

Q34

Work, Energy & Power
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4
Top 100: **66%** got it right · Campus: **47%** (37 of 79)

Within reach
You: Skipped

34. The velocity-time graph of a particle of mass 10kg is shown in fig. the net workdone on the particle in the first two seconds of the motion is



A) 10,000J B) -12,000J C) -4500J D) 6000J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q29

Friction
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4
Top 100: **59%** got it right · Campus: **38%** (30 of 79)

Within reach
You: Skipped

29. An insect is crawling up on a concave surface of a fixed hemispherical bowl of radius R. If the co-efficient of friction is $\frac{1}{3}$ then the height up to which an insect can crawl is nearly $\left[\sqrt{10} \approx 3.16\right]$

A) 5 % of R B) 6 % of R C) 6.5% of R D) 7.5 % of R

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q41

Laws of Motion


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **50%** got it right · Campus: **39%** (31 of 79)

Within reach

You: Skipped

41. For the arrangement of pulley shown in fig, the effort (P) required to raise the given load (w). assume efficiency of the system as 80%



A) 200N B) 250N C) 500N D) 1000N

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q37

Laws of Motion – Tension in a pulley-block system


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **49%** got it right · Campus: **43%** (34 of 79)

Within reach

You: Skipped

37. Fig shows two blocks A and B connected to an ideal pulley string system. In this system when bodies are released then $\left(g = 10 m/s^2\right)$(Mass of a is 40Kg and B is 10Kg on smooth surface). The tension in the string connecting the block B is



A) $20N$ B) $80N$ C) $60N$ D) $40N$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q30

Circular Motion

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **43%** got it right · Campus: **27%** (21 of 79)

Within reach

You: Skipped

30. When a bucket containing water is rotated fast in a vertical circle of radius R, the water in the bucket doesn't spill provided that bucket is

A) whirled around with maximum speed of $\sqrt{2gR}$

B) whirled around with minimum speed of $\sqrt{\frac{gR}{2}}$

C) having a rpm of $n = \sqrt{900g / \pi^2 R}$

D) having a rpm of $n = \sqrt{3600g / \pi^2 R}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q33

Laws of Motion – Tangential acceleration on a frictionless curved track


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **43%** got it right · Campus: **25%** (20 of 79)

Within reach

You: Skipped

33. A man M slides down a curved frictionless track, starting from rest. The curve obeys equation $y = \frac{x^2}{2}$. The tangential acceleration of mass is



A) g B) $\frac{gx}{\sqrt{x^2+4}}$ C) $\frac{g}{2}$ D) $\frac{gx}{\sqrt{x^2+1}}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Circular Motion – Coins on a rotating disc – friction limit at each radius

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **37%** got it right · Campus: **23%** (18 of 79)

Tough one

You: Skipped

27. A disc revolves with a speed of 100/3 rev/min and has radius of 15cm. Two coins of same mass as disc are placed at 4 cm and 14cm away from the centre of disc. If the coefficient of friction between the coins and the disc is 0.15, which of the two coins will revolve with disc?
A) both the coins will revolve
B) No coin will revolve with disc
C) coin at 4cm will revolve with disc
D) coin at 14cm will revolve with disc

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q32

Circular Motion – Blocks on a rotating frame – ω when sliding starts


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **33%** got it right · Campus: **28%** (22 of 79)

Tough one

You: Skipped

32. Two blocks of masses m and M are connected by a chord passing around a frictionless pulley which is attached to a rotating frame, which rotates about a vertical axis with angular velocity ω. If co-efficient of friction between two masses and the surface be μ_1 and μ_2 respectively. The value of ω at which block starts sliding radially $(M > m)$



A) $\omega = \left[g \left[\frac{\mu_1 M + \mu_2 m}{m r_1 - M r_1} \right] \right]^{1/2}$

B) $\omega = \left[g \left[\frac{\mu_1 m + \mu_2 M}{M r_2 - m r_1} \right] \right]^{1/2}$

C) $\omega = \left[g \left[\frac{\mu_1 m - \mu_2 M}{M r_2 - m r_1} \right] \right]^{1/2}$

D) $\omega = \left[g \left[\frac{\mu_1 M - \mu_2 m}{M r_2 - m r_1} \right] \right]^{1/2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q31

Work, Energy & Power – KE vs height for a stone thrown up from a cliff

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5


Top 100: **32%** got it right · Campus: **10%** (8 of 79)

Tough one


You: Wrong

31. A stone of mass 50g is thrown vertically upwards with a velocity of 12m/s from edge of a cliff 44m high. Identify kinetic energy of stone versus height from bottom of cliff $\left(g = 10m/s^2\right)$ (ignore air resistance)


A)




B)



C)



D)



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q26

Momentum & Collisions – KE loss in head-on collision from relative velocities

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **31%** got it right · Campus: **22%** (17 of 79)

Tough one

You: Skipped

26. Two bodies of masses 3 kg and 2 kg collide head on. Their relative velocities before and after collision are 15m/s and 5 m/s respectively. The loss of kinetic energy of system is

A) 120J B) 100J C) 80J D) 240J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q28

Friction – Friction vs incline angle graph (angle of repose)


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **21%** got it right · Campus: **11%** (9 of 79)

Tough one

You: Wrong

28. A block is placed on a rough plane whose inclination to the horizontal (θ) can be varied. The angle of repose is 30°. The graph that correctly indicate the variation of frictional force (f) between block and the plane with θ is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q45

Work, Energy & Power – Speed on hitting the ground – energy conservation

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **18%** got it right · Campus: **6%** (5 of 79)

Tough one

You: Wrong

45. A cricket bowler releases the ball in two different ways

i) giving it only horizontal velocity and

ii) giving it horizontal velocity and small downward velocity

The speeds at the time release is same. Both are released at a height H from ground then which one will have greater speed when ball hits the ground?(Neglect air resistance)

A) Ist way B) IInd way C) same in two ways D) None of the above

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Chemistry – questions to revisit

4 questions · easy misses first
cropped from the question paper

Q66

General Organic Chemistry – **False order of –I effect**
JEE Mains · Chemistry · Single correct · marking +4 / –1 · marks lost 5
Top 100: **45%** got it right · Campus: **39%** (31 of 79)


Within reach
You: Wrong

66. Which of the following is false order of – I effect ?

A) $-F > -Cl > -Br > -I$

B) $-\overset{\oplus}{N}R_3 > -\overset{\oplus}{N}H_3 > -NO_2$

C) $-F > -OH > -NH_2$

D)  $> -C \equiv CH > -H$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q74

General Organic Chemistry – **Compounds giving a positive bicarbonate test**
JEE Mains · Chemistry · Numerical · marking +4 / –1 · marks lost 4
Top 100: **20%** got it right · Campus: **11%** (9 of 79)

Tough one
You: Skipped

74. How many of the following compounds can give positive bicarbonate test?

HCl, Picric Acid, Benzoic acid, 2,4-dintrophenol, 4-nitrophenol, Squaric Acid, formic Acid, Benzene Sulphuric acid, 1-Butyne, NH_4Cl .

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q63

Hydrocarbons – **Monochlorination products incl. stereoisomers**


JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **16%** got it right · Campus: **20%** (16 of 79)

Tough one

You: Wrong

63. Number of monochlorinated product when following compound undergo reaction with $Cl_2 / h\nu$ (including stereo isomers)



A) 5 B) 9 C) 10 D) 6

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q75

General Organic Chemistry – **Bases stronger than aniline**







JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 4

Top 100: **11%** got it right · Campus: **9%** (7 of 79)

Tough one

You: Skipped

75. How many of the following are more basic then Aniline?

NH_3, $PhCH_2NH_2$,  ,  ,  ,  ,  ,  , $CH_3—CH_2—NH_2$, $CH_3—C\equiv N$, 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced — question by question

110 / 176 · 62.5%
09 Oct 2026

6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	6	7	**8**	9	**10**	11	12	13	14	15	16	**17**
Physics	**18**	19	**20**	21	22	23	**24**	**25**	26	**27**	28	29	30	**31**	**32**	**33**	34
Chemistry	35	36	37	**38**	39	40	41	42	43	44	~~45~~	**46**	**47**	**48**	**49**	50	**51**

7 Questions you lost — what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 78 students of this program on campus.

Easy miss 70%+ of the top 100 got it right — easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

3 of 17 questions lost · **11** marks (+3 on partly-correct answers) · 1 within reach · 2 tough one

Q	PRIORITY	CHAPTER — WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q10	Within reach	**Trigonometric Equations**	Integer · +4 / 0	**Skipped**	4	**55%**	33%
Q8	Tough one	**Functions** — Period from two lines of symmetry	Integer · +4 / 0	**Wrong**	4	**12%**	13%
Q17	Tough one	**Trigonometric Equations** — Sum of solutions of $\cos(\pi\sqrt{(x-100)})\cdot\cos(\pi\sqrt{x}) = 1$	Paragraph · +3 / 0	**Wrong**	3	**6%**	6%

Physics

8 of 17 questions lost · **29** marks · 2 within reach · 6 tough one

Q	PRIORITY	CHAPTER — WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q25	Within reach	**Laws of Motion**	Integer · +4 / 0	**Skipped**	4	**47%**	44%
Q31	Within reach	**Friction** — Friction on a block at rest inside an accelerating cube	Paragraph · +3 / 0	**Skipped**	3	**45%**	51%
Q24	Tough one	**Circular Motion**	Multiple correct · +4 / −2	**Skipped**	4	**34%**	27%
Q20	Tough one	**Work, Energy & Power** — Maximum spring extension — energy method	Single correct · +3 / −1	**Wrong**	4	**29%**	27%
Q18	Tough one	**Friction** — Static vs kinetic friction under a time-varying force	Single correct · +3 / −1	**Wrong**	4	**16%**	9%
Q27	Tough one	**Friction** — Net work done by friction between sliding blocks	Integer · +4 / 0	**Skipped**	4	**8%**	10%
Q32	Tough one	**Friction** — Total force exerted by a block on an accelerating cube	Paragraph · +3 / 0	**Skipped**	3	**8%**	6%
Q33	Tough one	**Work, Energy & Power** — Work-energy theorem from a-t and U-x graphs	Paragraph · +3 / 0	**Wrong**	3	**2%**	1%

Chemistry

6 of 16 questions lost · 21 marks (+2 on partly-correct answers) · ● 1 easy miss · ● 1 within reach · ● 4 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q38	Easy miss	General Organic Chemistry	Single correct · +3 / −1	Wrong	4	70%	47%
Q49	Within reach	General Organic Chemistry	Paragraph · +3 / 0	Wrong	3	53%	46%
Q48	Tough one	General Organic Chemistry – Counting electrophiles	Paragraph · +3 / 0	Wrong	3	37%	27%
Q46	Tough one	Isomerism – Count of optically active compounds	Integer · +4 / 0	Skipped	4	15%	15%
Q51	Tough one	Hydrocarbons – Chiral products of free-radical monobromination	Paragraph · +3 / 0	Wrong	3	15%	4%
Q47	Tough one	Hydrocarbons – Dichlorination isomers of C_5H_{10} (VD 35)	Integer · +4 / 0	Skipped	4	7%	5%

8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Trigonometric Equations	5	≈ 10/17		35%	Q10, Q17
Functions	6	≈ 18/22		40%	Q8
Inverse Trigonometric Functions	6	≈ 21/21		55%	– none
Physics					
Friction	5	≈ 3/17		12%	Q18, Q27, Q31, Q32
Work, Energy & Power	4	≈ 5/12		22%	Q20, Q33
Laws of Motion	3	≈ 8/12		39%	Q25
Circular Motion	4	≈ 11/15		17%	Q24
Momentum & Collisions	1	≈ 4/4		33%	– none
Chemistry					
Isomerism	2	≈ 4/8		16%	Q46
Hydrocarbons	5	≈ 11/18		22%	Q47, Q51
General Organic Chemistry	9	≈ 20/30		43%	Q38, Q48, Q49

Bar = your % of the chapter's marks | campus average

9 JEE Advanced · Maths – questions to revisit

3 questions · easy misses first
cropped from the question paper

Q10 Trigonometric Equations

JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4
Top 100: **55%** got it right · Campus: **33%** (26 of 78)

Within reach
You: Skipped

10. Number of real solution(s) of $2\cos^2\left(\frac{x}{2}\right)\sin^2(x)=x^2+\frac{1}{x^2}, x\in\left(0,\frac{\pi}{2}\right]$ is .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q8 Functions – Period from two lines of symmetry

JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4
Top 100: **12%** got it right · Campus: **13%** (10 of 78)

Tough one
You: Wrong

8. Let $a\in R$. If $f(a-x)=f(a+x)\forall x\in R$, then $x=a$ is a line of symmetry in the graph of $y=f(x)$. Consider a non-constant function $g(x)$ such that $g(1+x)=g(1-x)\forall x\in R$ and $g(2026+x)=g(2026-x)\forall x\in R$. Then all such $g(x)$ must be periodic. The smallest positive number that could be a period for all such $g(x)$ is .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q17 Trigonometric Equations – Sum of solutions of cos(n√(x−100))·cos(n√x) = 1

JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **6%** got it right · Campus: **6%** (5 of 78)

Tough one
You: Wrong

PARAGRAPH-II

Given positive integer 'k' , if we want to find positive integer 'n' and 'm' such that $n^2-m^2=k$ then we use $(n+m)(n-m)=k$ where we equate $n+m$ & $n-m$ to factors of k to find all possible values of (n,m).

Eg: $n^2-m^2=6\Rightarrow(n+m)(n-m)=(\pm6)(\pm1)$ or $(\pm3)(\pm2)$

17. The sum of real solution(s) of $\cos\left(\pi\sqrt{x-100}\right)\cos\left(\pi\sqrt{x}\right)=1$ is .....

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q25

Laws of Motion
JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4
Top 100: **47%** got it right · Campus: **44%** (34 of 78)

Within reach
You: Skipped

25. A monkey of mass 'm' climbs up to a rope hung over a fixed pulley with an acceleration relative to rope is $\frac{g}{4} m/s^2$. The opposite end of the rope is tied to a block of mass M lying on a rough horizontal plane. The coefficient of friction between the block and horizontal plane is μ. Tension in rope is $T = \frac{M[5m - 4\mu M]}{k[M+m]} + \mu Mg$ value of k is .....



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q31

Friction – Friction on a block at rest inside an accelerating cube

JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3


Top 100: **45%** got it right · Campus: **51%** (40 of 78)

Within reach

You: Skipped

PARAGRAPH-I

A solid block of mass 2 kg is resting inside a cube as shown in figure. The cube is moving with a velocity $\vec{V}=\left(5t\hat{i}+2t\hat{j}\right)m/s$. Here 't' is second. The block is in rest w.r.t cube and $\mu=0.5$ between block and surface of cube. $\left(g=10m/s^2\right)$



31. Force of friction acting on block is _____ N

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q24

Circular Motion

JEE Advanced · Physics · Multiple correct · marking +4 / −2 · marks lost 4

Top 100: **34%** got it right · Campus: **27%** (21 of 78)

Tough one

You: Skipped

24. A particle is revolving in a circle of radius R with initial speed u. it starts retarding with constant retardation $\frac{u^2}{4\pi R}$. The number of revolutions it makes in a time $\frac{8\pi R}{u}$ is

A) 3 B) 2 C) 4 D) 6

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20

Work, Energy & Power – Maximum spring extension – energy method


JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4

Top 100: **29%** got it right · Campus: **27%** (21 of 78)

Tough one

You: Wrong

20. All the surfaces are smooth system is released from rest with spring unstretched. Then maximum extension in spring will be $(m_A = m; m_B = 2m)$



A) $\frac{mg}{K}$ B) $\frac{2mg}{K}$ C) $\frac{3mg}{K}$ D) $\frac{4mg}{K}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q18

Friction – Static vs kinetic friction under a time-varying force


JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4

Top 100: **16%** got it right · Campus: **9%** (7 of 78)

Tough one

You: Wrong

18. The force acting on the block of mass 1 kg is given by $F = 5 - 2t$. The frictional force acting on the block after time $t = 2\text{sec}$ will be $\left(\mu = 0.2, g = 10 m/s^2\right)$



A) 2N B) 3N C) 1N D) zero

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Friction – Net work done by friction between sliding blocks


JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **8%** got it right · Campus: **10%** (8 of 78)

Tough one

You: Skipped

27. Block A of mass 1kg is placed on rough surface of block B of mass 3kg. Block B is placed on smooth horizontal surface. Blocks are given velocities as shown. If net workdone by frictional force is "-n" J. value of n is ……..



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q32

Friction – Total force exerted by a block on an accelerating cube

JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3


Top 100: **8%** got it right · Campus: **6%** (5 of 78)

Tough one

You: Skipped

PARAGRAPH-I

A solid block of mass 2 kg is resting inside a cube as shown in figure. The cube is moving with a velocity $\vec{V}=\left(5t\hat{i}+2t\hat{j}\right)m/s$. Here 't' is second. The block is in rest w.r.t cube and $\mu=0.5$ between block and surface of cube. $\left(g=10m/s^2\right)$



32. Total force exerted by block on cube is _____ N

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q33 **Work, Energy & Power** – **Work-energy theorem from a-t and U-x graphs**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **2%** got it right · Campus: **1%** (1 of 78)

Tough one
You: Wrong

PARAGRAPH-II

A particle of mass 1kg is moving along x-axis its velocity is 6m/s at x=0. Acceleration versus time and P.E versus displacement of particle are shown $\left(g = 10 m/s^2\right)$

Acceleration a is in $m/\sec^2$ b



33. Work done by all forces _____ J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Chemistry – questions to revisit


6 questions · easy misses first
cropped from the question paper

Q38

General Organic Chemistry
JEE Advanced · Chemistry · Single correct · marking +3 / −1 · marks lost 4
Top 100: **70%** got it right · Campus: **47%** (37 of 78)

Easy miss
You: Wrong

38. Consider the following (X)



(X)

The most stable and least stable carbon radicals, respectively produced by homolytic cleavage of corresponding C-H bonds are

A) I,II B) III,IV C) II,I D) IV,I

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q49

General Organic Chemistry
JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **53%** got it right · Campus: **46%** (36 of 78)

Within reach
You: Wrong

PARAGRAPH-I

Electrophiles and nucleophiles are fundamental concepts of organic chemistry playing crucial roles in various reactions. Electron loving species that accept electron pairs to form covalent bonds are electrophiles, Nucleus loving species that donate electron pair to form covalent bonds.

49. How many of the following are nucleophiles

A) OR^- B) CH_3^+ C) NH_3 D) $AlCl_3$

E) NO_2^- F) NO_2^+ G) Br^+

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q48

General Organic Chemistry – **Counting electrophiles**

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **37%** got it right · Campus: **27%** (21 of 78)

Tough one

You: Wrong

PARAGRAPH-I

Electrophiles and nucleophiles are fundamental concepts of organic chemistry playing crucial roles in various reactions. Electron loving species that accept electron pairs to form covalent bonds are electrophiles, Nucleus loving species that donate electron pair to form covalent bonds.

48. How many of the following are electrophiles

A) Br^+ B) Na^+ C) CN^- D) BF_3

E) $BeCl_2$ F) NH_2^- G) SH^- H) OR^-

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q46

Isomerism – **Count of optically active compounds**


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **15%** got it right · Campus: **15%** (12 of 78)

Tough one

You: Skipped

46. How many given compounds are optically active



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q51

Hydrocarbons – Chiral products of free-radical monobromination

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **15%** got it right · Campus: **4%** (3 of 78)


Tough one

You: Wrong

PARAGRAPH-II

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula C_nH_{2n+2}. The simplest one is methane (CH_4), is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

51. In the following monobromination reaction, the number of possible chiral products is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q47

Hydrocarbons – Dichlorination isomers of C_5H_{10} (VD 35)

JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **7%** got it right · Campus: **5%** (4 of 78)

Tough one

You: Skipped

47. A hydrocarbon [X] is having vapour density 35 and it forms only 1 monochloro product under sunlight. How many isomeric products (including stereo) are possible when [X] undergoes dichlorination?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

10 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q58 — JEE Advanced: Q45. **Program rank** = rank in Pragya G9 (EXT) Achievers across all campuses, from the batch's question-wise sheet († JEE Advanced: that sheet was graded before the final key, so this rank may differ slightly). **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. In JEE Advanced, 5 marks went on multiple-correct answers that were only partly correct. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.