CLASS 9 · PART TEST-1 · STUDENT PERFORMANCE REPORT

Bandhav Praputh

Pragya G9 (EXT) Achievers · Adm No **246569337**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026
JEE Advanced 09 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

137 / 296 — **46.3%**

250	166	20/79	47
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **168.6 / 300** (56.2%), 5 of 6 tests → this test **46.3% ▼ 9.9**

159 marks lost: 115 on 23 wrong answers (incl. 23 negative) · 44 on 11 skipped

JEE Advanced

09 Oct 2026 · 50 questions

85 / 176 — **48.3%**

101	72	9/78	14†
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **81.3 / 180** (45.2%), 5 of 6 tests → this test **48.3% ▲ 3.1**

91 marks lost: 79 on 20 wrong answers (incl. 7 negative) · 10 on 3 skipped · 2 on partly-correct answers

1 Subject scorecard

Your marks in each subject, against the 79 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 137 / 296 · 46.3%							
Maths	59/100	59%	225	43.1 / 95	65.0/100 65.0%	▼ 6.0	16 / 5 / 4
Physics	24/100	24%	497	21.9 / 90	60.0/100 60.0%	▼ 36.0	9 / 12 / 4
Chemistry	54/96	56%	202	41.4 / 81	43.3/100 43.3%	▲ 13.0	15 / 6 / 3
JEE Advanced 85 / 176 · 48.3%							
Maths	53/60	88%	15	24.5 / 60	29.5/60 49.2%	▲ 39.1	15 / 2 / 0
Physics	16/60	27%	325	12.3 / 56	27.6/60 46.1%	▼ 19.4	6 / 8 / 3
Chemistry	16/56	29%	612	15.8 / 37	24.1/60 40.1%	▼ 11.5	6 / 10 / 0

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Maths** is your strongest JEE Mains subject: 59/100 (59%), All-India subject rank 225.
2. **Physics** needs the most work in JEE Mains: 24/100 (24%), subject rank 497; you lost 16 of its 25 questions.
3. **Maths** is your strongest JEE Advanced subject: 53/60 (88%), All-India subject rank 15.
4. **Physics** needs the most work in JEE Advanced: 16/60 (27%), subject rank 325; you lost 11 of its 17 questions.
5. Biggest fall against your weekly-test average: **JEE Mains Physics** – 24% here against 60% on average.
6. Biggest improvement: **JEE Advanced Maths** – 88% here against 49% on average.
7. **1 question** you lost were answered correctly by 70%+ of the batch's top 100 – about **4 marks** within easy reach (Mains Q64).
8. Negative marking cost you **23 in JEE Mains and 7 in JEE Advanced**.
9. You left **11 in JEE Mains and 3 in JEE Advanced** questions blank, and answered 23 in JEE Mains and 20 in JEE Advanced wrong – both are marks to recover.

JEE Mains – question by question

137 / 296 · 46.3%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	**6**	7	8	9	**10**	11	**12**	**13**	14	15	16	**17**	18	19	**20**	**21**	22	23	**24**	**25**
Physics	**26**	**27**	**28**	29	**30**	**31**	**32**	**33**	**34**	35	**36**	**37**	**38**	39	40	**41**	42	**43**	44	**45**	46	**47**	48	**49**	50
Chemistry	**51**	52	53	**54**	55	56	57	~~58~~	**59**	60	61	62	63	**64**	65	**66**	**67**	68	69	70	**71**	72	**73**	**74**	75

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 79 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

9 of 25 questions lost · **41** marks · 6 within reach · 3 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q25	Within reach	**Trigonometric Equations**	Numerical · +4 / −1	**Wrong**	5	**67%**	57%
Q13	Within reach	**Trigonometric Equations** – Solutions of tan x + sec x = 2 cos x in [0, 2π]	Single correct · +4 / −1	**Wrong**	5	**66%**	58%
Q12	Within reach	**Inverse Trigonometric Functions**	Single correct · +4 / −1	**Skipped**	4	**64%**	52%
Q10	Within reach	**Trigonometric Equations**	Single correct · +4 / −1	**Wrong**	5	**62%**	47%
Q6	Within reach	**Inverse Trigonometric Functions**	Single correct · +4 / −1	**Wrong**	5	**58%**	35%
Q21	Within reach	**Trigonometric Equations**	Numerical · +4 / −1	**Wrong**	5	**50%**	33%
Q17	Tough one	**Inverse Trigonometric Functions**	Single correct · +4 / −1	**Skipped**	4	**34%**	35%
Q24	Tough one	**Functions** – Even function with GIF, fractional part and signum	Numerical · +4 / −1	**Skipped**	4	**20%**	16%
Q20	Tough one	**Inverse Trigonometric Functions** – Composite inverse-trig function – counting solutions	Single correct · +4 / −1	**Skipped**	4	**19%**	13%

Physics

16 of 25 questions lost · **76** marks · ● 5 within reach · ● 11 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q34	Within reach	**Work, Energy & Power**	Single correct · +4 / −1	**Skipped**	4	66%	47%
Q41	Within reach	**Laws of Motion**	Single correct · +4 / −1	**Wrong**	5	50%	39%
Q37	Within reach	**Laws of Motion** – Tension in a pulley–block system	Single correct · +4 / −1	**Wrong**	5	49%	43%
Q30	Within reach	**Circular Motion**	Single correct · +4 / −1	**Skipped**	4	43%	27%
Q33	Within reach	**Laws of Motion** – Tangential acceleration on a frictionless curved track	Single correct · +4 / −1	**Wrong**	5	43%	25%
Q36	Tough one	**Laws of Motion**	Single correct · +4 / −1	**Wrong**	5	39%	24%
Q27	Tough one	**Circular Motion** – Coins on a rotating disc – friction limit at each radius	Single correct · +4 / −1	**Wrong**	5	37%	23%
Q47	Tough one	**Laws of Motion**	Numerical · +4 / −1	**Skipped**	4	36%	24%
Q49	Tough one	**Laws of Motion**	Numerical · +4 / −1	**Wrong**	5	35%	34%
Q32	Tough one	**Circular Motion** – Blocks on a rotating frame – ω when sliding starts	Single correct · +4 / −1	**Skipped**	4	33%	28%
Q31	Tough one	**Work, Energy & Power** – KE vs height for a stone thrown up from a cliff	Single correct · +4 / −1	**Wrong**	5	32%	10%
Q26	Tough one	**Momentum & Collisions** – KE loss in head-on collision from relative velocities	Single correct · +4 / −1	**Wrong**	5	31%	22%
Q38	Tough one	**Work, Energy & Power** – Work along different paths; conservative or not	Single correct · +4 / −1	**Wrong**	5	25%	13%
Q43	Tough one	**Laws of Motion** – Tension in a spring pulled by 5 N at each end	Single correct · +4 / −1	**Wrong**	5	24%	10%
Q28	Tough one	**Friction** – Friction vs incline angle graph (angle of repose)	Single correct · +4 / −1	**Wrong**	5	21%	11%
Q45	Tough one	**Work, Energy & Power** – Speed on hitting the ground – energy conservation	Single correct · +4 / −1	**Wrong**	5	18%	6%




Chemistry

9 of 24 questions lost · **42** marks · ● 1 easy miss · ● 4 within reach · ● 4 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q64	Easy miss	**Hydrocarbons**	Single correct · +4 / −1	**Skipped**	4	80%	71%
Q54	Within reach	**Isomerism**	Single correct · +4 / −1	**Wrong**	5	68%	71%
Q51	Within reach	**Isomerism**	Single correct · +4 / −1	**Wrong**	5	47%	32%
Q66	Within reach	**General Organic Chemistry** – False order of −I effect	Single correct · +4 / −1	**Wrong**	5	45%	39%
Q59	Within reach	**Isomerism**	Single correct · +4 / −1	**Wrong**	5	43%	38%
Q73	Tough one	**General Organic Chemistry**	Numerical · +4 / −1	**Wrong**	5	32%	23%
Q67	Tough one	**General Organic Chemistry** – Structure and hybridisation of the methyl carbocation	Single correct · +4 / −1	**Skipped**	4	26%	28%
Q74	Tough one	**General Organic Chemistry** – Compounds giving a positive bicarbonate test	Numerical · +4 / −1	**Skipped**	4	20%	11%
Q71	Tough one	**Isomerism** – Count of optically active compounds	Numerical · +4 / −1	**Wrong**	5	6%	10%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Trigonometric Equations	7	**8**/28		44%	**Q10**, **Q13**, **Q21**, **Q25**
Inverse Trigonometric Functions	10	**23**/40		48%	**Q6**, **Q12**, **Q17**, **Q20**
Functions	7	**24**/28		35%	**Q24**
Sequences & Series	1	**4**/4		45%	– none
Physics					
Laws of Motion	8	**-2**/32		23%	**Q33**, **Q36**, **Q37**, **Q41**, **Q43**, **Q47**, **Q49**
Work, Energy & Power	5	**1**/20		9%	**Q31**, **Q34**, **Q38**, **Q45**
Friction	2	**3**/8		17%	**Q28**
Circular Motion	7	**15**/28		30%	**Q27**, **Q30**, **Q32**
Momentum & Collisions	3	**7**/12		25%	**Q26**
Chemistry					
Isomerism	10	**20**/40		55%	**Q51**, **Q54**, **Q59**, **Q71**
General Organic Chemistry	10	**22**/40		32%	**Q66**, **Q67**, **Q73**, **Q74**
Hydrocarbons	4	**12**/16		42%	**Q64**

Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

9 questions · easy misses first
cropped from the question paper

Q25 Trigonometric Equations

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 5
Top 100: **67%** got it right · Campus: **57%** (45 of 79)

Within reach
You: Wrong

25. Thanos has created a destruction field along $y = \sin x$. Thor is running along $y = \frac{x}{10}$.

To protect him (Thor) Doctor Strange creates a portal at every point where thor's path meets the destruction field. How many portals must be created?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q13 Trigonometric Equations – Solutions of tan x + sec x = 2 cos x in [0, 2π]

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **66%** got it right · Campus: **58%** (46 of 79)

Within reach
You: Wrong

13. Number of solution(s) of $\tan x + \sec x = 2\cos x$ in $[0, 2\pi]$ is

A) 1 B) 2 C) 3 D) 4

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q12 Inverse Trigonometric Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4
Top 100: **64%** got it right · Campus: **52%** (41 of 79)

Within reach
You: Skipped

12. Let 'S' be the complete set of solutions of the inequation $\left(\sec^{-1} x\right)^2 - 5\left(\sec^{-1} x\right) + 6 > 0$

Which of the following intervals is not contained in the solution set?

A) $(\sec 2, \sec 3)$ B) $(-\infty, \sec 2)$ C) $(\sec 3, -1]$ D) $[1, \infty)$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q10

Trigonometric Equations

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **62%** got it right · Campus: **47%** (37 of 79)

Within reach

You: Wrong

10. The number of solution(s) of $\sec x = \pi^{2026}$ if $x \in [0, 2\pi]$ is .....?

A) 1 B) 2 C) 3 D) 4

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q6

Inverse Trigonometric Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **58%** got it right · Campus: **35%** (28 of 79)

Within reach

You: Wrong

6. $\tan^{-1}(2) + \tan^{-1}(3) = ...$

A) $\left(-\frac{\pi}{4}\right)$ B) $\frac{\pi}{4}$ C) $\frac{3\pi}{4}$ D) $-\frac{3\pi}{4}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q21

Trigonometric Equations

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 5

Top 100: **50%** got it right · Campus: **33%** (26 of 79)

Within reach

You: Wrong

21. Number of solutions of $(\sin x)^{2026} + (\cos x)^{2026} = 1$ if $x \in [-10\pi, 10\pi]$ is .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q17 Inverse Trigonometric Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4

Top 100: **34%** got it right · Campus: **35%** (28 of 79)

Tough one

You: Skipped

17. Let $\left(\sin^{-1}x\right)^2+\left(\cos^{-1}x\right)^2=k\left(where\ \ x\in[-1,1]\right)$ then k cannot be

A) $\frac{\pi^2}{8}$ B) $\frac{\pi^2}{3}$ C) $\frac{\pi^2}{9}$ D) π^2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q24 Functions – Even function with GIF, fractional part and signum

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 4

Top 100: **20%** got it right · Campus: **16%** (13 of 79)

Tough one

You: Skipped

24. Let $f(x)=\left([a]^2-5[a]+4\right)x^3-\left(6\{a\}^2-5\{a\}+1\right)x-(\tan x)(\operatorname{sgn}(x))$(where [.] = GIF, $\{.\}=F.P.F,\operatorname{sgn}(x)=signum(x)$). If $f(x)$ is an even function of 'x', then the sum of possible values of 'a' is .....?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20 Inverse Trigonometric Functions – Composite inverse-trig function – counting solutions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4

Top 100: **19%** got it right · Campus: **13%** (10 of 79)

Tough one

You: Skipped

20. Consider the functions $rage(x)=\sin^{-1}\sqrt{x}+e^{\left(\tan^{-1}\left(\sqrt{x-1}\right)\right)^2}+\left(\cos^{-1}\left(\sqrt{x}\right)\right)^3$ and $bait(x)=x^2+x+1$ within their respective domains. Then the number of solutions of $rage\left(bait(x)\right)<3$ is/are .....

A) 0 B)1 C)2 D)3

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit


16 questions · easy misses first
cropped from the question paper

Q34 — Work, Energy & Power

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4
Top 100: **66%** got it right · Campus: **47%** (37 of 79)

Within reach
You: Skipped

34. The velocity-time graph of a particle of mass 10kg is shown in fig. the net workdone on the particle in the first two seconds of the motion is



A) 10,000J B) -12,000J C) -4500J D) 6000J

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q41 — Laws of Motion

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **50%** got it right · Campus: **39%** (31 of 79)

Within reach
You: Wrong

41. For the arrangement of pulley shown in fig, the effort (P) required to raise the given load (w). assume efficiency of the system as 80%



A) 200N B) 250N C) 500N D) 1000N

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q37 — Laws of Motion – Tension in a pulley-block system

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **49%** got it right · Campus: **43%** (34 of 79)

Within reach
You: Wrong

37. Fig shows two blocks A and B connected to an ideal pulley string system. In this system when bodies are released then $\left(g = 10m/s^2\right)$(Mass of a is 40Kg and B is 10Kg on smooth surface). The tension in the string connecting the block B is



A) $20N$ B) $80N$ C) $60N$ D) $40N$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q30 — Circular Motion

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4
Top 100: **43%** got it right · Campus: **27%** (21 of 79)

Within reach
You: Skipped

30. When a bucket containing water is rotated fast in a vertical circle of radius R, the water in the bucket doesn't spill provided that bucket is

A) whirled around with maximum speed of $\sqrt{2gR}$

B) whirled around with minimum speed of $\sqrt{\frac{gR}{2}}$

C) having a rpm of $n = \sqrt{900g/\pi^2 R}$

D) having a rpm of $n = \sqrt{3600g/\pi^2 R}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q33 Laws of Motion – Tangential acceleration on a frictionless curved track


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **43%** got it right · Campus: **25%** (20 of 79)

Within reach

You: Wrong

33. A man M slides down a curved frictionless track, starting from rest. The curve obeys equation $y = \frac{x^2}{2}$. The tangential acceleration of mass is



A) g B) $\frac{gx}{\sqrt{x^2+4}}$ C) $\frac{g}{2}$ D) $\frac{gx}{\sqrt{x^2+1}}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q36 Laws of Motion


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **39%** got it right · Campus: **24%** (19 of 79)

Tough one

You: Wrong

36. Two identical ideal springs of spring constant (K) 1000N/m as connected by an ideal pulley as shown and system is arranged in vertical plane. Δt equilibrium θ is 60° and masses m_1 and m_2 are 2kg and 3kg respectively. Then elongation in each spring when $\theta = 60^o$ is $\left(g = 10m/s^2\right)$



A) $x = 1.6cm$ B) $x = 4.8cm$ C) $x = 4.8\sqrt{3}$ D) $x = 1.6\sqrt{3}cm$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Circular Motion – Coins on a rotating disc – friction limit at each radius

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **37%** got it right · Campus: **23%** (18 of 79)

Tough one

You: Wrong

27. A disc revolves with a speed of 100/3 rev/min and has radius of 15cm. Two coins of same mass as disc are placed at 4 cm and 14cm away from the centre of disc. If the coefficient of friction between the coins and the disc is 0.15, which of the two coins will revolve with disc?
A) both the coins will revolve
B) No coin will revolve with disc
C) coin at 4cm will revolve with disc
D) coin at 14cm will revolve with disc

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q47

Laws of Motion

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 4

Top 100: **36%** got it right · Campus: **24%** (19 of 79)

Tough one

You: Skipped

47. A body with mass 5kg is acted upon by a force $\vec{F}=\left(-3\hat{i}+4\hat{j}\right)N$. If its initial velocity at $t=0\text{sec}$ is $u=\left(6\hat{i}-12\hat{j}\right)m/s$. The time at which it will just have a velocity along y-axis …….sec

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q49 **Laws of Motion**


JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5

Top 100: **35%** got it right · Campus: **34%** (27 of 79)

Tough one

You: Wrong

49. Assume pulley and string are ideal then find $\frac{T_2}{T_1} = \ldots\ldots\ldots$



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q32 **Circular Motion – Blocks on a rotating frame – ω when sliding starts**


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **33%** got it right · Campus: **28%** (22 of 79)

Tough one

You: Skipped

32. Two blocks of masses m and M are connected by a chord passing around a frictionless pulley which is attached to a rotating frame, which rotates about a vertical axis with angular velocity ω. If co-efficient of friction between two masses and the surface be μ_1 and μ_2 respectively. The value of ω at which block starts sliding radially $(M > m)$



A) $\omega = \left[g \left[\frac{\mu_1 M + \mu_2 m}{m r_1 - M r_1} \right] \right]^{1/2}$

B) $\omega = \left[g \left[\frac{\mu_1 m + \mu_2 M}{M r_2 - m r_1} \right] \right]^{1/2}$

C) $\omega = \left[g \left[\frac{\mu_1 m - \mu_2 M}{M r_2 - m r_1} \right] \right]^{1/2}$

D) $\omega = \left[g \left[\frac{\mu_1 M - \mu_2 m}{M r_2 - m r_1} \right] \right]^{1/2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q31

Work, Energy & Power – KE vs height for a stone thrown up from a cliff

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5


Top 100: **32%** got it right · Campus: **10%** (8 of 79)

Tough one


You: Wrong

31. A stone of mass 50g is thrown vertically upwards with a velocity of 12m/s from edge of a cliff 44m high. Identify kinetic energy of stone versus height from bottom of cliff $\left(g = 10m/s^2\right)$ (ignore air resistance)


A)




B)



C)



D)



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q26

Momentum & Collisions – KE loss in head-on collision from relative velocities

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **31%** got it right · Campus: **22%** (17 of 79)

Tough one

You: Wrong

26. Two bodies of masses 3 kg and 2 kg collide head on. Their relative velocities before and after collision are 15m/s and 5 m/s respectively. The loss of kinetic energy of system is

A) 120J B) 100J C) 80J D) 240J


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q38 **Work, Energy & Power** – Work along different paths; conservative or not
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **25%** got it right · Campus: **13%** (10 of 79)

Tough one
You: Wrong

38. A particle is moved along the different paths OAC, OBC and ODC as shown in the fig. path ODC is parabola, $y = 4x^2$. The work done by a force $\vec{F} = xy\hat{i} + x^2 y\hat{j}$ on the particle along



Column – I	**Column – II**
a)Path OAC	P) 2J
b) Path OBC	Q) $\frac{19}{3}$J
c) Path ODC	R) Conservative
d) Force is	S) 8J
	T) Non- conservative

A) $a \to Q, b \to S, c \to P, d \to T$ B) $a \to S, b \to P, c \to Q, d \to T$

C) $a \to S, b \to Q, c \to P, d \to T$ D) $a \to S, b \to Q, c \to S, d \to T$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q43 **Laws of Motion** – Tension in a spring pulled by 5 N at each end
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **24%** got it right · Campus: **10%** (8 of 79)

Tough one
You: Wrong

43. The tension in the massless spring is



A) zero B) 10N C) 2.5N D) 5N

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q28

Friction – Friction vs incline angle graph (angle of repose)
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **21%** got it right · Campus: **11%** (9 of 79)

Tough one
You: Wrong

28. A block is placed on a rough plane whose inclination to the horizontal (θ) can be varied. The angle of repose is 30°. The graph that correctly indicate the variation of frictional force (f) between block and the plane with θ is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q45

Work, Energy & Power – Speed on hitting the ground – energy conservation
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **18%** got it right · Campus: **6%** (5 of 79)

Tough one
You: Wrong

45. A cricket bowler releases the ball in two different ways

i) giving it only horizontal velocity and

ii) giving it horizontal velocity and small downward velocity

The speeds at the time release is same. Both are released at a height H from ground then which one will have greater speed when ball hits the ground?(Neglect air resistance)

A) Ist way B) IInd way C) same in two ways D) None of the above

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Chemistry — questions to revisit


9 questions · easy misses first
cropped from the question paper

Q64 Hydrocarbons

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 4
Top 100: **80%** got it right · Campus: **71%** (56 of 79)

Easy miss
You: Skipped

64. Among the following free radical mono bromination reactions, select those in which secondary bromide is the major product



A) Q,R,T B) P,R, U C) P,R, S D) P, Q, R

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q54 Isomerism

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **68%** got it right · Campus: **71%** (56 of 79)

Within reach
You: Wrong

54. Which of the following pairs of compounds are functional isomers ?



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q51 — Isomerism

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **47%** got it right · Campus: **32%** (25 of 79)

Within reach

You: Wrong

51. Number of structural isomers in $C_4H_{11}N$?

A) 8 B) 7 C) 6 D) 9

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q66 — General Organic Chemistry – False order of –I effect

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **45%** got it right · Campus: **39%** (31 of 79)

Within reach


You: Wrong

66. Which of the following is false order of – I effect ?

A) $-F > -Cl > -Br > -I$

B) $-\overset{\oplus}{N}R_3 > -\overset{\oplus}{N}H_3 > -NO_2$

C) $-F > -OH > -NH_2$

D)  $> -C \equiv CH > -H$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q59 Isomerism

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **43%** got it right · Campus: **38%** (30 of 79)

Within reach
You: Wrong

59. Which of the following statements regarding 1,2-dimethylcyclopropane (I) and 1,2-dimethyl cyclobutane (II) are wrong ?

A) Both of them show three stereoisomers each

B) The cis form of both is optically inactive (meso) and the trans form of both has a pair of enantiomers

C) The cis form of both has a pair of enantiomers and the trans form of both is optically inactive (meso)

D) The meso form of both is optically inactive due to the presence of plane of symmetry.

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q73 General Organic Chemistry

JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5
Top 100: **32%** got it right · Campus: **23%** (18 of 79)

Tough one
You: Wrong

73. How Many of the following are Aromatic compounds?



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q67

General Organic Chemistry – **Structure and hybridisation of the methyl carbocation**

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 4

Top 100: **26%** got it right · Campus: **28%** (22 of 79)

Tough one

You: Skipped

67. Wrong statement regarding methyl carbonium ion $\overset{\oplus}{C}H_3$

A) It is sp^2 hybridized

B) Vacant orbital is sp^2 hybridized

C) vacant orbital is perpendicular to molecular planar and is pure p-orbital

D) It is electrophilic with sextet of electron

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q74

General Organic Chemistry – **Compounds giving a positive bicarbonate test**

JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 4

Top 100: **20%** got it right · Campus: **11%** (9 of 79)

Tough one

You: Skipped

74. How many of the following compounds can give positive bicarbonate test?

HCl, Picric Acid, Benzoic acid, 2,4-dintrophenol, 4-nitrophenol, Squaric Acid, formic Acid, Benzene Sulphuric acid, 1-Butyne, NH_4Cl.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q71

Isomerism – Count of optically active compounds


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **6%** got it right · Campus: **10%** (8 of 79)

Tough one

You: Wrong

71. Total no of compounds which are optically active are _____



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced – question by question

85 / 176 · 48.3%
09 Oct 2026

6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Physics	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
Chemistry	35	36	37	38	39	40	41	42	43	44	~~45~~	46	47	48	49	50	51

7 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 78 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

2 of 17 questions lost · **7** marks · 1 within reach · 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q10	Within reach	**Trigonometric Equations**	Integer · +4 / 0	Wrong	4	55%	33%
Q17	Tough one	**Trigonometric Equations** – Sum of solutions of $\cos(\pi\sqrt{(x-100)})\cdot\cos(\pi\sqrt{x}) = 1$	Paragraph · +3 / 0	Wrong	3	6%	6%

Physics

11 of 17 questions lost · **44** marks · 2 within reach · 9 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q28	Within reach	**Momentum & Collisions**	Integer · +4 / 0	Skipped	4	49%	33%
Q31	Within reach	**Friction** – Friction on a block at rest inside an accelerating cube	Paragraph · +3 / 0	Wrong	3	45%	51%
Q22	Tough one	**Laws of Motion**	Multiple correct · +4 / −2	Wrong	6	36%	38%
Q24	Tough one	**Circular Motion**	Multiple correct · +4 / −2	Wrong	6	34%	27%
Q29	Tough one	**Circular Motion** – Net acceleration in a vertical circle at 37°	Integer · +4 / 0	Wrong	4	19%	14%
Q30	Tough one	**Friction** – Work by friction seen from an accelerating observer	Integer · +4 / 0	Wrong	4	19%	12%
Q18	Tough one	**Friction** – Static vs kinetic friction under a time-varying force	Single correct · +3 / −1	Wrong	4	16%	9%
Q34	Tough one	**Work, Energy & Power** – Work by conservative forces from the U–x graph	Paragraph · +3 / 0	Skipped	3	12%	9%
Q27	Tough one	**Friction** – Net work done by friction between sliding blocks	Integer · +4 / 0	Wrong	4	8%	10%
Q32	Tough one	**Friction** – Total force exerted by a block on an accelerating cube	Paragraph · +3 / 0	Wrong	3	8%	6%
Q33	Tough one	**Work, Energy & Power** – Work-energy theorem from a–t and U–x graphs	Paragraph · +3 / 0	Skipped	3	2%	1%

Chemistry

10 of 16 questions lost · **38** marks (+2 on partly-correct answers) · ● 4 within reach · ● 6 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q44	Within reach	**General Organic Chemistry**	Integer · +4 / 0	**Wrong**	**4**	**56%**	46%
Q49	Within reach	**General Organic Chemistry**	Paragraph · +3 / 0	**Wrong**	**3**	**53%**	46%
Q43	Within reach	**Hydrocarbons** – Alkane from O_2 needed; count secondary carbons	Integer · +4 / 0	**Wrong**	**4**	**47%**	28%
Q41	Within reach	**Isomerism**	Multiple correct · +4 / −2	**Wrong**	**6**	**43%**	42%
Q42	Tough one	**General Organic Chemistry**	Integer · +4 / 0	**Wrong**	**4**	**39%**	36%
Q48	Tough one	**General Organic Chemistry** – Counting electrophiles	Paragraph · +3 / 0	**Wrong**	**3**	**37%**	27%
Q46	Tough one	**Isomerism** – Count of optically active compounds	Integer · +4 / 0	**Wrong**	**4**	**15%**	15%
Q51	Tough one	**Hydrocarbons** – Chiral products of free-radical monobromination	Paragraph · +3 / 0	**Wrong**	**3**	**15%**	4%
Q47	Tough one	**Hydrocarbons** – Dichlorination isomers of C_5H_{10} (VD 35)	Integer · +4 / 0	**Wrong**	**4**	**7%**	5%
Q50	Tough one	**Hydrocarbons** – Preparation of alkanes – count correct statements	Paragraph · +3 / 0	**Wrong**	**3**	**4%**	3%

8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Trigonometric Equations	5	≈ **10**/17		35%	**Q10**, **Q17**
Functions	6	≈ **22**/22		40%	– none
Inverse Trigonometric Functions	6	≈ **21**/21		55%	– none
Physics					
Friction	5	≈ **-1**/17		12%	**Q18**, **Q27**, **Q30**, **Q31**, **Q32**
Momentum & Collisions	1	≈ **0**/4		33%	**Q28**
Circular Motion	4	≈ **5**/15		17%	**Q24**, **Q29**
Laws of Motion	3	≈ **6**/12		39%	**Q22**
Work, Energy & Power	4	≈ **6**/12		22%	**Q33**, **Q34**
Chemistry					
Isomerism	2	≈ **-2**/8		16%	**Q41**, **Q46**
Hydrocarbons	5	≈ **4**/18		22%	**Q43**, **Q47**, **Q50**, **Q51**
General Organic Chemistry	9	≈ **16**/30		43%	**Q42**, **Q44**, **Q48**, **Q49**

Bar = your % of the chapter's marks | campus average

9 JEE Advanced · Maths – questions to revisit

2 questions · easy misses first
cropped from the question paper

Q10 Trigonometric Equations

JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4
Top 100: **55%** got it right · Campus: **33%** (26 of 78)

Within reach
You: Wrong

10. Number of real solution(s) of $2\cos^2\left(\frac{x}{2}\right)\sin^2(x) = x^2 + \frac{1}{x^2}, x \in \left(0, \frac{\pi}{2}\right]$ is .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q17 Trigonometric Equations – Sum of solutions of cos(π√(x−100))·cos(π√x) = 1

JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **6%** got it right · Campus: **6%** (5 of 78)

Tough one
You: Wrong

PARAGRAPH-II

Given positive integer 'k' , if we want to find positive integer 'n' and 'm' such that $n^2 - m^2 = k$ then we use $(n+m)(n-m) = k$ where we equate $n+m$ & $n-m$ to factors of k to find all possible values of (n, m).

Eg: $n^2 - m^2 = 6 \Rightarrow (n+m)(n-m) = (\pm 6)(\pm 1)$ or $(\pm 3)(\pm 2)$

17. The sum of real solution(s) of $\cos\left(\pi\sqrt{x-100}\right)\cos\left(\pi\sqrt{x}\right) = 1$ is .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Physics – questions to revisit

11 questions · easy misses first
cropped from the question paper

Q28

Momentum & Collisions
JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4
Top 100: **49%** got it right · Campus: **33%** (26 of 78)

Within reach
You: Skipped

28. Three objects A, B and C are kept in a straight line on a frictionless horizontal surfaces. These have masses m,2m and m respectively. The object A moves towards B with speed 9m/s and makes an elastic collision with it. There after B makes completely inelastic collision with 'C'. All motion occur on same straight line final velocity of object 'C' is .....m/s.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q31

Friction – Friction on a block at rest inside an accelerating cube
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **45%** got it right · Campus: **51%** (40 of 78)

Within reach
You: Wrong

PARAGRAPH-I

A solid block of mass 2 kg is resting inside a cube as shown in figure. The cube is moving with a velocity $\vec{V}=\left(5t\hat{i}+2t\hat{j}\right)m/s$. Here 't' is second. The block is in rest w.r.t cube and $\mu=0.5$ between block and surface of cube. $\left(g=10m/s^2\right)$



31. Force of friction acting on block is _____ N

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q22

Laws of Motion


JEE Advanced · Physics · Multiple correct · marking +4 / −2 · marks lost 6

Top 100: **36%** got it right · Campus: **38%** (30 of 78)

Tough one

You: Wrong

22. A block of mass 6kg is projected along the horizontal surface. A resistance force $F=-2v^3$ is acting on the block through out the motion. During motion when it crosses point A and B it speeds are 6m/s and 2m/s respectively. Then



A) distance from A to B $S_{AB}=\frac{2}{3}m$ B) distance from A to B $S_{AB}=1m$

C) Time taken from A to B $T_{AB}=\frac{1}{3}\sec$ D) time taken from A to B $T_{AB}=\frac{2}{3}\sec$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q24

Circular Motion

JEE Advanced · Physics · Multiple correct · marking +4 / −2 · marks lost 6

Top 100: **34%** got it right · Campus: **27%** (21 of 78)

Tough one

You: Wrong

24. A particle is revolving in a circle of radius R with initial speed u. it starts retarding with constant retardation $\frac{u^2}{4\pi R}$. The number of revolutions it makes in a time $\frac{8\pi R}{u}$ is

A) 3 B) 2 C) 4 D) 6

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q29

Circular Motion – Net acceleration in a vertical circle at 37°

JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **19%** got it right · Campus: **14%** (11 of 78)

Tough one

You: Wrong

29. A small ball of mass m is attached to the end of string of length $l = 1m$ whose other end is fixed. From its lowest position, the ball is given a kinetic energy $\frac{mgl}{5}$. Net acceleration $\left(in\ m/s^2\right)$ of ball at the instant when string makes an angle $\theta=37^o$ with vertical is ..... $\left(g = 10m/s^2\right)$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q30

Friction – Work by friction seen from an accelerating observer


JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **19%** got it right · Campus: **12%** (9 of 78)

Tough one

You: Wrong

30. An observer and a vehicle, both starts moving together from rest with acceleration $5m/s^2$ and $2m/s^2$ respectively. There is a 2 kg block on the floor of the vehicle and $\mu = 0.3$ between their surfaces. The work done by the frictional force on 2kg block as observed by running observer , during first 2seconds of motion is $\underline{-x}$ (J) $\left(g = 10m/s^2\right)$ find 'x'



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q18

Friction – **Static vs kinetic friction under a time-varying force**


JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4

Top 100: **16%** got it right · Campus: **9%** (7 of 78)

Tough one

You: Wrong

18. The force acting on the block of mass 1 kg is given by $F = 5 - 2t$. The frictional force acting on the block after time $t = 2\text{sec}$ will be $\left(\mu = 0.2, g = 10m/s^2\right)$



A) 2N B) 3N C) 1N D) zero

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q34

Work, Energy & Power – **Work by conservative forces from the U-x graph**

JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **12%** got it right · Campus: **9%** (7 of 78)


Tough one

You: Skipped

PARAGRAPH-II

A particle of mass 1kg is moving along x-axis its velocity is 6m/s at x=0. Acceleration versus time and P.E versus displacement of particle are shown $\left(g = 10m/s^2\right)$

Acceleration a is in $m/\sec^2$ b



34. Work done by conservative forces _____ J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Friction – Net work done by friction between sliding blocks


JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **8%** got it right · Campus: **10%** (8 of 78)

Tough one

You: Wrong

27. Block A of mass 1kg is placed on rough surface of block B of mass 3kg. Block B is placed on smooth horizontal surface. Blocks are given velocities as shown. If net workdone by frictional force is "-n" J. value of n is ……..



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q32

Friction – Total force exerted by a block on an accelerating cube

JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3


Top 100: **8%** got it right · Campus: **6%** (5 of 78)

Tough one

You: Wrong

PARAGRAPH-I

A solid block of mass 2 kg is resting inside a cube as shown in figure. The cube is moving with a velocity $\vec{V}=\left(5t\hat{i}+2t\hat{j}\right)m/s$. Here 't' is second. The block is in rest w.r.t cube and $\mu=0.5$ between block and surface of cube. $\left(g=10m/s^2\right)$



32. Total force exerted by block on cube is _____ N

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q33 **Work, Energy & Power** – **Work-energy theorem from a-t and U-x graphs**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **2%** got it right · Campus: **1%** (1 of 78)

Tough one
You: Skipped

PARAGRAPH-II

A particle of mass 1kg is moving along x-axis its velocity is 6m/s at x=0. Acceleration versus time and P.E versus displacement of particle are shown $\left(g = 10 m/s^2\right)$

Acceleration a is in $m/\sec^2$ b



33. Work done by all forces _____ J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Chemistry – questions to revisit


10 questions · easy misses first
cropped from the question paper

Q44

General Organic Chemistry
JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4
Top 100: **56%** got it right · Campus: **46%** (36 of 78)

Within reach
You: Wrong

44. The purine heterocycle occurs mainly in the structure of DNA. Identify number of 'N' atoms having localized lone pair of electrons.



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q49

General Organic Chemistry
JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **53%** got it right · Campus: **46%** (36 of 78)

Within reach
You: Wrong

PARAGRAPH-I

Electrophiles and nucleophiles are fundamental concepts of organic chemistry playing crucial roles in various reactions. Electron loving species that accept electron pairs to form covalent bonds are electrophiles, Nucleus loving species that donate electron pair to form covalent bonds.

49. How many of the following are nucleophiles

A) OR^- B) CH_3^+ C) NH_3 D) $AlCl_3$

E) NO_2^- F) NO_2^+ G) Br^+

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q43

Hydrocarbons – Alkane from O_2 needed; count secondary carbons

JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **47%** got it right · Campus: **28%** (22 of 78)

Within reach

You: Wrong

43. one mole of alkane (Y) requires 8 moles of oxygen for complete combustion on chlorination with $Cl_2 / h\gamma$, gives four monochlorinated products (including stereo). The total number of secondary carbon atoms per each (Y) is ……..

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q41

Isomerism


JEE Advanced · Chemistry · Multiple correct · marking +4 / −2 · marks lost 6

Top 100: **43%** got it right · Campus: **42%** (33 of 78)

Within reach


You: Wrong

41. Select the correct statements:



A) are enantiomers

B) The Boiling point or E-isomers is more than Z-isomers of 1-chloro propene



C) is optically active & may be dextro rotatory compound

D) Molecular formula C_3H_6O, possible to show geometrical isomerism.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42

General Organic Chemistry


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **39%** got it right · Campus: **36%** (28 of 78)

Tough one

You: Wrong

42. How many compounds among the following show inductive, mesomeric as well as hyper conjugation effects



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q48

General Organic Chemistry – Counting electrophiles

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **37%** got it right · Campus: **27%** (21 of 78)

Tough one

You: Wrong

PARAGRAPH-I

Electrophiles and nucleophiles are fundamental concepts of organic chemistry playing crucial roles in various reactions. Electron loving species that accept electron pairs to form covalent bonds are electrophiles, Nucleus loving species that donate electron pair to form covalent bonds.

48. How many of the following are electrophiles

A) Br^+ B) Na^+ C) CN^- D) BF_3

E) $BeCl_2$ F) NH_2^- G) SH^- H) OR^-

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q46 — Isomerism – Count of optically active compounds


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **15%** got it right · Campus: **15%** (12 of 78)

Tough one

You: Wrong

46. How many given compounds are optically active



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q51 — Hydrocarbons – Chiral products of free-radical monobromination

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **15%** got it right · Campus: **4%** (3 of 78)


Tough one

You: Wrong

PARAGRAPH-II

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula C_nH_{2n+2}. The simplest one is methane (CH_4), is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

51. In the following monobromination reaction, the number of possible chiral products is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q47 **Hydrocarbons – Dichlorination isomers of C_5H_{10} (VD 35)**

JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **7%** got it right · Campus: **5%** (4 of 78)

Tough one

You: Wrong

47. A hydrocarbon [X] is having vapour density 35 and it forms only 1 monochloro product under sunlight. How many isomeric products (including stereo) are possible when [X] undergoes dichlorination?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


PARAGRAPH-II

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula C_nH_{2n+2}. The simplest one is methane (CH_4), is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

50. Find the No of correct statements out of the following

A) Alkanes are prepared by catalytic hydrogenation of Alkenes where both hydrogen atoms add to the same face of the alkene (syn-addition).

B) Alkyl halides when reacts with Lithium Aluminium Hydride form corresponding alkane: $R-X \xrightarrow{LiAlH_4} R-H$ for R : methyl , $1^0, 2^0$




C)In case of Tertiary Alkyl halide is observed.


D) Grignard's reagent when treated with a polar protic solvent gives alkane:

$R-Mg+HA \rightarrow R-H+MgX(A)$

E) The different compounds obtained by the following reaction are 7 (only organic compounds)



F) Rate of sodalime decarboxylation for the following acids follow:



G) The side products of potassium butanoate during Kolbe's Electrolysis are propane, propene and propyl butanoate

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

10 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q58 — JEE Advanced: Q45. **Program rank** = rank in Pragya G9 (EXT) Achievers across all campuses, from the batch's question-wise sheet († JEE Advanced: that sheet was graded before the final key, so this rank may differ slightly). **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. In JEE Advanced, 2 marks went on multiple-correct answers that were only partly correct. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.