CLASS 9 · PART TEST-1 · STUDENT PERFORMANCE REPORT

Bashaboina Sai Saketh

Pragya G9 (EXT) Achievers · Adm No **246417598**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026
JEE Advanced 09 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

111 / 296 — **37.5%**

458	305	36/79	96
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **105.5 / 300** (35.2%) → this test **37.5%** ▲ **2.3**

185 marks lost: 165 on 33 wrong answers (incl. 33 negative) · 20 on 5 skipped

JEE Advanced

09 Oct 2026 · 50 questions

92 / 176 — **52.3%**

72	52	7/78	10†
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **63.8 / 180** (35.5%) → this test **52.3%** ▲ **16.8**

84 marks lost: 75 on 20 wrong answers (incl. 6 negative) · 7 on 2 skipped · 2 on partly-correct answers

1 Subject scorecard

Your marks in each subject, against the 79 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 111 / 296 · 37.5%							
Maths	**47**/100	47%	**439**	43.1 / 95	**45.3**/100 45.3%	▲ **1.7**	14 / 9 / 2
Physics	**17**/100	17%	**720**	21.9 / 90	**24.0**/100 24.0%	▼ **7.0**	8 / 15 / 2
Chemistry	**47**/96	49%	**371**	41.4 / 81	**36.2**/100 36.2%	▲ **12.8**	14 / 9 / 1
JEE Advanced 92 / 176 · 52.3%							
Maths	**39**/60	65%	**130**	24.5 / 60	**17.9**/60 29.9%	▲ **35.1**	11 / 5 / 1
Physics	**34**/60	57%	**52**	12.3 / 56	**19.8**/60 33.0%	▲ **23.7**	10 / 6 / 1
Chemistry	**19**/56	34%	**441**	15.8 / 37	**26.2**/60 43.6%	▼ **9.7**	7 / 9 / 0

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Chemistry** is your strongest JEE Mains subject: 47/96 (49%), All-India subject rank 371.
2. **Physics** needs the most work in JEE Mains: 17/100 (17%), subject rank 720; you lost 17 of its 25 questions.
3. **Maths** is your strongest JEE Advanced subject: 39/60 (65%), All-India subject rank 130.
4. **Chemistry** needs the most work in JEE Advanced: 19/56 (34%), subject rank 441; you lost 9 of its 16 questions.
5. Biggest fall against your weekly-test average: **JEE Advanced Chemistry** – 34% here against 44% on average.
6. Biggest improvement: **JEE Advanced Maths** – 65% here against 30% on average.
7. **5 questions** you lost were answered correctly by 70%+ of the batch's top 100 – about **24 marks** within easy reach (Mains Q9, Q11, Q19, Q65 · Advanced Q38).
8. Negative marking cost you **33 in JEE Mains and 6 in JEE Advanced**.
9. You attempted almost everything (only 7 questions skipped across both papers), so the marks to gain are in **accuracy**: wrong answers – 33 in JEE Mains and 20 in JEE Advanced.

JEE Mains – question by question

111 / 296 · 37.5%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	**5**	**6**	**7**	**8**	**9**	**10**	**11**	12	13	14	15	16	17	**18**	**19**	**20**	21	22	23	**24**	25
Physics	**26**	**27**	**28**	**29**	**30**	**31**	**32**	33	34	**35**	**36**	37	**38**	39	**40**	41	**42**	**43**	**44**	**45**	46	47	**48**	49	**50**
Chemistry	51	52	53	54	55	56	**57**	~~58~~	59	60	61	62	**63**	64	**65**	66	**67**	68	69	**70**	**71**	**72**	**73**	**74**	**75**

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 79 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

11 of 25 questions lost · **53** marks · ● 3 easy miss · ● 4 within reach · ● 4 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q11	Easy miss	**Functions**	Single correct · +4 / −1	**Wrong**	5	**95%**	76%
Q9	Easy miss	**Inverse Trigonometric Functions**	Single correct · +4 / −1	**Wrong**	5	**87%**	80%
Q19	Easy miss	**Inverse Trigonometric Functions**	Single correct · +4 / −1	**Wrong**	5	**71%**	63%
Q10	Within reach	**Trigonometric Equations**	Single correct · +4 / −1	**Wrong**	5	**62%**	47%
Q6	Within reach	**Inverse Trigonometric Functions**	Single correct · +4 / −1	**Wrong**	5	**58%**	35%
Q5	Within reach	**Functions**	Single correct · +4 / −1	**Wrong**	5	**51%**	48%
Q18	Within reach	**Sequences & Series**	Single correct · +4 / −1	**Wrong**	5	**50%**	49%
Q7	Tough one	**Trigonometric Equations** – $\sqrt{3}\sin \pi x + \cos \pi x$ = quadratic – number of solutions	Single correct · +4 / −1	**Wrong**	5	**37%**	16%
Q8	Tough one	**Functions**	Single correct · +4 / −1	**Wrong**	5	**37%**	27%
Q24	Tough one	**Functions** – Even function with GIF, fractional part and signum	Numerical · +4 / −1	**Skipped**	4	**20%**	16%
Q20	Tough one	**Inverse Trigonometric Functions** – Composite inverse-trig function – counting solutions	Single correct · +4 / −1	**Skipped**	4	**19%**	13%

Physics

17 of 25 questions lost · **83** marks · ● 6 within reach · ● 11 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q40	Within reach	**Laws of Motion**	Single correct · +4 / −1	**Wrong**	**5**	**63%**	46%
Q50	Within reach	**Momentum & Collisions**	Numerical · +4 / −1	**Wrong**	**5**	**60%**	41%
Q29	Within reach	**Friction**	Single correct · +4 / −1	**Skipped**	**4**	**59%**	38%
Q44	Within reach	**Circular Motion**	Single correct · +4 / −1	**Wrong**	**5**	**50%**	41%
Q48	Within reach	**Momentum & Collisions**	Numerical · +4 / −1	**Wrong**	**5**	**47%**	34%
Q30	Within reach	**Circular Motion**	Single correct · +4 / −1	**Wrong**	**5**	**43%**	27%
Q36	Tough one	**Laws of Motion**	Single correct · +4 / −1	**Wrong**	**5**	**39%**	24%
Q27	Tough one	**Circular Motion** – Coins on a rotating disc – friction limit at each radius	Single correct · +4 / −1	**Wrong**	**5**	**37%**	23%
Q35	Tough one	**Circular Motion** – Power delivered by the centripetal force	Single correct · +4 / −1	**Wrong**	**5**	**34%**	18%
Q32	Tough one	**Circular Motion** – Blocks on a rotating frame – ω when sliding starts	Single correct · +4 / −1	**Wrong**	**5**	**33%**	28%
Q31	Tough one	**Work, Energy & Power** – KE vs height for a stone thrown up from a cliff	Single correct · +4 / −1	**Wrong**	**5**	**32%**	10%
Q42	Tough one	**Work, Energy & Power** – Change in PE of a ball thrown from a tower	Single correct · +4 / −1	**Skipped**	**4**	**32%**	15%
Q26	Tough one	**Momentum & Collisions** – KE loss in head-on collision from relative velocities	Single correct · +4 / −1	**Wrong**	**5**	**31%**	22%
Q38	Tough one	**Work, Energy & Power** – Work along different paths; conservative or not	Single correct · +4 / −1	**Wrong**	**5**	**25%**	13%
Q43	Tough one	**Laws of Motion** – Tension in a spring pulled by 5 N at each end	Single correct · +4 / −1	**Wrong**	**5**	**24%**	10%
Q28	Tough one	**Friction** – Friction vs incline angle graph (angle of repose)	Single correct · +4 / −1	**Wrong**	**5**	**21%**	11%
Q45	Tough one	**Work, Energy & Power** – Speed on hitting the ground – energy conservation	Single correct · +4 / −1	**Wrong**	**5**	**18%**	6%

Chemistry

10 of 24 questions lost · **49** marks · ● 1 easy miss · ● 2 within reach · ● 7 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q65	Easy miss	**General Organic Chemistry**	Single correct · +4 / −1	**Wrong**	**5**	**70%**	62%
Q70	Within reach	**General Organic Chemistry**	Single correct · +4 / −1	**Wrong**	**5**	**60%**	52%
Q57	Within reach	**Isomerism**	Single correct · +4 / −1	**Wrong**	**5**	**59%**	42%
Q73	Tough one	**General Organic Chemistry**	Numerical · +4 / −1	**Wrong**	**5**	**32%**	23%
Q72	Tough one	**Hydrocarbons**	Numerical · +4 / −1	**Skipped**	**4**	**28%**	23%
Q67	Tough one	**General Organic Chemistry** – Structure and hybridisation of the methyl carbocation	Single correct · +4 / −1	**Wrong**	**5**	**26%**	28%
Q74	Tough one	**General Organic Chemistry** – Compounds giving a positive bicarbonate test	Numerical · +4 / −1	**Wrong**	**5**	**20%**	11%
Q63	Tough one	**Hydrocarbons** – Monochlorination products incl. stereoisomers	Single correct · +4 / −1	**Wrong**	**5**	**16%**	20%
Q75	Tough one	**General Organic Chemistry** – Bases stronger than aniline	Numerical · +4 / −1	**Wrong**	**5**	**11%**	9%
Q71	Tough one	**Isomerism** – Count of optically active compounds	Numerical · +4 / −1	**Wrong**	**5**	**6%**	10%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Sequences & Series	1	**-1**/4		45%	**Q18**
Functions	7	**9**/28		35%	**Q5**, **Q8**, **Q11**, **Q24**
Inverse Trigonometric Functions	10	**21**/40		48%	**Q6**, **Q9**, **Q19**, **Q20**
Trigonometric Equations	7	**18**/28		44%	**Q7**, **Q10**
Physics					
Momentum & Collisions	3	**-3**/12		25%	**Q26**, **Q48**, **Q50**
Friction	2	**-1**/8		17%	**Q28**, **Q29**
Work, Energy & Power	5	**1**/20		9%	**Q31**, **Q38**, **Q42**, **Q45**
Circular Motion	7	**3**/28		30%	**Q27**, **Q30**, **Q32**, **Q35**, **Q44**
Laws of Motion	8	**17**/32		23%	**Q36**, **Q40**, **Q43**
Chemistry					
General Organic Chemistry	10	**10**/40		32%	**Q65**, **Q67**, **Q70**, **Q73**, **Q74**, **Q75**
Hydrocarbons	4	**7**/16		42%	**Q63**, **Q72**
Isomerism	10	**30**/40		55%	**Q57**, **Q71**

Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

11 questions · easy misses first
cropped from the question paper

Q11 — Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **95%** got it right · Campus: **76%** (60 of 79)

Easy miss
You: Wrong

11. Let $f(x)=\dfrac{1}{\sqrt{[x]-x}}$, where $[.]=GIF$, then domain of f is :

A) Z (integer) B) $Z-\{0\}$ C) ϕ D) R-Z

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q9 — Inverse Trigonometric Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **87%** got it right · Campus: **80%** (63 of 79)

Easy miss
You: Wrong

9. The maximum value of the function $f(x)=\sin^{-1}(x)+\cos^{-1}(x)+\tan^{-1}(x)$

A) equals π B) equals $\dfrac{3\pi}{4}$ C) equals $\dfrac{\pi}{4}$ D) does not exist

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q19 — Inverse Trigonometric Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **71%** got it right · Campus: **63%** (50 of 79)

Easy miss
You: Wrong

19. Let $f(x)=\sin\left(\sin^{-1}(x)\right)+\cos\left(\cos^{-1}(x)\right)$ then , $f\left(\dfrac{1}{100}\right)+f\left(\dfrac{2}{100}\right)+.....+f\left(\dfrac{100}{100}\right)=$

A) 101 B) 100 C) 100π D) 50π

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q10 Trigonometric Equations

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **62%** got it right · Campus: **47%** (37 of 79)

Within reach

You: Wrong

10. The number of solution(s) of $\sec x = \pi^{2026}$ if $x \in [0, 2\pi]$ is .....?

A) 1 B) 2 C) 3 D) 4

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q6 Inverse Trigonometric Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **58%** got it right · Campus: **35%** (28 of 79)

Within reach

You: Wrong

6. $\tan^{-1}(2) + \tan^{-1}(3) = ...$

A) $\left(-\frac{\pi}{4}\right)$ B) $\frac{\pi}{4}$ C) $\frac{3\pi}{4}$ D) $-\frac{3\pi}{4}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q5 Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **51%** got it right · Campus: **48%** (38 of 79)

Within reach

You: Wrong

5. Which of the following functions is invertible?

A) $f : R^+ \to R, f(x) = x^2$ B) $g : R^- \to R, g(x) = x^3$

C) $h : [\pi, 2\pi] \to [-1, 1], h(x) = \cos x$ D) $i : R \to [-1, 1], i(x) = \sin x$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q18

Sequences & Series

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **50%** got it right · Campus: **49%** (39 of 79)

Within reach

You: Wrong

18. Let $f(n)=1^3+2^3+3^3+4^3+.....+n^3$ then the sum $S=1^3+3^3+5^3+.....+(2n-1)^3$ can be written as :

A) $f(2n)+8f(n)$

B) $8f(2n)+f(n)$

C) $f(2n)-8f(n)$

D) $8f(n)-f(2n)$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q7

Trigonometric Equations – √3 sin πx + cos πx = quadratic – number of solutions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **37%** got it right · Campus: **16%** (13 of 79)

Tough one

You: Wrong

7. Number of solutions of $\sqrt{3}\sin(\pi x)+\cos(\pi x)=x^2-\frac{2}{3}x+\frac{19}{9}$ is .....

A) 0

B) 1

C) 2

D) 3

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q8

Functions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **37%** got it right · Campus: **27%** (21 of 79)

Tough one

You: Wrong

8. Let $f(x)$ denote the square of sum of digits of $n\in N$. Let $f_2(x)=f(f(x)), f_3(x)=f(f(f(x)))$ and so on. Then, $\frac{f_{2026}(2011)-f_{2023}(2011)}{f_{2024}(2011)-f_{2025}(2011)}=$.....

A) 0

B) -1

C) 1

D) 2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q24

Functions – Even function with GIF, fractional part and signum

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 4

Top 100: **20%** got it right · Campus: **16%** (13 of 79)

Tough one

You: Skipped

24. Let $f(x)=\left([a]^2-5[a]+4\right)x^3-\left(6\{a\}^2-5\{a\}+1\right)x-(\tan x)(\operatorname{sgn}(x))$ (where [.] = GIF, $\{.\}=F.P.F, \operatorname{sgn}(x)=signum(x)$). If $f(x)$ is an even function of 'x', then the sum of possible values of 'a' is ……?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20

Inverse Trigonometric Functions – Composite inverse-trig function – counting solutions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4

Top 100: **19%** got it right · Campus: **13%** (10 of 79)

Tough one

You: Skipped

20. Consider the functions $rage(x)=\sin^{-1}\sqrt{x}+e^{\left(\tan^{-1}\left(\sqrt{x-1}\right)\right)^2}+\left(\cos^{-1}\left(\sqrt{x}\right)\right)^3$ and $bait(x)=x^2+x+1$ within their respective domains. Then the number of solutions of $rage(bait(x))<3$ is/are ……..

A) 0 B)1 C)2 D)3

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit

17 questions · easy misses first
cropped from the question paper

Q40 — Laws of Motion

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **63%** got it right · Campus: **46%** (36 of 79)

Within reach
You: Wrong

40. Statement – I: Force required to move a body uniformly along straight line is can be zero.

Statement – II: The force required to move a body uniformly along the circle is zero.

A) Statement – I is true , Statement – II false

B) Both Statements are true

C) Both Statements are false

D) Statement – I false , Statement – II true

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q50 — Momentum & Collisions

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5
Top 100: **60%** got it right · Campus: **41%** (32 of 79)

Within reach
You: Wrong

50. When kinetic energy of a body becomes 64 times of its original value, the percentage increase in momentum of body will be ……%

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q29 Friction

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4
Top 100: **59%** got it right · Campus: **38%** (30 of 79)

Within reach
You: Skipped

29. An insect is crawling up on a concave surface of a fixed hemispherical bowl of radius R. If the co-efficient of friction is $\frac{1}{3}$ then the height up to which an insect can crawl is nearly $\left[\sqrt{10} \approx 3.16\right]$

A) 5 % of R B) 6 % of R C) 6.5% of R D) 7.5 % of R

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q44 Circular Motion

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **50%** got it right · Campus: **41%** (32 of 79)

Within reach
You: Wrong

44. A wheel is subjected to uniform angular acceleration about its axis. Initially angular velocity is zero. In the first 2sec, it rotates through an angle θ_1. In the next 2sec, it rotates through an additional angle θ_2. The ratio of $\frac{\theta_2}{\theta_1}$ is

A) 1 B) 3 C) 2 D) 5

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q48 Momentum & Collisions

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5
Top 100: **47%** got it right · Campus: **34%** (27 of 79)

Within reach
You: Wrong

48. An artillery piece of mass 10kg fires a shell of mass 2kg horizontally. Instantaneously after the firing, the ratio of kinetic energy of shell and that of artillery is …….

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q30 Circular Motion

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **43%** got it right · Campus: **27%** (21 of 79)

Within reach

You: Wrong

30. When a bucket containing water is rotated fast in a vertical circle of radius R, the water in the bucket doesn't spill provided that bucket is

A) whirled around with maximum speed of $\sqrt{2gR}$

B) whirled around with minimum speed of $\sqrt{\frac{gR}{2}}$

C) having a rpm of $n=\sqrt{900g/\pi^2R}$

D) having a rpm of $n=\sqrt{3600g/\pi^2R}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q36 Laws of Motion


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **39%** got it right · Campus: **24%** (19 of 79)

Tough one

You: Wrong

36. Two identical ideal springs of spring constant (K) 1000N/m as connected by an ideal pulley as shown and system is arranged in vertical plane. Δt equilibrium θ is 60° and masses m_1 and m_2 are 2kg and 3kg respectively. Then elongation in each spring when $\theta=60^o$ is $\left(g=10m/s^2\right)$



A) $x=1.6cm$ B) $x=4.8cm$ C) $x=4.8\sqrt{3}$ D) $x=1.6\sqrt{3}cm$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Circular Motion – Coins on a rotating disc – friction limit at each radius

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **37%** got it right · Campus: **23%** (18 of 79)

Tough one

You: Wrong

27. A disc revolves with a speed of 100/3 rev/min and has radius of 15cm. Two coins of same mass as disc are placed at 4 cm and 14cm away from the centre of disc. If the coefficient of friction between the coins and the disc is 0.15, which of the two coins will revolve with disc?

A) both the coins will revolve

B) No coin will revolve with disc

C) coin at 4cm will revolve with disc

D) coin at 14cm will revolve with disc

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q35

Circular Motion – Power delivered by the centripetal force

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **34%** got it right · Campus: **18%** (14 of 79)

Tough one

You: Wrong

35. A particle of mass m is moving in a circular path of constant radius r such that its centripetal acceleration changing with time 't' as $a_c = k^2t^2$, where K is a constant. The power delivered to the particle by centripetal force acting on it is

A) zero B) mk^2rt C) mk^2r^2t D) $mk^2\sqrt{r}t$


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q32 **Circular Motion – Blocks on a rotating frame – ω when sliding starts**
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **33%** got it right · Campus: **28%** (22 of 79)

Tough one
You: Wrong

32. Two blocks of masses m and M are connected by a chord passing around a frictionless pulley which is attached to a rotating frame, which rotates about a vertical axis with angular velocity ω. If co-efficient of friction between two masses and the surface be μ_1 and μ_2 respectively. The value of ω at which block starts sliding radially $(M > m)$



A) $\omega = \left[g \left[\frac{\mu_1 M + \mu_2 m}{m r_1 - M r_1} \right] \right]^{1/2}$

B) $\omega = \left[g \left[\frac{\mu_1 m + \mu_2 M}{M r_2 - m r_1} \right] \right]^{1/2}$

C) $\omega = \left[g \left[\frac{\mu_1 m - \mu_2 M}{M r_2 - m r_1} \right] \right]^{1/2}$

D) $\omega = \left[g \left[\frac{\mu_1 M - \mu_2 m}{M r_2 - m r_1} \right] \right]^{1/2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q31

Work, Energy & Power – KE vs height for a stone thrown up from a cliff

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5


Top 100: **32%** got it right · Campus: **10%** (8 of 79)

Tough one


You: Wrong

31. A stone of mass 50g is thrown vertically upwards with a velocity of 12m/s from edge of a cliff 44m high. Identify kinetic energy of stone versus height from bottom of cliff $\left(g = 10m/s^2\right)$(ignore air resistance)


A)




B)



C)



D)



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42

Work, Energy & Power – Change in PE of a ball thrown from a tower

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **32%** got it right · Campus: **15%** (12 of 79)

Tough one

You: Skipped

42. At t =0 sec a 1kg ball is thrown from top to a tall tower with velocity $\vec{V} = \left(8\hat{i} + 9\hat{j}\right)$ m/s. The change in potential energy of ball – earth system between $t = 0$ *to* $t = 5$sec is

$\left(g = 10m/s^2\right)$

A) 800J B) 1536J C) 2100J D) -800J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q26

Momentum & Collisions – KE loss in head-on collision from relative velocities

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **31%** got it right · Campus: **22%** (17 of 79)

Tough one

You: Wrong

26. Two bodies of masses 3 kg and 2 kg collide head on. Their relative velocities before and after collision are 15m/s and 5 m/s respectively. The loss of kinetic energy of system is

A) 120J B) 100J C) 80J D) 240J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q38

Work, Energy & Power – Work along different paths; conservative or not


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **25%** got it right · Campus: **13%** (10 of 79)

Tough one

You: Wrong

38. A particle is moved along the different paths OAC, OBC and ODC as shown in the fig. path ODC is parabola, $y = 4x^2$. The work done by a force $\vec{F} = xy\hat{i} + x^2 y\hat{j}$ on the particle along



Column – I	Column – II
a)Path OAC	P) 2J
b) Path OBC	Q) $\frac{19}{3}$J
c) Path ODC	R) Conservative
d) Force is	S) 8J
	T) Non- conservative

A) $a \to Q, b \to S, c \to P, d \to T$ B) $a \to S, b \to P, c \to Q, d \to T$

C) $a \to S, b \to Q, c \to P, d \to T$ D) $a \to S, b \to Q, c \to S, d \to T$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q43

Laws of Motion – Tension in a spring pulled by 5 N at each end

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **24%** got it right · Campus: **10%** (8 of 79)

Tough one

You: Wrong

43. The tension in the massless spring is



A) zero B) 10N C) 2.5N D) 5N

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q28

Friction – Friction vs incline angle graph (angle of repose)


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **21%** got it right · Campus: **11%** (9 of 79)

Tough one

You: Wrong

28. A block is placed on a rough plane whose inclination to the horizontal (θ) can be varied. The angle of repose is 30°. The graph that correctly indicate the variation of frictional force (f) between block and the plane with θ is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q45 **Work, Energy & Power** – **Speed on hitting the ground – energy conservation**
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **18%** got it right · Campus: **6%** (5 of 79)

Tough one
You: Wrong

45. A cricket bowler releases the ball in two different ways

i) giving it only horizontal velocity and

ii) giving it horizontal velocity and small downward velocity

The speeds at the time release is same. Both are released at a height H from ground then which one will have greater speed when ball hits the ground?(Neglect air resistance)

A) Ist way B) IInd way C) same in two ways D) None of the above

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Chemistry – questions to revisit


10 questions · easy misses first
cropped from the question paper

Q65

General Organic Chemistry
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **70%** got it right · Campus: **62%** (49 of 79)

Easy miss
You: Wrong

65. The correct stability order of the following species is :



A) II > IV > I > III

B) I > II > III > IV

C) II > I> IV > III

D) I > III > II > IV

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q70

General Organic Chemistry
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **60%** got it right · Campus: **52%** (41 of 79)

Within reach
You: Wrong

70. Statement I : Tropylium cation is more stable than $(CH_3)_3 C^+$

Statement II : Tropylium cation has (+) charge which is part of aromatic character

A) Statement I is true, Statement II is true, Statement II is a correct explanation for statement I

B) Statement I is true , Statement II is true, statement II is not a correct explanation for statement I

C) Statement I is true , Statement II is false

D) Statement I is false, statement II is true

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q57 Isomerism


JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5


Top 100: **59%** got it right · Campus: **42%** (33 of 79)


Within reach


You: Wrong

57. Which of the following represent Z-isomer ?

(A) 

(B) 

(C) 

(D) 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q73 General Organic Chemistry


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **32%** got it right · Campus: **23%** (18 of 79)

Tough one

You: Wrong

73. How Many of the following are Aromatic compounds?



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q72

Hydrocarbons


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 4

Top 100: **28%** got it right · Campus: **23%** (18 of 79)

Tough one

You: Skipped

72. How many products will be formed for given reaction, including stereo isomers



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q67

General Organic Chemistry – Structure and hybridisation of the methyl carbocation

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **26%** got it right · Campus: **28%** (22 of 79)

Tough one

You: Wrong

67. Wrong statement regarding methyl carbonium ion $\overset{\oplus}{C}H_3$

A) It is sp^2 hybridized

B) Vacant orbital is sp^2 hybridized

C) vacant orbital is perpendicular to molecular planar and is pure p-orbital

D) It is electrophilic with sextet of electron

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q74

General Organic Chemistry – Compounds giving a positive bicarbonate test

JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **20%** got it right · Campus: **11%** (9 of 79)

Tough one

You: Wrong

74. How many of the following compounds can give positive bicarbonate test?

HCl, Picric Acid, Benzoic acid, 2,4-dintrophenol, 4-nitrophenol, Squaric Acid, formic Acid, Benzene Sulphuric acid, 1-Butyne, NH_4Cl.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q63

Hydrocarbons – **Monochlorination products incl. stereoisomers**


JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **16%** got it right · Campus: **20%** (16 of 79)

Tough one

You: Wrong

63. Number of monochlorinated product when following compound undergo reaction with $Cl_2 / h\nu$ (including stereo isomers)



A) 5 B) 9 C) 10 D) 6

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q75

General Organic Chemistry – **Bases stronger than aniline**







JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **11%** got it right · Campus: **9%** (7 of 79)

Tough one

You: Wrong

75. How many of the following are more basic then Aniline?

NH_3, $PhCH_2NH_2$,  ,  ,  ,  ,  ,  , $CH_3—CH_2—NH_2$, $CH_3—C\equiv N$, 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q71

Isomerism – Count of optically active compounds


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **6%** got it right · Campus: **10%** (8 of 79)

Tough one

You: Wrong

71. Total no of compounds which are optically active are _____



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced – question by question

92 / 176 · 52.3%
09 Oct 2026

6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	6	7	8	9	10	**11**	**12**	**13**	**14**	15	**16**	**17**
Physics	**18**	**19**	**20**	21	22	23	24	25	26	**27**	28	**29**	30	31	32	**33**	**34**
Chemistry	35	36	37	**38**	39	40	**41**	**42**	**43**	44	~~45~~	**46**	**47**	**48**	49	**50**	**51**

7 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 78 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

6 of 17 questions lost · 21 marks · 5 within reach · 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q14	Within reach	**Inverse Trigonometric Functions**	Paragraph · +3 / 0	Wrong	3	63%	58%
Q11	Within reach	**Functions**	Integer · +4 / 0	Wrong	4	62%	45%
Q12	Within reach	**Functions**	Integer · +4 / 0	Wrong	4	55%	40%
Q13	Within reach	**Inverse Trigonometric Functions**	Integer · +4 / 0	Wrong	4	54%	45%
Q16	Within reach	**Trigonometric Equations**	Paragraph · +3 / 0	Wrong	3	51%	42%
Q17	Tough one	**Trigonometric Equations** – Sum of solutions of $\cos(\pi\sqrt{(x-100)})\cdot\cos(\pi\sqrt{x}) = 1$	Paragraph · +3 / 0	Skipped	3	6%	6%

Physics

7 of 17 questions lost · 26 marks · 1 within reach · 6 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q19	Within reach	**Circular Motion**	Single correct · +3 / −1	Wrong	4	40%	38%
Q20	Tough one	**Work, Energy & Power** – Maximum spring extension – energy method	Single correct · +3 / −1	Wrong	4	29%	27%
Q29	Tough one	**Circular Motion** – Net acceleration in a vertical circle at 37°	Integer · +4 / 0	Wrong	4	19%	14%
Q18	Tough one	**Friction** – Static vs kinetic friction under a time-varying force	Single correct · +3 / −1	Wrong	4	16%	9%
Q34	Tough one	**Work, Energy & Power** – Work by conservative forces from the U–x graph	Paragraph · +3 / 0	Wrong	3	12%	9%
Q27	Tough one	**Friction** – Net work done by friction between sliding blocks	Integer · +4 / 0	Skipped	4	8%	10%
Q33	Tough one	**Work, Energy & Power** – Work-energy theorem from a–t and U–x graphs	Paragraph · +3 / 0	Wrong	3	2%	1%




Chemistry

9 of 16 questions lost · 35 marks (+2 on partly-correct answers) · ● 1 easy miss · ● 2 within reach · ● 6 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q38	Easy miss	**General Organic Chemistry**	Single correct · +3 / −1	**Wrong**	**4**	**70%**	47%
Q43	Within reach	**Hydrocarbons** – Alkane from O_2 needed; count secondary carbons	Integer · +4 / 0	**Wrong**	**4**	**47%**	28%
Q41	Within reach	**Isomerism**	Multiple correct · +4 / −2	**Wrong**	**6**	**43%**	42%
Q42	Tough one	**General Organic Chemistry**	Integer · +4 / 0	**Wrong**	**4**	**39%**	36%
Q48	Tough one	**General Organic Chemistry** – Counting electrophiles	Paragraph · +3 / 0	**Wrong**	**3**	**37%**	27%
Q46	Tough one	**Isomerism** – Count of optically active compounds	Integer · +4 / 0	**Wrong**	**4**	**15%**	15%
Q51	Tough one	**Hydrocarbons** – Chiral products of free-radical monobromination	Paragraph · +3 / 0	**Wrong**	**3**	**15%**	4%
Q47	Tough one	**Hydrocarbons** – Dichlorination isomers of C_5H_{10} (VD 35)	Integer · +4 / 0	**Wrong**	**4**	**7%**	5%
Q50	Tough one	**Hydrocarbons** – Preparation of alkanes – count correct statements	Paragraph · +3 / 0	**Wrong**	**3**	**4%**	3%

8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Functions	6	≈ **14**/22		40%	**Q11**, **Q12**
Trigonometric Equations	5	≈ **11**/17		35%	**Q16**, **Q17**
Inverse Trigonometric Functions	6	≈ **14**/21		55%	**Q13**, **Q14**
Physics					
Work, Energy & Power	4	≈ **2**/12		22%	**Q20**, **Q33**, **Q34**
Circular Motion	4	≈ **7**/15		17%	**Q19**, **Q29**
Friction	5	≈ **9**/17		12%	**Q18**, **Q27**
Laws of Motion	3	≈ **12**/12		39%	– none
Momentum & Collisions	1	≈ **4**/4		33%	– none
Chemistry					
Isomerism	2	≈ **-2**/8		16%	**Q41**, **Q46**
Hydrocarbons	5	≈ **4**/18		22%	**Q43**, **Q47**, **Q50**, **Q51**
General Organic Chemistry	9	≈ **19**/30		43%	**Q38**, **Q42**, **Q48**

Bar = your % of the chapter's marks | campus average

9 JEE Advanced · Maths – questions to revisit

6 questions · easy misses first
cropped from the question paper

Q14 Inverse Trigonometric Functions

JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **63%** got it right · Campus: **58%** (45 of 78)

Within reach
You: Wrong

PARAGRAPH-I

A mischievous student decides to play around with inverse trigonometric functions. She decides that since $f:\left[\frac{\pi}{2},\frac{3\pi}{2}\right]\to[-1,1], f(x)=\sin x$ and $g:[\pi,2\pi]\to[-1,1], g(x)=\cos x$ are invertible , she defines

$$h:[-1,1]\to\left[\frac{\pi}{2},\frac{3\pi}{2}\right], h(x)=\sin^{-1}x$$

$$j:[-1,1]\to[\pi,2\pi], j(x)=\cos^{-1}x$$

So that $h=f^{-1}$ and $j=g^{-1}$. (For example under this definition $\sin^{-1}(0)=\pi$ and $\cos^{-1}(0)=\frac{3\pi}{2}$). Under these definitions, answer the following :(use $\pi=3.14$)

14. $\sin^{-1}(1)+\cos^{-1}(1)=.....$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q11 Functions

JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4
Top 100: **62%** got it right · Campus: **45%** (35 of 78)

Within reach
You: Wrong

11. Let $f(x)=|x|$. Let $g(x)=\min(f(t)), t\in(-\infty,x]$
(For eg. $g(-1)=1$ and $g(2)=0$), then $g(-11)+g(19)=?$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q12

Functions
JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4
Top 100: **55%** got it right · Campus: **40%** (31 of 78)

Within reach
You: Wrong

12. Consider the function $f(x)=\log_{([x-1])}\left(\frac{|x|}{x}\right),\ ([.]=GIF)$

Let 'n' be the smallest positive integer in the domain of f. Let 'S' be the sum of all integers in the range of f. Then $n+S=$ .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q13

Inverse Trigonometric Functions
JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4
Top 100: **54%** got it right · Campus: **45%** (35 of 78)

Within reach
You: Wrong

13. If $\cos^{-1}(x_1)+\cos^{-1}(x_2)+\cos^{-1}(x_3)+.....+\cos^{-1}(x_{2026})=0$, then $x_2+x_4+x_6+.....+x_{2026}=$ .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q16

Trigonometric Equations
JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **51%** got it right · Campus: **42%** (33 of 78)

Within reach
You: Wrong

PARAGRAPH-II

Given positive integer 'k' , if we want to find positive integer 'n' and 'm' such that $n^2-m^2=k$ then we use $(n+m)(n-m)=k$ where we equate $n+m$ & $n-m$ to factors of k to find all possible values of (n,m).

Eg: $n^2-m^2=6\Rightarrow(n+m)(n-m)=(\pm6)(\pm1)$ or $(\pm3)(\pm2)$

16. The sum of real solution(s) of $\cos\left(\pi\sqrt{x-4}\right)\cos\left(\pi\sqrt{x}\right)=1$ is .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q17 **Trigonometric Equations** – Sum of solutions of cos(π√(x−100))·cos(π√x) = 1

JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **6%** got it right · Campus: **6%** (5 of 78)

Tough one

You: Skipped

PARAGRAPH-II

Given positive integer 'k' , if we want to find positive integer 'n' and 'm' such that $n^2 - m^2 = k$ then we use $(n+m)(n-m) = k$ where we equate $n+m$ & $n-m$ to factors of k to find all possible values of (n, m).

Eg: $n^2 - m^2 = 6 \Rightarrow (n+m)(n-m) = (\pm 6)(\pm 1)$ or $(\pm 3)(\pm 2)$

17. The sum of real solution(s) of $\cos\left(\pi\sqrt{x-100}\right)\cos\left(\pi\sqrt{x}\right) = 1$ is .....

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Physics – questions to revisit


7 questions · easy misses first
cropped from the question paper

Q19 Circular Motion

JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4
Top 100: **40%** got it right · Campus: **38%** (30 of 78)

Within reach
You: Wrong

19. If a particle starts from 'A' moving along the curved semi circular path as shown in figure with tangential acceleration 'a' then acceleration at B in magnitude is



A) $2a\left[\sqrt{1+\pi^2}\right]$ B) $a\left[\sqrt{1+\pi^2}\right]$ C) $a\left[\sqrt{\pi^2-1}\right]$ D) $a\pi\left[\sqrt{1+\pi^2}\right]$

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20 Work, Energy & Power – Maximum spring extension – energy method

JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4
Top 100: **29%** got it right · Campus: **27%** (21 of 78)

Tough one
You: Wrong

20. All the surfaces are smooth system is released from rest with spring unstretched. Then maximum extension in spring will be $(m_A = m; m_B = 2m)$



A) $\frac{mg}{K}$ B) $\frac{2mg}{K}$ C) $\frac{3mg}{K}$ D) $\frac{4mg}{K}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q29

Circular Motion – Net acceleration in a vertical circle at 37°

JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **19%** got it right · Campus: **14%** (11 of 78)

Tough one

You: Wrong

29. A small ball of mass m is attached to the end of string of length $l = 1m$ whose other end is fixed. From its lowest position, the ball is given a kinetic energy $\frac{mgl}{5}$. Net acceleration $\left(in\ m/s^2\right)$ of ball at the instant when string makes an angle $\theta=37^o$ with vertical is ..... $\left(g = 10m/s^2\right)$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q18

Friction – Static vs kinetic friction under a time-varying force


JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4

Top 100: **16%** got it right · Campus: **9%** (7 of 78)

Tough one

You: Wrong

18. The force acting on the block of mass 1 kg is given by $F = 5 - 2t$. The frictional force acting on the block after time $t = 2\text{sec}$ will be $\left(\mu = 0.2, g = 10m/s^2\right)$



A) 2N B) 3N C) 1N D) zero

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q34

Work, Energy & Power – Work by conservative forces from the U-x graph

JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **12%** got it right · Campus: **9%** (7 of 78)


Tough one

You: Wrong

PARAGRAPH-II

A particle of mass 1kg is moving along x-axis its velocity is 6m/s at x=0. Acceleration versus time and P.E versus displacement of particle are shown $\left(g = 10m/s^2\right)$

Acceleration a is in $m/\sec^2$ b



34. Work done by conservative forces _____ J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Friction – Net work done by friction between sliding blocks


JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **8%** got it right · Campus: **10%** (8 of 78)

Tough one

You: Skipped

27. Block A of mass 1kg is placed on rough surface of block B of mass 3kg. Block B is placed on smooth horizontal surface. Blocks are given velocities as shown. If net workdone by frictional force is "-n" J. value of n is ……..



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q33 **Work, Energy & Power** – **Work-energy theorem from a-t and U-x graphs**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **2%** got it right · Campus: **1%** (1 of 78)

Tough one
You: Wrong

PARAGRAPH-II

A particle of mass 1kg is moving along x-axis its velocity is 6m/s at x=0. Acceleration versus time and P.E versus displacement of particle are shown $\left(g = 10 m/s^2\right)$

Acceleration a is in $m/\sec^2$ b



33. Work done by all forces _____ J

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Chemistry – questions to revisit


9 questions · easy misses first
cropped from the question paper

Q38

General Organic Chemistry
JEE Advanced · Chemistry · Single correct · marking +3 / −1 · marks lost 4
Top 100: **70%** got it right · Campus: **47%** (37 of 78)

Easy miss
You: Wrong

38. Consider the following (X)



(X)

The most stable and least stable carbon radicals, respectively produced by homolytic cleavage of corresponding C-H bonds are

A) I,II B) III,IV C) II,I D) IV,I

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q43

Hydrocarbons – Alkane from O_2 needed; count secondary carbons
JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4
Top 100: **47%** got it right · Campus: **28%** (22 of 78)

Within reach
You: Wrong

43. one mole of alkane (Y) requires 8 moles of oxygen for complete combustion on chlorination with $Cl_2 / h\gamma$, gives four monochlorinated products (including stereo). The total number of secondary carbon atoms per each (Y) is ……..

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q41

Isomerism


JEE Advanced · Chemistry · Multiple correct · marking +4 / −2 · marks lost 6

Top 100: **43%** got it right · Campus: **42%** (33 of 78)

Within reach


You: Wrong

41. Select the correct statements:



A) are enantiomers

B) The Boiling point or E-isomers is more than Z-isomers of 1-chloro propene



C) is optically active & may be dextro rotatory compound

D) Molecular formula C_3H_6O, possible to show geometrical isomerism.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42

General Organic Chemistry


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **39%** got it right · Campus: **36%** (28 of 78)

Tough one

You: Wrong

42. How many compounds among the following show inductive, mesomeric as well as hyper conjugation effects



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q48

General Organic Chemistry – **Counting electrophiles**

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **37%** got it right · Campus: **27%** (21 of 78)

Tough one

You: Wrong

PARAGRAPH-I

Electrophiles and nucleophiles are fundamental concepts of organic chemistry playing crucial roles in various reactions. Electron loving species that accept electron pairs to form covalent bonds are electrophiles, Nucleus loving species that donate electron pair to form covalent bonds.

48. How many of the following are electrophiles

A) Br^+ B) Na^+ C) CN^- D) BF_3

E) $BeCl_2$ F) NH_2^- G) SH^- H) OR^-

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q46

Isomerism – **Count of optically active compounds**


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **15%** got it right · Campus: **15%** (12 of 78)

Tough one

You: Wrong

46. How many given compounds are optically active



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q51

Hydrocarbons – Chiral products of free-radical monobromination

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **15%** got it right · Campus: **4%** (3 of 78)


Tough one

You: Wrong

PARAGRAPH-II

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula C_nH_{2n+2}. The simplest one is methane (CH_4), is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

51. In the following monobromination reaction, the number of possible chiral products is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q47

Hydrocarbons – Dichlorination isomers of C_5H_{10} (VD 35)

JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **7%** got it right · Campus: **5%** (4 of 78)

Tough one

You: Wrong

47. A hydrocarbon [X] is having vapour density 35 and it forms only 1 monochloro product under sunlight. How many isomeric products (including stereo) are possible when [X] undergoes dichlorination?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


PARAGRAPH-II

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula C_nH_{2n+2}. The simplest one is methane (CH_4), is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

50. Find the No of correct statements out of the following


A) Alkanes are prepared by catalytic hydrogenation of Alkenes where both hydrogen atoms add to the same face of the alkene (syn-addition).

B) Alkyl halides when reacts with Lithium Aluminium Hydride form corresponding alkane: $R-X \xrightarrow{LiAlH_4} R-H$ for R : methyl , $1^0, 2^0$


C)In case of Tertiary Alkyl halide  is observed.

D) Grignard's reagent when treated with a polar protic solvent gives alkane:
$R-Mg+HA \rightarrow R-H+MgX(A)$

E) The different compounds obtained by the following reaction are 7 (only organic compounds)



F) Rate of sodalime decarboxylation for the following acids follow:



G) The side products of potassium butanoate during Kolbe's Electrolysis are propane, propene and propyl butanoate

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

10 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q58 — JEE Advanced: Q45. **Program rank** = rank in Pragya G9 (EXT) Achievers across all campuses, from the batch's question-wise sheet († JEE Advanced: that sheet was graded before the final key, so this rank may differ slightly). **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. In JEE Advanced, 2 marks went on multiple-correct answers that were only partly correct. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.