CLASS 10 · PART TEST-1 · STUDENT PERFORMANCE REPORT

Rayala Manoj

Pragya G10 (EXT) Achievers · Adm No **235416380**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026
JEE Advanced 09 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

209 / 296 — **70.6%**

33	25	10/65	10
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **198.8 / 300** (66.3%) → this test **70.6%** ▲ **4.3**

87 marks lost: 75 on 15 wrong answers (incl. 15 negative) · 12 on 3 skipped

JEE Advanced

09 Oct 2026 · 50 questions

91 / 176 — **51.7%**

188	126	37/61	52
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **111.5 / 180** (62.0%) → this test **51.7%** ▼ **10.2**

85 marks lost: 79 on 20 wrong answers (incl. 10 negative) · 0 on 0 skipped · 6 on partly-correct answers

1 Subject scorecard

Your marks in each subject, against the 65 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 209 / 296 · 70.6%							
Maths	68/100	68%	71	58.2 / 100	62.2/100 62.2%	▲ 5.8	18 / 4 / 3
Physics	70/100	70%	90	53.8 / 100	67.4/100 67.4%	▲ 2.6	19 / 6 / 0
Chemistry	71/96	74%	22	55.9 / 91	69.2/100 69.2%	▲ 4.8	19 / 5 / 0
JEE Advanced 91 / 176 · 51.7%							
Maths	25/60	42%	367	30.5 / 57	42.3/60 70.5%	▼ 28.9	9 / 8 / 0
Physics	20/56	36%	433	24.5 / 56	34.4/60 57.3%	▼ 21.6	7 / 9 / 0
Chemistry	46/60	77%	61	38.2 / 60	34.8/60 58.0%	▲ 18.7	14 / 3 / 0

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Chemistry** is your strongest JEE Mains subject: 71/96 (74%), All-India subject rank 22.
2. **Maths** needs the most work in JEE Mains: 68/100 (68%), subject rank 71; you lost 7 of its 25 questions.
3. **Chemistry** is your strongest JEE Advanced subject: 46/60 (77%), All-India subject rank 61.
4. **Physics** needs the most work in JEE Advanced: 20/56 (36%), subject rank 433; you lost 9 of its 16 questions.
5. Biggest fall against your weekly-test average: **JEE Advanced Maths** – 42% here against 71% on average.
6. Biggest improvement: **JEE Advanced Chemistry** – 77% here against 58% on average.
7. **5 questions** you lost were answered correctly by 70%+ of the batch's top 100 – about **23 marks** within easy reach (Mains Q15, Q43, Q61 · Advanced Q9, Q36).
8. Negative marking cost you **15 in JEE Mains and 10 in JEE Advanced**.
9. You attempted almost everything (only 3 questions skipped across both papers), so the marks to gain are in **accuracy**: wrong answers – 15 in JEE Mains and 20 in JEE Advanced.

JEE Mains – question by question

209 / 296 · 70.6%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Physics	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
Chemistry	51	52	53	54	55	~~56~~	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 65 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40-69% · **Tough one** below 40%

Maths

7 of 25 questions lost · 32 marks · 1 easy miss · 1 within reach · 5 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q15	Easy miss	**Indefinite Integration**	Single correct · +4 / −1	Wrong	5	74%	77%
Q8	Within reach	**Definite Integration**	Single correct · +4 / −1	Wrong	5	56%	38%
Q14	Tough one	**Definite Integration**	Single correct · +4 / −1	Wrong	5	39%	34%
Q18	Tough one	**Definite Integration** – ∫ of min{|x − 3k|} – periodic zig-zag	Single correct · +4 / −1	Skipped	4	37%	40%
Q20	Tough one	**Definite Integration** – King's property with f(x) + f(y) = f(xy)	Single correct · +4 / −1	Skipped	4	29%	32%
Q22	Tough one	**Definite Integration** – Definite integral of a product × sum of reciprocals	Numerical · +4 / −1	Skipped	4	20%	20%
Q16	Tough one	**Definite Integration** – $\int_0^{100}$ ([tan⁻¹x] + [cot⁻¹x]) dx with GIF	Single correct · +4 / −1	Wrong	5	16%	11%

Physics

6 of 25 questions lost · 30 marks · 1 easy miss · 4 within reach · 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q43	Easy miss	**Kinematics**	Single correct · +4 / −1	Wrong	5	77%	75%
Q29	Within reach	**Electrostatics**	Single correct · +4 / −1	Wrong	5	61%	48%
Q42	Within reach	**Kinematics** – Distance (not displacement) in 3 s for a ball thrown up	Single correct · +4 / −1	Wrong	5	44%	48%
Q27	Within reach	**Electrostatics** – Potential at the centre of a thick charged shell	Single correct · +4 / −1	Wrong	5	42%	32%
Q47	Within reach	**Electrostatics**	Numerical · +4 / −1	Wrong	5	42%	34%
Q30	Tough one	**Electrostatics** – Field energy inside vs outside a charged sphere	Single correct · +4 / −1	Wrong	5	17%	11%

Chemistry


5 of 24 questions lost · 25 marks · 1 easy miss · 1 within reach · 3 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q61	Easy miss	**Aldehydes & Ketones**	Single correct · +4 / −1	Wrong	5	85%	85%
Q69	Within reach	**Aldehydes & Ketones** – Order of hydration constants of carbonyls	Single correct · +4 / −1	Wrong	5	52%	49%
Q63	Tough one	**Aldehydes & Ketones** – Enol-ether hydrolysis; iodoform-positive products	Single correct · +4 / −1	Wrong	5	32%	45%
Q52	Tough one	**Alcohols, Phenols & Ethers** – Ether vs butanol miscibility – assertion / reason	Single correct · +4 / −1	Wrong	5	24%	22%
Q74	Tough one	**Alcohols, Phenols & Ethers** – Site of benzylation of 2-naphthoxide	Numerical · +4 / −1	Wrong	5	12%	15%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Definite Integration	9	9/36		29%	Q8, Q14, Q16, Q18, Q20, Q22
Indefinite Integration	7	23/28		61%	Q15
Area Under Curves	5	20/20		86%	– none
Differential Equations	4	16/16		84%	– none
Physics					
Electrostatics	8	12/32		27%	Q27, Q29, Q30, Q47
Kinematics	9	26/36		75%	Q42, Q43
Current Electricity	8	32/32		57%	– none
Chemistry					
Aldehydes & Ketones	14	41/56		65%	Q61, Q63, Q69
Alcohols, Phenols & Ethers	10	30/40		48%	Q52, Q74



Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

7 questions · easy misses first
cropped from the question paper

Q15 — Indefinite Integration

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **74%** got it right · Campus: **77%** (50 of 65)

Easy miss
You: Wrong

15. If $\int \frac{4e^{x}+6e^{-x}}{9e^{x}-4e^{-x}}dx = ax + b\ln\left(9e^{2x}+c\right)+d$ then descending order of a,b,c is (where 'd' is constant of integration)

A) a,b,c B) b,c,a C) b,a,c D) c,a,b

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q8 — Definite Integration

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **56%** got it right · Campus: **38%** (25 of 65)

Within reach
You: Wrong

8. If $\int_{0}^{\frac{\pi}{2}} \frac{\tan x}{\tan x+\sec x}dx = m(\pi+n)$, then $m\times n$ is equal to

A) $-\frac{1}{2}$ B) 1 C) -1 D) $\frac{1}{2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q14 — Definite Integration

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **39%** got it right · Campus: **34%** (22 of 65)

Tough one
You: Wrong

14. Let $I_1 = \int_{0}^{\frac{\pi}{2}} \ln(\sin x)\ln(\sin 2x)\,dx$ and $I_2 = \int_{0}^{\frac{\pi}{2}} (\ln(\sin 2x))^2\,dx$ then $\frac{\pi(\ln 2)^2}{2I_1 - I_2} =$

A) $\frac{1}{2}$ B) 2 C) -2 D) $-\frac{1}{2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q18 — Definite Integration – ∫ of min{|x − 3k|} – periodic zig-zag

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4

Top 100: **37%** got it right · Campus: **40%** (26 of 65)

Tough one

You: Skipped

18. Let $f(x)=\min\{\ldots,|x+6|,|x+3|,|x|,|x-3|,|x-6|,\ldots\}$ then $\int_{-4}^{3} f(x)\,dx=$ _____

A) 4 B) $\frac{9}{2}$ C) 5 D) $\frac{11}{2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20 — Definite Integration – King's property with f(x) + f(y) = f(xy)

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4

Top 100: **29%** got it right · Campus: **32%** (21 of 65)

Tough one

You: Skipped

20. Let $f:(0,\infty)\to R$ be a continuous function, satisfying $f(x)+f(y)=f(xy)$. Then the value of $\int_{\sqrt{f(e)}}^{\sqrt{f(e^2)}} \frac{x\tan x^2}{\tan x^2+\tan\left(f\left(e^3\right)-x^2\right)}\,dx$ is equal to

A) $\frac{1}{2}f\left(e^2\right)$ B) $\frac{1}{4}f\left(e^2\right)$ C) $\frac{1}{2}f(e)$ D) $\frac{f(e)}{4}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q22 — Definite Integration – Definite integral of a product × sum of reciprocals

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 4

Top 100: **20%** got it right · Campus: **20%** (13 of 65)

Tough one

You: Skipped

22. $\int_{0}^{102}(x-1)(x-2)\ldots(x-100)\left(\frac{1}{x-1}+\frac{1}{x-2}+\ldots+\frac{1}{x-100}\right)dx = p(p!)$ then the number of positive integral divisors of p is equal to_____ (where, $p\in N, p!$ means the product of first p natural numbers).

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q16 **Definite Integration – $\int_0^{100}([\tan^{-1}x]+[\cot^{-1}x])\,dx$ with GIF**

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **16%** got it right · Campus: **11%** (7 of 65)

Tough one

You: Wrong

16. If $\int_0^{100}\left(\left[\tan^{-1}x\right]+\left[\cot^{-1}x\right]\right)dx=\ldots$ [.] denotes the greatest integer function

A) $100-\cot 1$ B) $100+2\cot 1$ C) $100-2\cot 2$ D) $100+2\cot 2$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit

6 questions · easy misses first
cropped from the question paper

Q43 — Kinematics

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **77%** got it right · Campus: **75%** (49 of 65)

Easy miss
You: Wrong

43. The position of a particle moving on a line is $x = t^3 - 6t^2 + 9t$ (SI units). Its acceleration at the instant when it comes to rest for the second time is

A) -6 m/s^2 B) 6 m/s^2 C) zero D) 12 m/s^2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q29 — Electrostatics

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **61%** got it right · Campus: **48%** (31 of 65)

Within reach
You: Wrong

29. A point charge q is placed on the axis of a circular disc of radius R at a distance $\frac{R}{\sqrt{3}}$ from its centre. The electric flux through the disc is

A) $\frac{q\left(2-\sqrt{3}\right)}{4\varepsilon_0}$ B) $\frac{q}{6\varepsilon_0}$ C) $\frac{q}{2\varepsilon_0}$ D) $\frac{q}{4\varepsilon_0}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42 — Kinematics – Distance (not displacement) in 3 s for a ball thrown up

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **44%** got it right · Campus: **48%** (31 of 65)

Within reach
You: Wrong

42. A ball is thrown vertically upward with a speed of 20 m/s (take g = 10 m/s^2). The total distance travelled by the ball in the first 3 s is

A) 15 m B) 25 m C) 20 m D) 45 m

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Electrostatics – Potential at the centre of a thick charged shell

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **42%** got it right · Campus: **32%** (21 of 65)

Within reach

You: Wrong

27. A thick spherical shell of inner radius ‘a’ and outer radius ‘b’ carries a uniform volume charge density ρ. The electric potential at the centre of the shell (taking V = 0 at infinity) is

A) $\rho\frac{\left(b^2-a^2\right)}{12\varepsilon_0}$ B) $\rho\frac{\left(b^3-a^3\right)}{3\varepsilon_0 b}$ C) $\rho\frac{\left(b^2-a^2\right)}{2\varepsilon_0}$ D) $\rho\frac{\left(b^3-a^3\right)}{3\varepsilon_0 a}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q47

Electrostatics

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5

Top 100: **42%** got it right · Campus: **34%** (22 of 65)

Within reach

You: Wrong

47. A non-conducting sphere of radius R has a volume charge density $\rho=\rho_0\left(\frac{r}{R}\right)^2$, where ‘r’ is the distance from the centre. The electric field at its surface is $\rho_0\frac{R}{n\varepsilon_0}$. The value of n is _____.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q30

Electrostatics – Field energy inside vs outside a charged sphere

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **17%** got it right · Campus: **11%** (7 of 65)

Tough one

You: Wrong

30. A solid sphere of radius R carries a total charge Q distributed uniformly throughout its volume. The ratio of the electrostatic field energy stored inside the sphere to that stored outside the sphere is

A) 3 : 5 B) 1 : 5 C) 1 : 3 D) 1 : 2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


JEE Mains · Chemistry – questions to revisit

5 questions · easy misses first
cropped from the question paper





Q61

Aldehydes & Ketones
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **85%** got it right · Campus: **85%** (55 of 65)

Easy miss
You: Wrong

61. 

the reactant (A) will be

A)  B)  C)  D) 

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q69

Aldehydes & Ketones – **Order of hydration constants of carbonyls**
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **52%** got it right · Campus: **49%** (32 of 65)

Within reach
You: Wrong

69. Arrange in their increasing order of equilibrium constants for hydration?



A) A < B < C < D < E
B) A < C < B < E < D
C) A < C < E < B < D
D) C < A < B < E < D

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q63

Aldehydes & Ketones – Enol-ether hydrolysis; iodoform-positive products

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **32%** got it right · Campus: **45%** (29 of 65)

Tough one

You: Wrong


63. $(A) \xrightarrow{H_3O^{\oplus}} B + C; (B) and (C)$


$C_5H_{10}O$

both give +ve Iodoferm test.

Compound (A) is

A) $CH_3 - CH = CH - O - CH_2 - CH_3$

B) 

C) 

D) Both (B) and (C)

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q52

Alcohols, Phenols & Ethers – Ether vs butanol miscibility – assertion / reason

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **24%** got it right · Campus: **22%** (14 of 65)

Tough one

You: Wrong

52. **Assertion(A) :** Ethoxy ethane and butanol-1 have almost same miscibility with water.

Reason(R) : Ethoxy ethane and butanol-1 have form Hydrogen bond with water.

A) Both (A) and (R) are correct and (R) is the correct explanation of (A)

B) (A) is correct but (R) is not correct

C) Both (A) and (R) are not correct

D) Both (A) and (R) are correct and (R) is not the correct explanation of (A)

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q74 **Alcohols, Phenols & Ethers – Site of benzylation of 2-naphthoxide**


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **12%** got it right · Campus: **15%** (10 of 65)

Tough one

You: Wrong

74. Which site is predominately benzylated in the given reaction?



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced – question by question

91 / 176 · 51.7%
09 Oct 2026

6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Physics	18	19	20	21	22	23	24	~~25~~	26	27	28	29	30	31	32	33	34
Chemistry	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51

7 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 61 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40-69% · **Tough one** below 40%

Maths

8 of 17 questions lost · **32** marks (+3 on partly-correct answers) · 1 easy miss · 5 within reach · 2 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q9	Easy miss	**Indefinite Integration**	Integer · +4 / 0	Wrong	4	71%	67%
Q1	Within reach	**Indefinite Integration**	Single correct · +3 / −1	Wrong	4	66%	70%
Q14	Within reach	**Definite Integration**	Paragraph · +3 / 0	Wrong	3	60%	56%
Q16	Within reach	**Area Under Curves**	Paragraph · +3 / 0	Wrong	3	48%	41%
Q7	Within reach	**Differential Equations** – Curve from tangent-intercept ratio BP : AP = 3 : 1	Multiple correct · +4 / −2	Wrong	6	43%	26%
Q2	Within reach	**Definite Integration** – $f(a) = \int \ln(1+x^a)/(1+x)\,dx$ – find f(4) + f(1/4)	Single correct · +3 / −1	Wrong	4	42%	34%
Q12	Tough one	**Differential Equations** – Solve a first-order DE and match its constants	Integer · +4 / 0	Wrong	4	35%	26%
Q11	Tough one	**Differential Equations**	Integer · +4 / 0	Wrong	4	25%	21%

Physics

9 of 16 questions lost · **33** marks (+3 on partly-correct answers) · 4 within reach · 5 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q21	Within reach	**Kinematics**	Single correct · +3 / −1	Wrong	4	64%	51%
Q26	Within reach	**Kinematics**	Integer · +4 / 0	Wrong	4	59%	67%
Q18	Within reach	**Current Electricity**	Single correct · +3 / −1	Wrong	4	57%	49%
Q28	Within reach	**Electrostatics** – Flux through a cube with charges at its vertices	Integer · +4 / 0	Wrong	4	54%	44%
Q34	Tough one	**Electrostatics** – Flux through a cube from a wire along one edge	Paragraph · +3 / 0	Wrong	3	33%	23%
Q20	Tough one	**Kinematics** – Shell fired from a plateau – minimum landing distance	Single correct · +3 / −1	Wrong	4	29%	23%
Q27	Tough one	**Kinematics** – Projection angle that maximises area under the trajectory	Integer · +4 / 0	Wrong	4	27%	23%
Q31	Tough one	**Kinematics** – Hexagon projectile – maximum height	Paragraph · +3 / 0	Wrong	3	5%	5%
Q32	Tough one	**Kinematics** – Hexagon projectile – speed at the top	Paragraph · +3 / 0	Wrong	3	5%	5%

Chemistry

3 of 17 questions lost · **14** marks · 1 easy miss · 1 within reach · 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q36	Easy miss	Aldehydes & Ketones	Single correct · +3 / −1	Wrong	4	70%	77%
Q40	Within reach	Alcohols, Phenols & Ethers	Multiple correct · +4 / −2	Wrong	6	51%	44%
Q46	Tough one	Alcohols, Phenols & Ethers – Identifying polar aprotic solvents	Integer · +4 / 0	Wrong	4	24%	8%

8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Differential Equations	5	≈ 4/18		30%	Q7, Q11, Q12
Indefinite Integration	4	≈ 7/15		71%	Q1, Q9
Definite Integration	5	≈ 10/17		54%	Q2, Q14
Area Under Curves	3	≈ 7/10		60%	Q16
Physics					
Kinematics	8	≈ 6/28		41%	Q20, Q21, Q26, Q27, Q31, Q32
Current Electricity	2	≈ 3/7		68%	Q18
Electrostatics	6	≈ 14/21		45%	Q28, Q34
Chemistry					
Alcohols, Phenols & Ethers	7	≈ 16/26		62%	Q40, Q46
Aldehydes & Ketones	6	≈ 16/20		83%	Q36
Carboxylic Acids	4	≈ 14/14		48%	– none

Bar = your % of the chapter's marks | campus average

9 JEE Advanced · Maths – questions to revisit

8 questions · easy misses first
cropped from the question paper

Q9 Indefinite Integration

JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4
Top 100: **71%** got it right · Campus: **67%** (41 of 61)

Easy miss
You: Wrong

9. If the primitive of the function $f(x)=\frac{\sin^4 x}{\cos^2 x}$ with respect to x is tan(x)+g(x)+C where g(0)=0 and C is indefinite integration constant, then the value of $8\left(\frac{\pi}{8}+g\left(\frac{\pi}{12}\right)\right)$ is equal to

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q1 Indefinite Integration

JEE Advanced · Maths · Single correct · marking +3 / −1 · marks lost 4
Top 100: **66%** got it right · Campus: **70%** (43 of 61)

Within reach
You: Wrong

1. $\int \frac{2e^{2x}+e^x}{3e^{2x}-2e^x-1}dx$ is equal to

A) $\frac{1}{4}\ln\left|\frac{(e^x-1)^{1/3}}{(3e^x+1)^3}\right|+C$

B) $\frac{1}{4}\ln\left|\frac{(e^x-1)^3}{(3e^x+1)^{1/3}}\right|+C$

C) $\frac{1}{3}\ln\left|\frac{(e^x-1)^4}{(3e^x+1)^{1/4}}\right|+C$

D) $\frac{1}{3}\ln\left|\frac{(e^x-1)^{1/4}}{(3e^x+1)^4}\right|+C$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q14 Definite Integration

JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **60%** got it right · Campus: **56%** (34 of 61)

Within reach

You: Wrong

PARAGRAPH-I

$$\int_0^a f(x)dx = \int_0^a f(a-x)dx\,; \quad \int_a^b f(x)dx = \int_a^b f(a+b-x)dx\,; \quad \int_0^{2a} f(x)dx = \int_0^a \left(f(x)+f(2a-x)\right)dx$$

14. If $\int_0^{\frac{\pi}{2}} \ln(\sin x)dx = \frac{-\pi}{q}\ln(p), (p,q \in N)$ then find the least possible value of p+q

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q16 Area Under Curves

JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **48%** got it right · Campus: **41%** (25 of 61)

Within reach

You: Wrong

PARAGRAPH-II

Let $f(x)$ be a differentiable function.

$$f(x) > 0 \forall x \in R \qquad f(x) = \left(2\int_0^x f(t)dt\right) + 1 \forall x \in R$$

16. Find the area bounded by $y = \ln\left(f(x)\right)$, *when* $x = f(0)$ *and* $x = 0$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q7

Differential Equations – Curve from tangent-intercept ratio BP : AP = 3 : 1

JEE Advanced · Maths · Multiple correct · marking +4 / −2 · marks lost 6

Top 100: **43%** got it right · Campus: **26%** (16 of 61)

Within reach

You: Wrong

7. A curve $y = f(x)$ passes through the point (1,1) and tangent at P(x,y) cuts the x-axis and y-axis at A and B, respectively such that BP:AP=3:1, then

A) Equation of the curve is $xy^3 = 1$

B) Equation of normal at the point (1,1) is $x - 3y + 2 = 0$

C) Curve passes through the point $\left(\frac{1}{8}, 2\right)$

D) Equation of the curve is $x\frac{dy}{dx} + 3y = 0$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q2

Definite Integration – f(a) = ∫ ln(1+x^a)/(1+x) dx – find f(4) + f(1/4)

JEE Advanced · Maths · Single correct · marking +3 / −1 · marks lost 4

Top 100: **42%** got it right · Campus: **34%** (21 of 61)

Within reach

You: Wrong

2. Let $f(a) = \int_0^1 \frac{\ln(1+x^a)}{1+x} dx$ then $f(4) + f\left(\frac{1}{4}\right)$ is equal to

A) $\ln^2 1$ B) $\ln^2 2$ C) $\ln^2 3$ D) $\ln^2 4$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q12 Differential Equations – Solve a first-order DE and match its constants

JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4

Top 100: **35%** got it right · Campus: **26%** (16 of 61)

Tough one

You: Wrong

12. The differential equation $\left(xy^3\left(1+\cos x\right)-y\right)dx+xdy=0$ represents the curve $\frac{x^2}{ay^2}=\frac{x^3}{b}+x^2\sin x+cx\cos x-d\sin x+k$. Then a+b+c+d is equal to (where 'k' is arbitrary constant).

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q11 Differential Equations

JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4

Top 100: **25%** got it right · Campus: **21%** (13 of 61)

Tough one

You: Wrong

11. Let $e^{-x}\frac{d^2y}{dx^2}-\frac{dy}{dx}-y=0$ such that at the point $(0,1)$, $\frac{dy}{dx}=1$. Then the number of point of intersection of the given curve with $y=e^{e^x}$ is

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Physics – questions to revisit

9 questions · easy misses first
cropped from the question paper

Q21

Kinematics
JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4
Top 100: **64%** got it right · Campus: **51%** (31 of 61)

Within reach
You: Wrong

21. Two boats were going down stream with different velocities. When one overtook the other a plastic ball was dropped from one of the boats. Sometime later both boats turned back simultaneously and went at the same speeds as before (relative to water) towards the spot where the ball had been dropped. Which boat will reach the ball first?
A) the boat with greater velocity (relative to water)
B) the boat with lesser velocity (relative to water)
C) both will reach the ball simultaneously
D) data insufficient

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q26

Kinematics
JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4
Top 100: **59%** got it right · Campus: **67%** (41 of 61)

Within reach
You: Wrong

26. Rain is falling with speed $12\sqrt{2}$ m/s at an angle 45^0 with vertical line. A man in a glider going at a speed of v at an angle of 37^0 with respect to ground. The speed of the glider is 5P in (m/s) so that rain appears to him falling vertically. Find the value of P, Consider motion of glider and rain drops in same vertical plane.



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q18 Current Electricity


JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4

Top 100: **57%** got it right · Campus: **49%** (30 of 61)

Within reach

You: Wrong

18. A hemi-spherical network of radius ‘a’ is made by using a conducting wire of resistance



per unit length ‘r’. The equivalent resistance across OP is:

A) $\frac{ra(\pi+3)}{8}$ B) $\frac{ra(\pi+2)}{8}$ C) $\frac{ra(\pi+4)}{8}$ D) $\frac{ra(\pi+1)}{8}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q28 Electrostatics – Flux through a cube with charges at its vertices

JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **54%** got it right · Campus: **44%** (27 of 61)

Within reach

You: Wrong

28. A cube has charges each of value +Q placed at the vertices. The flux associated with the cube is $(X-1)\frac{Q}{\varepsilon_0}$, value of x is:

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q34 **Electrostatics – Flux through a cube from a wire along one edge**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **33%** got it right · Campus: **23%** (14 of 61)

Tough one
You: Wrong


PARAGRAPH-II

The electric flux linked with a surface is the number of electric field lines associated with that area. Gauss law helps determine the flux

$$\oint \vec{E}.\vec{ds} = \frac{Q_{inc}}{\varepsilon_0}$$

For an open surface the flux will change depending on the solid angle. Considering this answer the following questions.

34.



A cube of edge length a contains an infinite wire of linear charge density λ at one of edges the flux associated with cube is given by $P\lambda a/\varepsilon_0$.The value of P upto two decimal places is :


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20 **Kinematics – Shell fired from a plateau – minimum landing distance**
JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4
Top 100: **29%** got it right · Campus: **23%** (14 of 61)

Tough one
You: Wrong

20. A gun is mounted on a plateau 960m away from its edge as shown. Height of plateau is 960m. The gun can fire shells with a velocity 100 m/s at any angle of the following choices. What is the minimum distance OP(=x) from the edge of plateau where shell of



gun can reach? (given $g=10m/s^2$, $\sin 74^0 = \sin 106^0 \simeq 0.96$)

A) 480 m B) 720 m C) 360 m D) 960 m

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Kinematics – Projection angle that maximises area under the trajectory

JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **27%** got it right · Campus: **23%** (14 of 61)

Tough one

You: Wrong

27. A projectile is thrown with a speed 10 m/s, at an angle θ with the horizontal. For a certain value of angle of projection $\theta = \frac{(n+1)\pi}{12}$ the area bound by the trajectory with horizontal is maximum value of n is (g=10 m/s^2). Assume no airdrag.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q31

Kinematics – Hexagon projectile – maximum height


JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **5%** got it right · Campus: **5%** (3 of 61)

Tough one

You: Wrong

PARAGRAPH-I



A regular hexagon of side a=$10\sqrt{3}$ m is shown in figure. From any point a particle is projected such that it touches B,C,D and E. The velocity of particle is v m/s. O is the centre of the hexagon. x-axis is parallel to horizontal and y-axis is perpendicular to AE and CD (g=10 m/s^2) $\left(\sqrt{3}=1.73\right)$.

31. The maximum height from the horizontal surface X' attained by the projectile is ___ m.


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q32 **Kinematics – Hexagon projectile – speed at the top**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **5%** got it right · Campus: **5%** (3 of 61)

Tough one
You: Wrong

PARAGRAPH-I



A regular hexagon of side a=$10\sqrt{3}$ m is shown in figure. From any point a particle is projected such that it touches B,C,D and E. The velocity of particle is v m/s. O is the centre of the hexagon. x-axis is parallel to horizontal and y-axis is perpendicular to AE and CD (g=10 m/s^2) $\left(\sqrt{3}=1.73\right)$.

32. The velocity of projectile at maximum height is _____ m/s


Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q36 **Aldehydes & Ketones**
JEE Advanced · Chemistry · Single correct · marking +3 / −1 · marks lost 4
Top 100: **70%** got it right · Campus: **77%** (47 of 61)


Easy miss
You: Wrong


36. The end products of the following sequence of reactions are



A)yellow precipitate of CHI_3, 

B)yellow precipitate of CHI_3, 

C)yellow precipitate of CHI_3, 

D)yellow precipitate of CHI_3, 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q40 **Alcohols, Phenols & Ethers**

JEE Advanced · Chemistry · Multiple correct · marking +4 / −2 · marks lost 6


Top 100: **51%** got it right · Campus: **44%** (27 of 61)

Within reach


You: Wrong


40. 

major product is

A) 

B)$C_2H_5O\text{-}CH_3$

C) 

D) 


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q46 **Alcohols, Phenols & Ethers** – **Identifying polar aprotic solvents**
JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4
Top 100: **24%** got it right · Campus: **8%** (5 of 61)

Tough one
You: Wrong

46. How many of the following are polar aprotic solvents?



Diethyl ether, Benzene, Ethyl alcohol,



Petrol

[P] [Q] [R] [S] [T] [U]

Acetone DMSO (dimethyl sulphoxide DMF (dimethyl formamide formic acid

[Q] [W] [X] [Y]

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

10 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q56 — JEE Advanced: Q25. **Program rank** = rank in Pragya G10 (EXT) Achievers across all campuses, from the batch's question-wise sheet. **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. In JEE Advanced, 6 marks went on multiple-correct answers that were only partly correct. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.