CLASS 10 · PART TEST-1 · STUDENT PERFORMANCE REPORT

Shiva Sai Jyothiraditya Kokkonda

Pragya G10 (EXT) Achievers · Adm No **235418209**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026
JEE Advanced 09 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

246 / 296 — **83.1%**

8	6	3/65	3
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **229.3 / 300** (76.4%), 4 of 6 tests → this test **83.1%** ▲ **6.7**

50 marks lost: 30 on 6 wrong answers (incl. 6 negative) · 20 on 5 skipped

JEE Advanced

09 Oct 2026 · 50 questions

125 / 176 — **71.0%**

36	24	6/61	7
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **108.6 / 180** (60.3%), 5 of 6 tests → this test **71.0%** ▲ **10.7**

51 marks lost: 29 on 7 wrong answers (incl. 4 negative) · 19 on 6 skipped · 3 on partly-correct answers

1 Subject scorecard

Your marks in each subject, against the 65 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 246 / 296 · 83.1%							
Maths	95/100	95%	3	58.2 / 100	81.1/100 81.1%	▲ 13.9	24 / 1 / 0
Physics	87/100	87%	16	53.8 / 100	82.7/100 82.7%	▲ 4.3	22 / 1 / 2
Chemistry	64/96	67%	44	55.9 / 91	65.8/100 65.8%	▲ 0.9	17 / 4 / 3
JEE Advanced 125 / 176 · 71.0%							
Maths	45/60	75%	47	30.5 / 57	43.7/60 72.8%	▲ 2.2	14 / 3 / 0
Physics	34/56	61%	101	24.5 / 56	35.7/60 59.5%	▲ 1.2	10 / 2 / 4
Chemistry	46/60	77%	61	38.2 / 60	29.1/60 48.5%	▲ 28.1	13 / 2 / 2

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Maths** is your strongest JEE Mains subject: 95/100 (95%), All-India subject rank 3.
2. **Chemistry** needs the most work in JEE Mains: 64/96 (67%), subject rank 44; you lost 7 of its 24 questions.
3. **Chemistry** is your strongest JEE Advanced subject: 46/60 (77%), All-India subject rank 61.
4. **Physics** needs the most work in JEE Advanced: 34/56 (61%), subject rank 101; you lost 6 of its 16 questions.
5. Biggest improvement: **JEE Advanced Chemistry** – 77% here against 49% on average.
6. **4 questions** you lost were answered correctly by 70%+ of the batch's top 100 – about **17 marks** within easy reach (Mains Q4, Q51, Q68 · Advanced Q36).
7. Negative marking cost you **6 in JEE Mains and 4 in JEE Advanced**.
8. You attempted almost everything (only 11 questions skipped across both papers), so the marks to gain are in **accuracy**: wrong answers – 6 in JEE Mains and 7 in JEE Advanced.

JEE Mains – question by question

246 / 296 · 83.1%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	**4**	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Physics	26	27	28	29	**30**	31	32	33	34	35	36	**37**	38	39	40	41	**42**	43	44	45	46	47	48	49	50
Chemistry	**51**	**52**	**53**	54	55	~~56~~	57	58	59	60	61	62	**63**	64	65	66	67	**68**	69	70	71	72	73	**74**	**75**

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 65 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

1 of 25 questions lost · 5 marks · 1 easy miss

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q4	Easy miss	Area Under Curves	Single correct · +4 / −1	Wrong	5	89%	89%

Physics

3 of 25 questions lost · 13 marks · 2 within reach · 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q37	Within reach	**Current Electricity** – Infinite ladder – voltage across the 2nd shunt resistor	Single correct · +4 / −1	Skipped	4	52%	46%
Q42	Within reach	**Kinematics** – Distance (not displacement) in 3 s for a ball thrown up	Single correct · +4 / −1	Wrong	5	44%	48%
Q30	Tough one	**Electrostatics** – Field energy inside vs outside a charged sphere	Single correct · +4 / −1	Skipped	4	17%	11%



Chemistry

7 of 24 questions lost · 32 marks · 2 easy miss · 1 within reach · 4 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q51	Easy miss	Alcohols, Phenols & Ethers	Single correct · +4 / −1	Wrong	5	87%	88%
Q68	Easy miss	Aldehydes & Ketones	Single correct · +4 / −1	Skipped	4	79%	89%
Q53	Within reach	Alcohols, Phenols & Ethers	Single correct · +4 / −1	Skipped	4	68%	69%
Q63	Tough one	**Aldehydes & Ketones** – Enol-ether hydrolysis; iodoform-positive products	Single correct · +4 / −1	Wrong	5	32%	45%
Q75	Tough one	Aldehydes & Ketones	Numerical · +4 / −1	Wrong	5	27%	38%
Q52	Tough one	**Alcohols, Phenols & Ethers** – Ether vs butanol miscibility – assertion / reason	Single correct · +4 / −1	Skipped	4	24%	22%
Q74	Tough one	**Alcohols, Phenols & Ethers** – Site of benzylation of 2-naphthoxide	Numerical · +4 / −1	Wrong	5	12%	15%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Area Under Curves	5	**15**/20		86%	**Q4**
Definite Integration	9	**36**/36		29%	– none
Differential Equations	4	**16**/16		84%	– none
Indefinite Integration	7	**28**/28		61%	– none
Physics					
Kinematics	9	**31**/36		75%	**Q42**
Current Electricity	8	**28**/32		57%	**Q37**
Electrostatics	8	**28**/32		27%	**Q30**
Chemistry					
Alcohols, Phenols & Ethers	10	**22**/40		48%	**Q51**, **Q52**, **Q53**, **Q74**
Aldehydes & Ketones	14	**42**/56		65%	**Q63**, **Q68**, **Q75**

Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

1 question · easy misses first
cropped from the question paper

Q4 Area Under Curves

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **89%** got it right · Campus: **89%** (58 of 65)

Easy miss
You: Wrong

4. The area inside the parabola $5x^2 - y = 0$ but outside the parabola $2x^2 - y + 9 = 0$ is _____ (in sq.units)

A) $12\sqrt{3}$ B) $6\sqrt{3}$ C) $8\sqrt{3}$ D) $4\sqrt{3}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit

3 questions · easy misses first
cropped from the question paper

Q37

Current Electricity – **Infinite ladder – voltage across the 2nd shunt resistor**
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4
Top 100: **52%** got it right · Campus: **46%** (30 of 65)

Within reach
You: Skipped

37. A 24 V battery of negligible internal resistance is connected to an infinite ladder network. In each section, both the top rail and the bottom rail contain a 1 Ω resistor, and a 4 Ω resistor is connected across the rails. The potential difference across the second 4 Ω resistor (counting from the battery) is

A) 12 V B) 8 V C) 6 V D) 3 V

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42

Kinematics – **Distance (not displacement) in 3 s for a ball thrown up**
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **44%** got it right · Campus: **48%** (31 of 65)

Within reach
You: Wrong

42. A ball is thrown vertically upward with a speed of 20 m/s (take $g = 10\ m/s^2$). The total distance travelled by the ball in the first 3 s is

A) 15 m B) 25 m C) 20 m D) 45 m

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q30 **Electrostatics – Field energy inside vs outside a charged sphere**

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **17%** got it right · Campus: **11%** (7 of 65)

Tough one

You: Skipped

30. A solid sphere of radius R carries a total charge Q distributed uniformly throughout its volume. The ratio of the electrostatic field energy stored inside the sphere to that stored outside the sphere is

A) 3 : 5 B) 1 : 5 C) 1 : 3 D) 1 : 2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Chemistry – questions to revisit

7 questions · easy misses first
cropped from the question paper

Q51

Alcohols, Phenols & Ethers
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **87%** got it right · Campus: **88%** (57 of 65)

Easy miss
You: Wrong

51. Consider the following reaction $C_2H_5OH + H_2SO_4 \rightarrow product$ among the following which cannot be formed as a product under any condition?

A) Ethylene B) Acetylene C) Diethyl ether D) Ethyl hydrogen sulphate

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q68


Aldehydes & Ketones
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 4
Top 100: **79%** got it right · Campus: **89%** (58 of 65)


Easy miss
You: Skipped


68. End product (C) of the reaction is



A)


B)


C)


D)


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q53

Alcohols, Phenols & Ethers
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 4
Top 100: **68%** got it right · Campus: **69%** (45 of 65)

Within reach
You: Skipped

53. Phenol industrially prepared from

A) Benzene sulphonic acid B) Cumene

C) Benzene diazonium chloride D) Chlorobenzene

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q63


Aldehydes & Ketones – Enol-ether hydrolysis; iodoform-positive products
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **32%** got it right · Campus: **45%** (29 of 65)


Tough one
You: Wrong

63. $\underset{C_5H_{10}O}{(A)} \xrightarrow{H_3O^{\oplus}} B + C; (B) and (C)$ both give +ve Iodoferm test.

Compound (A) is

A) $CH_3-CH=CH-O-CH_2-CH_3$

B)


C)


D) Both (B) and (C)

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q75


Aldehydes & Ketones

JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **27%** got it right · Campus: **38%** (25 of 65)

Tough one

You: Wrong

75. 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q52

Alcohols, Phenols & Ethers – Ether vs butanol miscibility – assertion / reason

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 4

Top 100: **24%** got it right · Campus: **22%** (14 of 65)

Tough one

You: Skipped

52. **Assertion(A) :** Ethoxy ethane and butanol-1 have almost same miscibility with water.
Reason(R) : Ethoxy ethane and butanol-1 have form Hydrogen bond with water.
A) Both (A) and (R) are correct and (R) is the correct explanation of (A)
B) (A) is correct but (R) is not correct
C) Both (A) and (R) are not correct
D) Both (A) and (R) are correct and (R) is not the correct explanation of (A)

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q74

Alcohols, Phenols & Ethers – Site of benzylation of 2-naphthoxide


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **12%** got it right · Campus: **15%** (10 of 65)

Tough one

You: Wrong

74. Which site is predominately benzylated in the given reaction?



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced – question by question

125 / 176 · 71.0%
09 Oct 2026

6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Physics	18	19	20	21	22	23	24	~~25~~	26	27	28	29	30	31	32	33	34
Chemistry	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51

7 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 61 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40-69% · **Tough one** below 40%

Maths

3 of 17 questions lost · **15** marks · ● 3 within reach

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q6	Within reach	**Area Under Curves** – Line x = a halving the area between x^3 and x	Multiple correct · +4 / −2	Wrong	6	68%	69%
Q7	Within reach	**Differential Equations** – Curve from tangent-intercept ratio BP : AP = 3 : 1	Multiple correct · +4 / −2	Wrong	6	43%	26%
Q15	Within reach	**Definite Integration**	Paragraph · +3 / 0	Wrong	3	41%	39%

Physics

6 of 16 questions lost · **19** marks (+3 on partly-correct answers) · ● 4 within reach · ● 2 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q19	Within reach	**Electrostatics**	Single correct · +3 / −1	Skipped	3	66%	56%
Q21	Within reach	**Kinematics**	Single correct · +3 / −1	Skipped	3	64%	51%
Q28	Within reach	**Electrostatics** – Flux through a cube with charges at its vertices	Integer · +4 / 0	Wrong	4	54%	44%
Q33	Within reach	**Electrostatics** – Flux through a ring – solid angle	Paragraph · +3 / 0	Wrong	3	42%	38%
Q31	Tough one	**Kinematics** – Hexagon projectile – maximum height	Paragraph · +3 / 0	Skipped	3	5%	5%
Q32	Tough one	**Kinematics** – Hexagon projectile – speed at the top	Paragraph · +3 / 0	Skipped	3	5%	5%


Chemistry

4 of 17 questions lost · **14** marks · ● 1 easy miss · ● 3 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q36	Easy miss	**Aldehydes & Ketones**	Single correct · +3 / −1	Skipped	3	70%	77%
Q47	Tough one	**Carboxylic Acids**	Integer · +4 / 0	Wrong	4	32%	33%
Q46	Tough one	**Alcohols, Phenols & Ethers** – Identifying polar aprotic solvents	Integer · +4 / 0	Skipped	4	24%	8%
Q51	Tough one	**Carboxylic Acids** – Moles of $LiAlH_4$ to reduce RCOOH to RCH_2OH	Paragraph · +3 / 0	Wrong	3	17%	23%

8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Area Under Curves	3	≈ 4/10		60%	Q6
Differential Equations	5	≈ 12/18		30%	Q7
Definite Integration	5	≈ 14/17		54%	Q15
Indefinite Integration	4	≈ 15/15		71%	– none
Physics					
Electrostatics	6	≈ 11/21		45%	Q19, Q28, Q33
Kinematics	8	≈ 19/28		41%	Q21, Q31, Q32
Current Electricity	2	≈ 7/7		68%	– none
Chemistry					
Carboxylic Acids	4	≈ 7/14		48%	Q47, Q51
Alcohols, Phenols & Ethers	7	≈ 22/26		62%	Q46
Aldehydes & Ketones	6	≈ 17/20		83%	Q36

Bar = your % of the chapter's marks | campus average

9 JEE Advanced · Maths – questions to revisit

3 questions · easy misses first
cropped from the question paper

Q6

Area Under Curves – Line x = α halving the area between x³ and x

JEE Advanced · Maths · Multiple correct · marking +4 / −2 · marks lost 6

Top 100: **68%** got it right · Campus: **69%** (42 of 61)

Within reach

You: Wrong

6. If the line x=α divides the area of the region $R=\{(x,y)\in R^2 : x^3 \le y \le x, 0 \le x \le 1\}$ into two equal parts, then

A) $\frac{1}{2} \le \alpha \le 1$ B) $\alpha^4+4\alpha^2-1=0$ C) $0 \le \alpha \le \frac{1}{2}$ D) $2\alpha^4-4\alpha^2+1=0$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q7

Differential Equations – Curve from tangent-intercept ratio BP : AP = 3 : 1

JEE Advanced · Maths · Multiple correct · marking +4 / −2 · marks lost 6

Top 100: **43%** got it right · Campus: **26%** (16 of 61)

Within reach

You: Wrong

7. A curve $y=f(x)$ passes through the point (1,1) and tangent at P(x,y) cuts the x-axis and y-axis at A and B, respectively such that BP:AP=3:1, then

A) Equation of the curve is $xy^3=1$

B) Equation of normal at the point (1,1) is $x-3y+2=0$

C) Curve passes through the point $\left(\frac{1}{8},2\right)$

D) Equation of the curve is $x\frac{dy}{dx}+3y=0$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q15 **Definite Integration**

JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **41%** got it right · Campus: **39%** (24 of 61)

Within reach

You: Wrong

PARAGRAPH-I

$$\int_0^a f(x)dx = \int_0^a f(a-x)dx\,; \quad \int_a^b f(x)dx = \int_a^b f(a+b-x)dx\,; \quad \int_0^{2a} f(x)dx = \int_0^a \left(f(x)+f(2a-x)\right)dx$$

15. If $\left|\int_0^{\frac{\pi}{\pi}} \ln(1+\cos x)\,dx\right| = \frac{\pi}{q}\ln(p), (p,q \in N)$ then find the least possible value p+q

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Physics – questions to revisit

6 questions · easy misses first
cropped from the question paper

Q19 Electrostatics

JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 3
Top 100: **66%** got it right · Campus: **56%** (34 of 61)

Within reach
You: Skipped

19. The magnitude of electric field intensity at point B (2,0,0) due to a dipole moment $\vec{P} = \hat{i} + \sqrt{3}\hat{j}$ C-m kept at origin is (assume point B is at large distance from dipole)

$k = \frac{1}{4\pi\varepsilon_0}$

A) $\frac{\sqrt{13}k}{8}$ B) $\frac{\sqrt{13}k}{4}$ C) $\frac{\sqrt{7}k}{8}$ D) $\frac{\sqrt{7}k}{4}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q21 Kinematics

JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 3
Top 100: **64%** got it right · Campus: **51%** (31 of 61)

Within reach
You: Skipped

21. Two boats were going down stream with different velocities. When one overtook the other a plastic ball was dropped from one of the boats. Sometime later both boats turned back simultaneously and went at the same speeds as before (relative to water) towards the spot where the ball had been dropped. Which boat will reach the ball first?
A) the boat with greater velocity (relative to water)
B) the boat with lesser velocity (relative to water)
C) both will reach the ball simultaneously
D) data insufficient

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q28 **Electrostatics – Flux through a cube with charges at its vertices**
JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4
Top 100: **54%** got it right · Campus: **44%** (27 of 61)

Within reach
You: Wrong

28. A cube has charges each of value +Q placed at the vertices. The flux associated with the cube is $(X-1)\frac{Q}{\varepsilon_0}$, value of x is:

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q33 **Electrostatics – Flux through a ring – solid angle**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **42%** got it right · Campus: **38%** (23 of 61)

Within reach
You: Wrong


PARAGRAPH-II

The electric flux linked with a surface is the number of electric field lines associated with that area. Gauss law helps determine the flux

$$\oint \vec{E}.\vec{ds} = \frac{Q_{inc}}{\varepsilon_0}$$

For an open surface the flux will change depending on the solid angle. Considering this answer the following questions.

33.



The flux associated with the ring due to the charge q is given by Xq/ε_0. The value of X is approx.


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q31 **Kinematics – Hexagon projectile – maximum height**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **5%** got it right · Campus: **5%** (3 of 61)

Tough one
You: Skipped

PARAGRAPH-I



A regular hexagon of side a=$10\sqrt{3}$ m is shown in figure. From any point a particle is projected such that it touches B,C,D and E. The velocity of particle is v m/s. O is the centre of the hexagon. x-axis is parallel to horizontal and y-axis is perpendicular to AE and CD (g=10 m/s^2) $\left(\sqrt{3}=1.73\right)$.

31. The maximum height from the horizontal surface X' attained by the projectile is ___ m.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q32 **Kinematics – Hexagon projectile – speed at the top**


JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **5%** got it right · Campus: **5%** (3 of 61)

Tough one

You: Skipped

PARAGRAPH-I



A regular hexagon of side a=$10\sqrt{3}$ m is shown in figure. From any point a particle is projected such that it touches B,C,D and E. The velocity of particle is v m/s. O is the centre of the hexagon. x-axis is parallel to horizontal and y-axis is perpendicular to AE and CD (g=10 m/s^2) $\left(\sqrt{3}=1.73\right)$.

32. The velocity of projectile at maximum height is _____ m/s


Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q36 **Aldehydes & Ketones**
JEE Advanced · Chemistry · Single correct · marking +3 / −1 · marks lost 3
Top 100: **70%** got it right · Campus: **77%** (47 of 61)


Easy miss
You: Skipped


36. The end products of the following sequence of reactions are



A)yellow precipitate of CHI_3, 

B)yellow precipitate of CHI_3, 

C)yellow precipitate of CHI_3, 

D)yellow precipitate of CHI_3, 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q47

Carboxylic Acids


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4


Top 100: **32%** got it right · Campus: **33%** (20 of 61)


Tough one


You: Wrong

47. At room temperature how many of the following compounds can decompose $NaHCO_3$ to liberate CO_2?

a) 

b) 

c) 

d) 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q46

Alcohols, Phenols & Ethers – **Identifying polar aprotic solvents**



JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **24%** got it right · Campus: **8%** (5 of 61)

Tough one

You: Skipped

46. How many of the following are polar aprotic solvents?

 Diethyl ether, Benzene, Ethyl alcohol,  Petrol

[P] [Q] [R] [S] [T] [U]

Acetone DMSO (dimethyl sulphoxide DMF (dimethyl formamide formic acid

[Q] [W] [X] [Y]

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q51 **Carboxylic Acids – Moles of $LiAlH_4$ to reduce RCOOH to RCH_2OH**

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **17%** got it right · Campus: **23%** (14 of 61)

Tough one

You: Wrong

PARAGRAPH-II

Carboxylic acids are organic compounds containing the carbonyl(>C=O) and hydroxyl (-OH) functional groups combined as a carboxyl group(-COOH). Due to resonance stabilization of the carboxylate anion, carboxylic acids exhibit higher acidity compared to alcohols and phenols. They participate in several characteristic reactions, including nucleophilic acyl substitution (esterification, amide formation, acid halide synthesis), decarboxylation, and reduction to primary alcohols. Furthermore, the presence of the –COOH group strongly influences physical properties, enabling extensive intermolecular hydrogen bonding that results in higher boiling points and stable dimeric structures in non-polar solvents.

51. The number of moles of $LiAlH_4$ required theoretically to reduce eight moles of carboxylic acid to primary alcohol

$$RCOOH \xrightarrow[2.H_3O^+]{1.LiAiH_4} RCH_2OH$$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

10 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q56 — JEE Advanced: Q25. **Program rank** = rank in Pragya G10 (EXT) Achievers across all campuses, from the batch's question-wise sheet. **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. In JEE Advanced, 3 marks went on multiple-correct answers that were only partly correct. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.