CLASS 10 · PART TEST-1 · STUDENT PERFORMANCE REPORT

Thonta Harshavardhan

Pragya G10 (EXT) Achievers · Adm No **235551961**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026
JEE Advanced 09 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

202 / 296 — **68.2%**

47	33	14/65	16
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **227.5 / 300** (75.8%), 5 of 6 tests → this test **68.2%** ▼ **7.6**

94 marks lost: 90 on 18 wrong answers (incl. 18 negative) · 4 on 1 skipped

JEE Advanced

09 Oct 2026 · 50 questions

130 / 176 — **73.9%**

26	15	3/61	4
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **96.0 / 180** (53.3%), 5 of 6 tests → this test **73.9%** ▲ **20.5**

46 marks lost: 46 on 12 wrong answers (incl. 6 negative) · 0 on 0 skipped

1 Subject scorecard

Your marks in each subject, against the 65 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 202 / 296 · 68.2%							
Maths	56/100	56%	177	58.2 / 100	75.5/100 75.5%	▼ 19.5	16 / 8 / 1
Physics	70/100	70%	90	53.8 / 100	75.8/100 75.8%	▼ 5.8	19 / 6 / 0
Chemistry	76/96	79%	10	55.9 / 91	76.2/100 76.2%	▲ 3.0	20 / 4 / 0
JEE Advanced 130 / 176 · 73.9%							
Maths	46/60	77%	38	30.5 / 57	34.0/60 56.6%	▲ 20.0	14 / 3 / 0
Physics	39/56	70%	47	24.5 / 56	34.6/60 57.7%	▲ 12.0	11 / 5 / 0
Chemistry	45/60	75%	72	38.2 / 60	27.4/60 45.7%	▲ 29.3	13 / 4 / 0

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Chemistry** is your strongest JEE Mains subject: 76/96 (79%), All-India subject rank 10.
2. **Maths** needs the most work in JEE Mains: 56/100 (56%), subject rank 177; you lost 9 of its 25 questions.
3. **Maths** is your strongest JEE Advanced subject: 46/60 (77%), All-India subject rank 38.
4. **Physics** needs the most work in JEE Advanced: 39/56 (70%), subject rank 47; you lost 5 of its 16 questions.
5. Biggest fall against your weekly-test average: **JEE Mains Maths** – 56% here against 76% on average.
6. Biggest improvement: **JEE Advanced Chemistry** – 75% here against 46% on average.
7. **6 questions** you lost were answered correctly by 70%+ of the batch's top 100 – about **29 marks** within easy reach (Mains Q2, Q4, Q10, Q26, Q68 · Advanced Q36).
8. Negative marking cost you **18 in JEE Mains and 6 in JEE Advanced**.
9. You attempted almost everything (only 1 question skipped across both papers), so the marks to gain are in **accuracy**: wrong answers – 18 in JEE Mains and 12 in JEE Advanced.

JEE Mains – question by question

202 / 296 · 68.2%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	**2**	3	**4**	5	**6**	7	8	9	**10**	**11**	**12**	13	14	15	**16**	17	**18**	19	20	21	**22**	23	24	25
Physics	**26**	27	28	**29**	**30**	31	32	33	34	35	36	**37**	38	39	40	41	**42**	43	44	45	**46**	47	48	49	50
Chemistry	51	52	53	54	55	~~56~~	57	58	59	60	61	62	63	64	65	66	67	**68**	**69**	70	71	72	73	**74**	**75**

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 65 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40-69% · **Tough one** below 40%

Maths

9 of 25 questions lost · **44** marks · 3 easy miss · 1 within reach · 5 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q4	Easy miss	**Area Under Curves**	Single correct · +4 / −1	Wrong	5	89%	89%
Q2	Easy miss	**Definite Integration**	Single correct · +4 / −1	Wrong	5	88%	82%
Q10	Easy miss	**Differential Equations**	Single correct · +4 / −1	Wrong	5	76%	85%
Q12	Within reach	**Indefinite Integration**	Single correct · +4 / −1	Wrong	5	51%	43%
Q18	Tough one	**Definite Integration** – ∫ of min{|x − 3k|} – periodic zig-zag	Single correct · +4 / −1	Wrong	5	37%	40%
Q6	Tough one	**Indefinite Integration** – $\int \sqrt{(x^2+1)}\,[\ln(x^2+1) - 2\ln x]/x^4\,dx$	Single correct · +4 / −1	Wrong	5	33%	31%
Q11	Tough one	**Definite Integration**	Single correct · +4 / −1	Skipped	4	29%	26%
Q22	Tough one	**Definite Integration** – Definite integral of a product × sum of reciprocals	Numerical · +4 / −1	Wrong	5	20%	20%
Q16	Tough one	**Definite Integration** – $\int_0^{100}([\tan^{-1}x] + [\cot^{-1}x])\,dx$ with GIF	Single correct · +4 / −1	Wrong	5	16%	11%

Physics

6 of 25 questions lost · **30** marks · 1 easy miss · 3 within reach · 2 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q26	Easy miss	**Electrostatics**	Single correct · +4 / −1	Wrong	5	70%	69%
Q29	Within reach	**Electrostatics**	Single correct · +4 / −1	Wrong	5	61%	48%
Q37	Within reach	**Current Electricity** – Infinite ladder – voltage across the 2nd shunt resistor	Single correct · +4 / −1	Wrong	5	52%	46%
Q42	Within reach	**Kinematics** – Distance (not displacement) in 3 s for a ball thrown up	Single correct · +4 / −1	Wrong	5	44%	48%
Q46	Tough one	**Electrostatics**	Numerical · +4 / −1	Wrong	5	25%	25%
Q30	Tough one	**Electrostatics** – Field energy inside vs outside a charged sphere	Single correct · +4 / −1	Wrong	5	17%	11%

Chemistry

4 of 24 questions lost · 20 marks · 1 easy miss · 1 within reach · 2 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q68	Easy miss	Aldehydes & Ketones	Single correct · +4 / −1	Wrong	5	79%	89%
Q69	Within reach	Aldehydes & Ketones – Order of hydration constants of carbonyls	Single correct · +4 / −1	Wrong	5	52%	49%
Q75	Tough one	Aldehydes & Ketones	Numerical · +4 / −1	Wrong	5	27%	38%
Q74	Tough one	Alcohols, Phenols & Ethers – Site of benzylation of 2-naphthoxide	Numerical · +4 / −1	Wrong	5	12%	15%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Definite Integration	9	12/36		29%	Q2, Q11, Q16, Q18, Q22
Indefinite Integration	7	18/28		61%	Q6, Q12
Differential Equations	4	11/16		84%	Q10
Area Under Curves	5	15/20		86%	Q4
Physics					
Electrostatics	8	12/32		27%	Q26, Q29, Q30, Q46
Current Electricity	8	27/32		57%	Q37
Kinematics	9	31/36		75%	Q42
Chemistry					
Aldehydes & Ketones	14	41/56		65%	Q68, Q69, Q75
Alcohols, Phenols & Ethers	10	35/40		48%	Q74

Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

9 questions · easy misses first
cropped from the question paper

Q4 Area Under Curves

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **89%** got it right · Campus: **89%** (58 of 65)

Easy miss
You: Wrong

4. The area inside the parabola $5x^2 - y = 0$ but outside the parabola $2x^2 - y + 9 = 0$ is _____ (in sq.units)

A) $12\sqrt{3}$ B) $6\sqrt{3}$ C) $8\sqrt{3}$ D) $4\sqrt{3}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q2 Definite Integration

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **88%** got it right · Campus: **82%** (53 of 65)

Easy miss
You: Wrong

2. The value of the definite integral $\int_0^2 \frac{1}{4^x + 4}\,dx$ is

A) $\frac{5}{4}$ B) $\frac{1}{2}$ C) $\frac{1}{4}$ D) $\frac{3}{4}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q10 Differential Equations

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **76%** got it right · Campus: **85%** (55 of 65)

Easy miss
You: Wrong

10. The solution of $\frac{xdy}{x^2 + y^2} = \left(\frac{y}{x^2 + y^2} - 1\right)dx$ is_____ (c is arbitrary constant)

A) $y = x\cot(c - x)$ B) $y = x\tan(c - x)$ C) $y = x\cos(c - x)$ D) $y = x\sin(c - x)$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q12 — Indefinite Integration

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **51%** got it right · Campus: **43%** (28 of 65)

Within reach

You: Wrong

12. $\int \sqrt{\sec x - 1}\, dx = _____$ (c is arbitrary constant)

A) $2\ln\left|\cos\frac{x}{2} + \sqrt{\cos^2\frac{x}{2} + \frac{1}{2}}\right| + c$

B) $\ln\left|\cos\frac{x}{2} - \sqrt{\cos^2\frac{x}{2} - \frac{1}{2}}\right| + c$

C) $-2\ln\left|\cos\frac{x}{2} + \sqrt{\cos^2\frac{x}{2} - \frac{1}{2}}\right| + c$

D) $\ln\left|\cos\frac{x}{2} - \sqrt{\cos^2\frac{x}{2} + \frac{1}{2}}\right| + c$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q18 — Definite Integration – ∫ of min{|x − 3k|} – periodic zig-zag

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **37%** got it right · Campus: **40%** (26 of 65)

Tough one

You: Wrong

18. Let $f(x) = \min\{\ldots, |x+6|, |x+3|, |x|, |x-3|, |x-6|, \ldots\}$ then $\int_{-4}^{3} f(x)\, dx = _____$

A) 4 B) $\frac{9}{2}$ C) 5 D) $\frac{11}{2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q6 — Indefinite Integration – ∫ √(x²+1)[ln(x²+1) − 2 ln x] / x⁴ dx

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **33%** got it right · Campus: **31%** (20 of 65)

Tough one

You: Wrong

6. $\int \frac{\sqrt{x^2+1}\left[\ln\left(x^2+1\right) - 2\ln x\right]}{x^4}\, dx$ is equal to (c is arbitrary constant)

A) $\frac{\left(x^2+1\right)^{3/2}}{x^3}\left[\frac{2}{3} - \ln\left(\frac{x^2+1}{x^2}\right)\right] + c$

B) $\frac{\left(x^2+1\right)^{3/2}}{3x^3}\left[\ln\left(\frac{x^2+1}{x^2}\right) - \frac{2}{3}\right] + c$

C) $\frac{2\left(x^2+1\right)^{3/2}}{3x^3}\left[\frac{1}{3} - \frac{1}{2}\ln\left(\frac{x^2+1}{x^2}\right)\right] + c$

D) $\frac{\left(x^2+1\right)^{3/2}}{3x^3}\left[\ln\left(\frac{x^2+1}{x^2}\right) + \frac{2}{3}\right] + c$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q11

Definite Integration

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4

Top 100: **29%** got it right · Campus: **26%** (17 of 65)

Tough one

You: Skipped

11. Let $f(x)=\sin x+\sum_{r=0}^{2}\cos\left(x+\frac{2r\pi}{3}\right)$, $g(x)=\cos x+\sum_{r=0}^{2}\sin\left(x+\frac{2r\pi}{3}\right)$ then $\int_{0}^{\frac{\pi}{2}} f(g(x))f(x)\,dx=$

A) $1+\sin 1$ B) $1-\sin 1$ C) $1+\cos 1$ D) $1-\cos 1$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q22

Definite Integration – Definite integral of a product × sum of reciprocals

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 5

Top 100: **20%** got it right · Campus: **20%** (13 of 65)

Tough one

You: Wrong

22. $\int_{0}^{102}(x-1)(x-2)....(x-100)\left(\frac{1}{x-1}+\frac{1}{x-2}+...+\frac{1}{x-100}\right)dx = p(p!)$ then the number of positive integral divisors of p is equal to_____ (where, $p\in N, p!$ means the product of first p natural numbers).

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q16

Definite Integration – $\int_0^{100}([\tan^{-1}x]+[\cot^{-1}x])\,dx$ with GIF

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **16%** got it right · Campus: **11%** (7 of 65)

Tough one

You: Wrong

16. If $\int_{0}^{100}\left(\left[\tan^{-1}x\right]+\left[\cot^{-1}x\right]\right)dx=...$ [.] denotes the greatest integer function

A) $100-\cot 1$ B) $100+2\cot 1$ C) $100-2\cot 2$ D) $100+2\cot 2$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit

6 questions · easy misses first
cropped from the question paper

Q26

Electrostatics
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **70%** got it right · Campus: **69%** (45 of 65)

Easy miss
You: Wrong

26. A non-conducting sphere of radius R carries a uniform volume charge density ρ. A spherical cavity of radius $\frac{R}{2}$ is made in it such that the centre of the cavity is at a distance $\frac{R}{2}$ from the centre of the sphere. The magnitude of the electric field at any point inside the cavity is

A) $\rho\frac{R}{12\varepsilon_0}$ B) $\rho\frac{R}{3\varepsilon_0}$ C) $\rho\frac{R}{6\varepsilon_0}$ D) Zero

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q29

Electrostatics
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **61%** got it right · Campus: **48%** (31 of 65)

Within reach
You: Wrong

29. A point charge q is placed on the axis of a circular disc of radius R at a distance $\frac{R}{\sqrt{3}}$ from its centre. The electric flux through the disc is

A) $\frac{q\left(2-\sqrt{3}\right)}{4\varepsilon_0}$ B) $\frac{q}{6\varepsilon_0}$ C) $\frac{q}{2\varepsilon_0}$ D) $\frac{q}{4\varepsilon_0}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q37

Current Electricity – Infinite ladder – voltage across the 2nd shunt resistor

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **52%** got it right · Campus: **46%** (30 of 65)

Within reach

You: Wrong

37. A 24 V battery of negligible internal resistance is connected to an infinite ladder network. In each section, both the top rail and the bottom rail contain a 1 Ω resistor, and a 4 Ω resistor is connected across the rails. The potential difference across the second 4 Ω resistor (counting from the battery) is

A) 12 V B) 8 V C) 6 V D) 3 V

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42

Kinematics – Distance (not displacement) in 3 s for a ball thrown up

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **44%** got it right · Campus: **48%** (31 of 65)

Within reach

You: Wrong

42. A ball is thrown vertically upward with a speed of 20 m/s (take g = 10 m/s^2). The total distance travelled by the ball in the first 3 s is

A) 15 m B) 25 m C) 20 m D) 45 m

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q46

Electrostatics

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5

Top 100: **25%** got it right · Campus: **25%** (16 of 65)

Tough one

You: Wrong

46. In a region the electric field is $E = \left(5x\hat{i} + 3y\hat{j} + 4\hat{k}\right) N/C$, with x, y in meters. A cube of side 1m has one vertex at the origin and its edges along the positive x, y and z axis. The net electric flux through the cube (in Nm²/C) is _____.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q30 **Electrostatics – Field energy inside vs outside a charged sphere**

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **17%** got it right · Campus: **11%** (7 of 65)

Tough one

You: Wrong

30. A solid sphere of radius R carries a total charge Q distributed uniformly throughout its volume. The ratio of the electrostatic field energy stored inside the sphere to that stored outside the sphere is

A) 3 : 5 B) 1 : 5 C) 1 : 3 D) 1 : 2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Chemistry – questions to revisit


4 questions · easy misses first
cropped from the question paper


Q68


Aldehydes & Ketones
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **79%** got it right · Campus: **89%** (58 of 65)


Easy miss
You: Wrong


68. End product (C) of the reaction is



A) 

B) 

C) 

D) 

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q69

Aldehydes & Ketones – **Order of hydration constants of carbonyls**
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **52%** got it right · Campus: **49%** (32 of 65)

Within reach
You: Wrong

69. Arrange in their increasing order of equilibrium constants for hydration?



A) A < B < C < D < E
B) A < C < B < E < D
C) A < C < E < B < D
D) C < A < B < E < D

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q75 Aldehydes & Ketones

JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **27%** got it right · Campus: **38%** (25 of 65)

Tough one

You: Wrong

75. 

Number of possible product(S) including stereoisomerism

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q74 Alcohols, Phenols & Ethers – Site of benzylation of 2-naphthoxide


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **12%** got it right · Campus: **15%** (10 of 65)

Tough one

You: Wrong

74. Which site is predominately benzylated in the given reaction?



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced – question by question

130 / 176 · 73.9%
09 Oct 2026

6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	**2**	3	4	5	6	**7**	8	9	10	11	**12**	13	14	15	16	17
Physics	18	19	**20**	**21**	22	23	24	~~25~~	26	27	28	29	30	**31**	**32**	33	**34**
Chemistry	35	**36**	37	38	39	40	41	42	43	44	45	**46**	**47**	48	49	50	**51**

7 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 61 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40-69% · **Tough one** below 40%

Maths

3 of 17 questions lost · **14** marks · 2 within reach · 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q7	Within reach	**Differential Equations** – Curve from tangent-intercept ratio BP : AP = 3 : 1	Multiple correct · +4 / −2	Wrong	6	43%	26%
Q2	Within reach	**Definite Integration** – f(a) = ∫ ln(1+x^a)/(1+x) dx – find f(4) + f(1/4)	Single correct · +3 / −1	Wrong	4	42%	34%
Q12	Tough one	**Differential Equations** – Solve a first-order DE and match its constants	Integer · +4 / 0	Wrong	4	35%	26%

Physics

5 of 16 questions lost · **17** marks · 1 within reach · 4 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q21	Within reach	**Kinematics**	Single correct · +3 / −1	Wrong	4	64%	51%
Q34	Tough one	**Electrostatics** – Flux through a cube from a wire along one edge	Paragraph · +3 / 0	Wrong	3	33%	23%
Q20	Tough one	**Kinematics** – Shell fired from a plateau – minimum landing distance	Single correct · +3 / −1	Wrong	4	29%	23%
Q31	Tough one	**Kinematics** – Hexagon projectile – maximum height	Paragraph · +3 / 0	Wrong	3	5%	5%
Q32	Tough one	**Kinematics** – Hexagon projectile – speed at the top	Paragraph · +3 / 0	Wrong	3	5%	5%


Chemistry

4 of 17 questions lost · **15** marks · 1 easy miss · 3 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q36	Easy miss	**Aldehydes & Ketones**	Single correct · +3 / −1	Wrong	4	70%	77%
Q47	Tough one	**Carboxylic Acids**	Integer · +4 / 0	Wrong	4	32%	33%
Q46	Tough one	**Alcohols, Phenols & Ethers** – Identifying polar aprotic solvents	Integer · +4 / 0	Wrong	4	24%	8%
Q51	Tough one	**Carboxylic Acids** – Moles of $LiAlH_4$ to reduce RCOOH to RCH_2OH	Paragraph · +3 / 0	Wrong	3	17%	23%

8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Differential Equations	5	≈ 8/18		30%	Q7, Q12
Definite Integration	5	≈ 13/17		54%	Q2
Area Under Curves	3	≈ 10/10		60%	– none
Indefinite Integration	4	≈ 15/15		71%	– none
Physics					
Kinematics	8	≈ 14/28		41%	Q20, Q21, Q31, Q32
Electrostatics	6	≈ 18/21		45%	Q34
Current Electricity	2	≈ 7/7		68%	– none
Chemistry					
Carboxylic Acids	4	≈ 7/14		48%	Q47, Q51
Aldehydes & Ketones	6	≈ 16/20		83%	Q36
Alcohols, Phenols & Ethers	7	≈ 22/26		62%	Q46

Bar = your % of the chapter's marks | campus average

9 JEE Advanced · Maths – questions to revisit

3 questions · easy misses first
cropped from the question paper

Q7

Differential Equations – Curve from tangent-intercept ratio BP : AP = 3 : 1
JEE Advanced · Maths · Multiple correct · marking +4 / −2 · marks lost 6
Top 100: **43%** got it right · Campus: **26%** (16 of 61)

Within reach
You: Wrong

7. A curve $y = f(x)$ passes through the point (1,1) and tangent at P(x,y) cuts the x-axis and y-axis at A and B, respectively such that BP:AP=3:1, then

A) Equation of the curve is $xy^3 = 1$

B) Equation of normal at the point (1,1) is $x - 3y + 2 = 0$

C) Curve passes through the point $\left(\frac{1}{8}, 2\right)$

D) Equation of the curve is $x\frac{dy}{dx} + 3y = 0$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q2

Definite Integration – f(a) = ∫ ln(1+x^a)/(1+x) dx – find f(4) + f(1/4)
JEE Advanced · Maths · Single correct · marking +3 / −1 · marks lost 4
Top 100: **42%** got it right · Campus: **34%** (21 of 61)

Within reach
You: Wrong

2. Let $f(a) = \int_0^1 \frac{\ln(1+x^a)}{1+x} dx$ then $f(4) + f\left(\frac{1}{4}\right)$ is equal to

A) $\ln^2 1$ B) $\ln^2 2$ C) $\ln^2 3$ D) $\ln^2 4$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q12 **Differential Equations – Solve a first-order DE and match its constants**

JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4

Top 100: **35%** got it right · Campus: **26%** (16 of 61)

Tough one

You: Wrong

12. The differential equation $\left(xy^3\left(1+\cos x\right)-y\right)dx+xdy=0$ represents the curve $\frac{x^2}{ay^2}=\frac{x^3}{b}+x^2\sin x+cx\cos x-d\sin x+k$. Then a+b+c+d is equal to (where 'k' is arbitrary constant).

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Physics – questions to revisit

5 questions · easy misses first
cropped from the question paper

Q21

Kinematics
JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4
Top 100: **64%** got it right · Campus: **51%** (31 of 61)

Within reach
You: Wrong

21. Two boats were going down stream with different velocities. When one overtook the other a plastic ball was dropped from one of the boats. Sometime later both boats turned back simultaneously and went at the same speeds as before (relative to water) towards the spot where the ball had been dropped. Which boat will reach the ball first?
A) the boat with greater velocity (relative to water)
B) the boat with lesser velocity (relative to water)
C) both will reach the ball simultaneously
D) data insufficient

Why did I lose this question? (write the reason and the correct approach)
☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q34

Electrostatics – Flux through a cube from a wire along one edge
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **33%** got it right · Campus: **23%** (14 of 61)

Tough one
You: Wrong


PARAGRAPH-II

The electric flux linked with a surface is the number of electric field lines associated with that area. Gauss law helps determine the flux

$$\oint \vec{E}.\vec{ds} = \frac{Q_{inc}}{\varepsilon_0}$$

For an open surface the flux will change depending on the solid angle. Considering this answer the following questions.

34.



A cube of edge length a contains an infinite wire of linear charge density λ at one of edges the flux associated with cube is given by $P\lambda a/\varepsilon_0$.The value of P upto two decimal places is :

Why did I lose this question? (write the reason and the correct approach)
☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q20 **Kinematics – Shell fired from a plateau – minimum landing distance**


JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4

Top 100: **29%** got it right · Campus: **23%** (14 of 61)

Tough one

You: Wrong

20. A gun is mounted on a plateau 960m away from its edge as shown. Height of plateau is 960m. The gun can fire shells with a velocity 100 m/s at any angle of the following choices. What is the minimum distance OP(=x) from the edge of plateau where shell of



gun can reach? (given $g=10m/s^2$, $\sin 74^0 = \sin 106^0 \simeq 0.96$)

A) 480 m B) 720 m C) 360 m D) 960 m


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q31 **Kinematics – Hexagon projectile – maximum height**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **5%** got it right · Campus: **5%** (3 of 61)

Tough one
You: Wrong

PARAGRAPH-I



A regular hexagon of side a=$10\sqrt{3}$ m is shown in figure. From any point a particle is projected such that it touches B,C,D and E. The velocity of particle is v m/s. O is the centre of the hexagon. x-axis is parallel to horizontal and y-axis is perpendicular to AE and CD (g=10 m/s^2) $\left(\sqrt{3}=1.73\right)$.

31. The maximum height from the horizontal surface X' attained by the projectile is ___ m.


Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q32 **Kinematics – Hexagon projectile – speed at the top**
JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **5%** got it right · Campus: **5%** (3 of 61)

Tough one
You: Wrong

PARAGRAPH-I



A regular hexagon of side a=$10\sqrt{3}$ m is shown in figure. From any point a particle is projected such that it touches B,C,D and E. The velocity of particle is v m/s. O is the centre of the hexagon. x-axis is parallel to horizontal and y-axis is perpendicular to AE and CD (g=10 m/s^2) $\left(\sqrt{3}=1.73\right)$.

32. The velocity of projectile at maximum height is _____ m/s


Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


Q36 **Aldehydes & Ketones**
JEE Advanced · Chemistry · Single correct · marking +3 / −1 · marks lost 4
Top 100: **70%** got it right · Campus: **77%** (47 of 61)


Easy miss
You: Wrong


36. The end products of the following sequence of reactions are



A)yellow precipitate of CHI_3, 

B)yellow precipitate of CHI_3, 

C)yellow precipitate of CHI_3, 

D)yellow precipitate of CHI_3, 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q47 Carboxylic Acids


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4


Top 100: **32%** got it right · Campus: **33%** (20 of 61)


Tough one


You: Wrong

47. At room temperature how many of the following compounds can decompose $NaHCO_3$ to liberate CO_2?

a) 

b) 

c) 

d) 

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q46 Alcohols, Phenols & Ethers – Identifying polar aprotic solvents



JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **24%** got it right · Campus: **8%** (5 of 61)

Tough one

You: Wrong

46. How many of the following are polar aprotic solvents?

 Diethyl ether, Benzene, Ethyl alcohol,  Petrol

[P] [Q] [R] [S] [T] [U]

Acetone DMSO (dimethyl sulphoxide DMF (dimethyl formamide formic acid

[Q] [W] [X] [Y]

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q51 **Carboxylic Acids – Moles of $LiAlH_4$ to reduce RCOOH to RCH_2OH**

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **17%** got it right · Campus: **23%** (14 of 61)

Tough one

You: Wrong

PARAGRAPH-II

Carboxylic acids are organic compounds containing the carbonyl(>C=O) and hydroxyl (-OH) functional groups combined as a carboxyl group(-COOH). Due to resonance stabilization of the carboxylate anion, carboxylic acids exhibit higher acidity compared to alcohols and phenols. They participate in several characteristic reactions, including nucleophilic acyl substitution (esterification, amide formation, acid halide synthesis), decarboxylation, and reduction to primary alcohols. Furthermore, the presence of the –COOH group strongly influences physical properties, enabling extensive intermolecular hydrogen bonding that results in higher boiling points and stable dimeric structures in non-polar solvents.

51. The number of moles of $LiAlH_4$ required theoretically to reduce eight moles of carboxylic acid to primary alcohol

$$RCOOH \xrightarrow[2.H_3O^+]{1.LiAiH_4} RCH_2OH$$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

10 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q56 — JEE Advanced: Q25. **Program rank** = rank in Pragya G10 (EXT) Achievers across all campuses, from the batch's question-wise sheet. **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.