CLASS 10 · PART TEST-1 · STUDENT PERFORMANCE REPORT

Vibha Nayana Pobbati

Pragya G10 (EXT) Achievers · Adm No **257425226**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

226 / 296 **76.4%**

17	13	5/65	5
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **211.8 / 300** (70.6%) → this test **76.4%** ▲ **5.7**

70 marks lost: 50 on 10 wrong answers (incl. 10 negative) · 20 on 5 skipped

1 Subject scorecard

Your marks in each subject, against the 65 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 226 / 296 · 76.4%							
Maths	**86**/100	86%	**12**	58.2 / 100	**74.1**/100 74.1%	▲ **11.9**	22 / 2 / 1
Physics	**63**/100	63%	**147**	53.8 / 100	**62.5**/100 62.5%	▲ **0.5**	17 / 5 / 3
Chemistry	**77**/96	80%	**9**	55.9 / 91	**75.3**/100 75.3%	▲ **4.9**	20 / 3 / 1

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Maths** is your strongest JEE Mains subject: 86/100 (86%), All-India subject rank 12.
2. **Physics** needs the most work in JEE Mains: 63/100 (63%), subject rank 147; you lost 8 of its 25 questions.
3. Biggest improvement: **JEE Mains Maths** – 86% here against 74% on average.
4. **1 question** you lost were answered correctly by 70%+ of the batch's top 100 – about **5 marks** within easy reach (Mains Q50).
5. Negative marking cost you **10 in JEE Mains**.
6. You attempted almost everything (only 5 questions skipped across both papers), so the marks to gain are in **accuracy**: wrong answers – 10 in JEE Mains.

JEE Mains – question by question

226 / 296 · 76.4%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	**16**	17	**18**	19	20	21	**22**	23	24	25
Physics	26	**27**	**28**	29	**30**	**31**	32	33	34	**35**	36	**37**	38	39	40	41	**42**	43	44	45	46	47	48	49	**50**
Chemistry	51	**52**	53	54	55	~~56~~	57	58	59	60	61	62	**63**	64	65	66	67	68	**69**	70	**71**	72	73	74	75

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 65 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40-69% · **Tough one** below 40%

Maths

3 of 25 questions lost · **14** marks · ● 3 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q18	Tough one	**Definite Integration** – ∫ of min{|x – 3k|} – periodic zig-zag	Single correct · +4 / –1	Wrong	5	37%	40%
Q22	Tough one	**Definite Integration** – Definite integral of a product × sum of reciprocals	Numerical · +4 / –1	Skipped	4	20%	20%
Q16	Tough one	**Definite Integration** – $\int_0^{100}$ ([tan⁻¹x] + [cot⁻¹x]) dx with GIF	Single correct · +4 / –1	Wrong	5	16%	11%

Physics

8 of 25 questions lost · **37** marks · ● 1 easy miss · ● 6 within reach · ● 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q50	Easy miss	**Kinematics**	Numerical · +4 / –1	Wrong	5	75%	80%
Q28	Within reach	**Electrostatics**	Single correct · +4 / –1	Wrong	5	54%	45%
Q37	Within reach	**Current Electricity** – Infinite ladder – voltage across the 2nd shunt resistor	Single correct · +4 / –1	Skipped	4	52%	46%
Q31	Within reach	**Electrostatics**	Single correct · +4 / –1	Skipped	4	50%	35%
Q35	Within reach	**Current Electricity**	Single correct · +4 / –1	Wrong	5	50%	48%
Q42	Within reach	**Kinematics** – Distance (not displacement) in 3 s for a ball thrown up	Single correct · +4 / –1	Wrong	5	44%	48%
Q27	Within reach	**Electrostatics** – Potential at the centre of a thick charged shell	Single correct · +4 / –1	Wrong	5	42%	32%
Q30	Tough one	**Electrostatics** – Field energy inside vs outside a charged sphere	Single correct · +4 / –1	Skipped	4	17%	11%




Chemistry

4 of 24 questions lost · **19** marks · ● 2 within reach · ● 2 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q71	Within reach	**Alcohols, Phenols & Ethers**	Numerical · +4 / –1	Skipped	4	55%	68%
Q69	Within reach	**Aldehydes & Ketones** – Order of hydration constants of carbonyls	Single correct · +4 / –1	Wrong	5	52%	49%
Q63	Tough one	**Aldehydes & Ketones** – Enol-ether hydrolysis; iodoform-positive products	Single correct · +4 / –1	Wrong	5	32%	45%
Q52	Tough one	**Alcohols, Phenols & Ethers** – Ether vs butanol miscibility – assertion / reason	Single correct · +4 / –1	Wrong	5	24%	22%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Definite Integration	9	22/36		29%	Q16, Q18, Q22
Area Under Curves	5	20/20		86%	– none
Differential Equations	4	16/16		84%	– none
Indefinite Integration	7	28/28		61%	– none
Physics					
Electrostatics	8	14/32		27%	Q27, Q28, Q30, Q31
Current Electricity	8	23/32		57%	Q35, Q37
Kinematics	9	26/36		75%	Q42, Q50
Chemistry					
Alcohols, Phenols & Ethers	10	31/40		48%	Q52, Q71
Aldehydes & Ketones	14	46/56		65%	Q63, Q69

Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

3 questions · easy misses first
cropped from the question paper

Q18 Definite Integration – ∫ of min{|x − 3k|} – periodic zig-zag

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **37%** got it right · Campus: **40%** (26 of 65)

Tough one
You: Wrong

18. Let $f(x)=\min\{...,|x+6|,|x+3|,|x|,|x-3|,|x-6|,...\}$ then $\int_{-4}^{3} f(x)\,dx =$ _____

A) 4 B) $\frac{9}{2}$ C) 5 D) $\frac{11}{2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q22 Definite Integration – Definite integral of a product × sum of reciprocals

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 4
Top 100: **20%** got it right · Campus: **20%** (13 of 65)

Tough one
You: Skipped

22. $\int_{0}^{102}(x-1)(x-2)....(x-100)\left(\frac{1}{x-1}+\frac{1}{x-2}+...+\frac{1}{x-100}\right)dx = p(p!)$ then the number of positive integral divisors of p is equal to_____ (where, $p \in N, p!$ means the product of first p natural numbers).

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q16 Definite Integration – $\int_0^{100}$ ([tan⁻¹x] + [cot⁻¹x]) dx with GIF

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5
Top 100: **16%** got it right · Campus: **11%** (7 of 65)

Tough one
You: Wrong

16. If $\int_{0}^{100}\left(\left[\tan^{-1}x\right]+\left[\cot^{-1}x\right]\right)dx = ...$ [.] denotes the greatest integer function

A) $100-\cot 1$ B) $100+2\cot 1$ C) $100-2\cot 2$ D) $100+2\cot 2$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit

8 questions · easy misses first
cropped from the question paper

Q50 Kinematics

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5
Top 100: **75%** got it right · Campus: **80%** (52 of 65)

Easy miss
You: Wrong

50. A body is dropped from rest from the top of a tower. It covers 25 m in the last second of its fall. The time (in s) taken by the body to reach the ground is _____. ($g = 10\ m/s^2$)

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q28 Electrostatics

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **54%** got it right · Campus: **45%** (29 of 65)

Within reach
You: Wrong

28. Two fixed point charges +Q each are separated by '2a'. A particle of mass 'm' and charge −q is placed on the perpendicular bisector of the line joining them, at a small distance y (≪ a) from the midpoint, and released. Assuming only electrostatic forces act, the time period of its oscillation is

A) $2\pi\sqrt{\frac{\pi\varepsilon_0 ma^3}{Qq}}$ B) $2\pi\sqrt{\frac{2\pi\varepsilon_0 ma^3}{Qq}}$ C) $2\pi\sqrt{\frac{4\pi\varepsilon_0 ma^3}{Qq}}$ D) $\pi\sqrt{\frac{\pi\varepsilon_0 ma^3}{Qq}}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q37 Current Electricity – Infinite ladder – voltage across the 2nd shunt resistor

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **52%** got it right · Campus: **46%** (30 of 65)

Within reach

You: Skipped

37. A 24 V battery of negligible internal resistance is connected to an infinite ladder network. In each section, both the top rail and the bottom rail contain a 1 Ω resistor, and a 4 Ω resistor is connected across the rails. The potential difference across the second 4 Ω resistor (counting from the battery) is

A) 12 V B) 8 V C) 6 V D) 3 V

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q31 Electrostatics

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **50%** got it right · Campus: **35%** (23 of 65)

Within reach

You: Skipped

31. Three thin concentric conducting shells of radii R, 2R and 3R carry charges +Q, +2Q and +3Q respectively. The innermost and the outermost shells are now joined by a thin wire. The charge that flows through the wire is

A) $\frac{Q}{2}$ B) Q C) 2Q D) $\frac{3Q}{2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q35

Current Electricity

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **50%** got it right · Campus: **48%** (31 of 65)

Within reach

You: Wrong

35. A 12 V battery of negligible internal resistance is connected to the input terminals of an infinite ladder network. Each section of the ladder has a 1 Ω resistor in the top (series) arm and a 2 Ω resistor connected across the two rails. The current through the first 2 Ω shunt resistor is

A) 6 A B) 3 A C) 2 A D) 4 A

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42

Kinematics – Distance (not displacement) in 3 s for a ball thrown up

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **44%** got it right · Campus: **48%** (31 of 65)

Within reach

You: Wrong

42. A ball is thrown vertically upward with a speed of 20 m/s (take g = 10 m/s^2). The total distance travelled by the ball in the first 3 s is

A) 15 m B) 25 m C) 20 m D) 45 m

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Electrostatics – Potential at the centre of a thick charged shell

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **42%** got it right · Campus: **32%** (21 of 65)

Within reach

You: Wrong

27. A thick spherical shell of inner radius ‘a’ and outer radius ‘b’ carries a uniform volume charge density ρ. The electric potential at the centre of the shell (taking V = 0 at infinity) is

A) $\rho\dfrac{(b^2-a^2)}{12\varepsilon_0}$ B) $\rho\dfrac{(b^3-a^3)}{3\varepsilon_0 b}$ C) $\rho\dfrac{(b^2-a^2)}{2\varepsilon_0}$ D) $\rho\dfrac{(b^3-a^3)}{3\varepsilon_0 a}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q30 **Electrostatics – Field energy inside vs outside a charged sphere**

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **17%** got it right · Campus: **11%** (7 of 65)

Tough one

You: Skipped

30. A solid sphere of radius R carries a total charge Q distributed uniformly throughout its volume. The ratio of the electrostatic field energy stored inside the sphere to that stored outside the sphere is

A) 3 : 5 B) 1 : 5 C) 1 : 3 D) 1 : 2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Chemistry – questions to revisit

4 questions · easy misses first
cropped from the question paper

Q71

Alcohols, Phenols & Ethers
JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 4
Top 100: **55%** got it right · Campus: **68%** (44 of 65)

Within reach
You: Skipped

71. PCl_3 and an alcohol can react in x:y molar ratio to form corresponding alkyl halide and an oxyacid of basicity z. What is $\left(\frac{y}{x}+z\right)$?

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q69

Aldehydes & Ketones – **Order of hydration constants of carbonyls**
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **52%** got it right · Campus: **49%** (32 of 65)

Within reach
You: Wrong

69. Arrange in their increasing order of equilibrium constants for hydration?



A) A < B < C < D < E
B) A < C < B < E < D
C) A < C < E < B < D
D) C < A < B < E < D

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q63

Aldehydes & Ketones – Enol-ether hydrolysis; iodoform-positive products

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **32%** got it right · Campus: **45%** (29 of 65)


Tough one


You: Wrong

63. $\underset{C_5H_{10}O}{(A)} \xrightarrow{H_3O^{\oplus}} B + C; (B) and (C)$ both give +ve Iodoferm test.

Compound (A) is

A) $CH_3-CH=CH-O-CH_2-CH_3$

B) 

C) 

D) Both (B) and (C)

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q52

Alcohols, Phenols & Ethers – Ether vs butanol miscibility – assertion / reason

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **24%** got it right · Campus: **22%** (14 of 65)

Tough one

You: Wrong

52. **Assertion(A) :** Ethoxy ethane and butanol-1 have almost same miscibility with water.
Reason(R) : Ethoxy ethane and butanol-1 have form Hydrogen bond with water.

A) Both (A) and (R) are correct and (R) is the correct explanation of (A)

B) (A) is correct but (R) is not correct

C) Both (A) and (R) are not correct

D) Both (A) and (R) are correct and (R) is not the correct explanation of (A)

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

6 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q56. **Program rank** = rank in Pragya G10 (EXT) Achievers across all campuses, from the batch's question-wise sheet. **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet.