CLASS 8 · PART TEST-1 · STUDENT PERFORMANCE REPORT

M Charan Kumar Reddy

Pragya G8 (EXI) Achievers · Adm No **246562227**

Campus HYD/Nallakunta DD Colony
JEE Mains 08 Oct 2026
JEE Advanced 09 Oct 2026

JEE Mains

08 Oct 2026 · 74 questions

198 / 296 — **66.9%**

38	26	2/63	17
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **198.8 / 300** (66.3%) → this test **66.9%** ▲ **0.6**

98 marks lost: 50 on 10 wrong answers (incl. 10 negative) · 48 on 12 skipped

JEE Advanced

09 Oct 2026 · 48 questions

74 / 171 — **43.3%**

375	265	16/63	101†
ALL-INDIA	STATE	CAMPUS	PROGRAM

Weekly-test average **89.4 / 180** (49.7%) → this test **43.3%** ▼ **6.4**

97 marks lost: 59 on 14 wrong answers (incl. 10 negative) · 36 on 10 skipped · 2 on partly-correct answers

1 Subject scorecard

Your marks in each subject, against the 63 students of this program on campus and against your own weekly-test average.

SUBJECT	MARKS	SCORE VS CAMPUS	SUBJECT AIR	CAMPUS AVG / BEST	WEEKLY AVG	CHANGE	RIGHT / WRONG / SKIP
JEE Mains 198 / 296 · 66.9%							
Maths	**74**/96	77%	**7**	37.0 / 77	**73.1**/100 73.1%	▲ **4.0**	19 / 2 / 3
Physics	**60**/100	60% Best on campus	**46**	18.3 / 60	**71.0**/100 71.0%	▼ **11.0**	16 / 4 / 5
Chemistry	**64**/100	64%	**349**	37.4 / 86	**54.5**/100 54.5%	▲ **9.5**	17 / 4 / 4
JEE Advanced 74 / 171 · 43.3%							
Maths	**21**/54	39%	**461**	24.2 / 41	**39.5**/60 65.8%	▼ **26.9**	7 / 3 / 5
Physics	**22**/60	37%	**268**	9.4 / 40	**29.2**/60 48.7%	▼ **12.0**	8 / 7 / 2
Chemistry	**31**/57	54%	**541**	23.9 / 50	**21.0**/60 35.1%	▲ **19.3**	9 / 4 / 3

Bar = your score % | campus average | best on campus Change = this test % − weekly-test average %

What this report says

1. **Maths** is your strongest JEE Mains subject: 74/96 (77%), All-India subject rank 7.
2. Your JEE Mains **Physics** score (60/100) is the best on campus – All-India subject rank 46.
3. **Physics** needs the most work in JEE Mains: 60/100 (60%), subject rank 46; you lost 9 of its 25 questions.
4. **Chemistry** is your strongest JEE Advanced subject: 31/57 (54%), All-India subject rank 541.
5. **Physics** needs the most work in JEE Advanced: 22/60 (37%), subject rank 268; you lost 9 of its 17 questions.
6. Biggest fall against your weekly-test average: **JEE Advanced Maths** – 39% here against 66% on average.
7. Biggest improvement: **JEE Advanced Chemistry** – 54% here against 35% on average.
8. **15 questions** you lost were answered correctly by 70%+ of the batch's top 100 – about **65 marks** within easy reach (Mains Q32, Q37, Q66, Q74 · Advanced Q2, Q3, Q6, Q7, Q11, Q22, Q24, Q25, Q38, Q41, Q43).
9. Negative marking cost you **10 in JEE Mains and 10 in JEE Advanced**.
10. You left **12 in JEE Mains and 10 in JEE Advanced** questions blank, and answered 10 in JEE Mains and 14 in JEE Advanced wrong – both are marks to recover.

JEE Mains – question by question

198 / 296 · 66.9%
08 Oct 2026

2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	2	3	**4**	5	6	**7**	8	9	10	**11**	12	13	**14**	15	16	17	18	19	~~20~~	21	22	23	24	**25**
Physics	26	27	28	29	30	31	**32**	33	34	35	36	**37**	**38**	39	40	41	**42**	43	44	**45**	46	**47**	**48**	**49**	**50**
Chemistry	51	52	53	54	55	56	57	**58**	59	60	61	62	63	64	**65**	**66**	**67**	68	69	70	71	**72**	**73**	**74**	**75**

3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 63 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

5 of 24 questions lost · **22** marks · ● 5 within reach

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q7	Within reach	**Logarithms & Exponents**	Single correct · +4 / −1	**Skipped**	4	65%	35%
Q14	Within reach	**Logarithms & Exponents** – Log-exponential equation; counting solutions	Single correct · +4 / −1	**Skipped**	4	53%	19%
Q11	Within reach	**Quadratic Equations**	Single correct · +4 / −1	**Skipped**	4	46%	21%
Q25	Within reach	**Surds & Indices**	Numerical · +4 / −1	**Wrong**	5	44%	21%
Q4	Within reach	**Sequences & Series** – Identify AP / GP / HP from a surd expression	Single correct · +4 / −1	**Wrong**	5	42%	19%

Physics

9 of 25 questions lost · **40** marks · ● 2 easy miss · ● 1 within reach · ● 6 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q32	Easy miss	**Kinematics**	Single correct · +4 / −1	**Wrong**	5	75%	29%
Q37	Easy miss	**Kinematics** – a–x graph from a given v–x graph (a = v·dv/dx)	Single correct · +4 / −1	**Skipped**	4	71%	54%
Q50	Within reach	**Laws of Motion**	Numerical · +4 / −1	**Skipped**	4	44%	17%
Q42	Tough one	**Laws of Motion** – Extra tension when bird leaves the wire	Single correct · +4 / −1	**Wrong**	5	31%	14%
Q38	Tough one	**Kinematics** – Resistance ∝ v^2 – time inside plank	Single correct · +4 / −1	**Skipped**	4	27%	11%
Q45	Tough one	**Laws of Motion** – Contact force between pushed blocks (statement type)	Single correct · +4 / −1	**Wrong**	5	27%	10%
Q47	Tough one	**Vectors** – Net displacement from multi-leg journey	Numerical · +4 / −1	**Skipped**	4	15%	3%
Q48	Tough one	**Kinematics** – Distance from a-t graph	Numerical · +4 / −1	**Skipped**	4	15%	3%
Q49	Tough one	**Kinematics** – Free fall then deceleration – find height	Numerical · +4 / −1	**Wrong**	5	15%	2%

Chemistry

8 of 25 questions lost · **36** marks · ● 2 easy miss · ● 5 within reach · ● 1 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q66	Easy miss	**Periodic Classification**	Single correct · +4 / −1	**Wrong**	**5**	**91%**	65%
Q74	Easy miss	**Periodic Classification**	Numerical · +4 / −1	**Skipped**	**4**	**70%**	46%
Q72	Within reach	**Mole Concept & Basics**	Numerical · +4 / −1	**Skipped**	**4**	**69%**	37%
Q65	Within reach	**Periodic Classification** – Largest radius among isoelectronic ions	Single correct · +4 / −1	**Wrong**	**5**	**64%**	33%
Q73	Within reach	**Mole Concept & Basics**	Numerical · +4 / −1	**Skipped**	**4**	**60%**	22%
Q75	Within reach	**Chemical Bonding** – Hybrid orbitals + lone pairs in NH_3	Numerical · +4 / −1	**Skipped**	**4**	**60%**	30%
Q58	Within reach	**Atomic Structure**	Single correct · +4 / −1	**Wrong**	**5**	**57%**	16%
Q67	Tough one	**Chemical Bonding** – Strongest ionic bond (charge and size)	Single correct · +4 / −1	**Wrong**	**5**	**32%**	13%

4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Logarithms & Exponents	3	**4**/12		40%	**Q7**, **Q14**
Sequences & Series	5	**15**/20		33%	**Q4**
Quadratic Equations	5	**16**/20		11%	**Q11**
Surds & Indices	11	**39**/44		53%	**Q25**
Physics					
Kinematics	10	**18**/40		21%	**Q32**, **Q37**, **Q38**, **Q48**, **Q49**
Laws of Motion	8	**18**/32		7%	**Q42**, **Q45**, **Q50**
Vectors	7	**24**/28		27%	**Q47**
Chemistry					
Periodic Classification	5	**6**/20		58%	**Q65**, **Q66**, **Q74**
Chemical Bonding	6	**15**/24		34%	**Q67**, **Q75**
Atomic Structure	5	**15**/20		31%	**Q58**
Mole Concept & Basics	9	**28**/36		32%	**Q72**, **Q73**

Bar = your % of the chapter's marks | campus average

5 JEE Mains · Maths – questions to revisit

5 questions · easy misses first
cropped from the question paper

Q7

Logarithms & Exponents
JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4
Top 100: **65%** got it right · Campus: **35%** (22 of 63)

Within reach
You: Skipped

7. The roots of the equation $2^{x+2}27^{x/(x-1)} = 9$ are given by

(A) $1 - \log_2 3, 2$ (B) $-2, 1 - \log_3 2$
(C) $-2, 1 - \log_2 3$ (D) $2, -1 \ \log_2 3$

Why did I lose this question? (write the reason and the correct approach)
☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q14

Logarithms & Exponents – **Log-exponential equation; counting solutions**
JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4
Top 100: **53%** got it right · Campus: **19%** (12 of 63)

Within reach
You: Skipped

14. The equation $x^{(3/4)(\log_2^x)^2 + \log_2^x - (5/4)} = \sqrt{2}$ has

(A) at least one real solution (B) exactly four real solutions
(C) exactly two irrational solution (D) exactly four non-real solutions

Why did I lose this question? (write the reason and the correct approach)
☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q11

Quadratic Equations
JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 4
Top 100: **46%** got it right · Campus: **21%** (13 of 63)

Within reach
You: Skipped

11. The range of values of a for which all the roots of the equation $(a-1)(1+x+x^2)^2 = (a+1)(1+x^2+x^4)$ are imaginary is

(A) $(-\infty, -2]$ (B) $(2, \infty)$ (C) $-2 < a < 2$ (D) $(-\infty, 2]$

Why did I lose this question? (write the reason and the correct approach)
☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q25

Surds & Indices

JEE Mains · Maths · Numerical · marking +4 / −1 · marks lost 5

Top 100: **44%** got it right · Campus: **21%** (13 of 63)

Within reach

You: Wrong

25. If $\left(2+\sqrt{3}\right)^{x^2-7x+1}+\left(2-\sqrt{3}\right)^{x^2-7x-1}=\frac{2}{2-\sqrt{3}}$, then the sum of values of 'x' satisfying this equation is equal to_____ ?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q4

Sequences & Series – Identify AP / GP / HP from a surd expression

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **42%** got it right · Campus: **19%** (12 of 63)

Within reach

You: Wrong

4. If a, b, c are in A.P., then $\frac{1}{\sqrt{a}+\sqrt{b}}, \frac{1}{\sqrt{a}+\sqrt{c}}, \frac{1}{\sqrt{b}+\sqrt{c}}$ are in

(A)A.P. (B)G.P. (C)H.P. (D)Neither A.P nor G.P nor H.P

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Physics – questions to revisit

9 questions · easy misses first
cropped from the question paper

Q32 **Kinematics**


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **75%** got it right · Campus: **29%** (18 of 63)

Easy miss

You: Wrong

32. The velocity versus time curve of a moving points is given below. The maximum acceleration is



(A) 1 cm/s^2 (B) 2 cm/s^2 (C) 3 cm/s^2 (D) 4 cm/s^2

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q37

Kinematics – a-x graph from a given v-x graph (a = v·dv/dx)


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **71%** got it right · Campus: **54%** (34 of 63)


Easy miss

You: Skipped


37. The v – x graph for a car in a race on a straight road is given. Identify the correct $a-x$ graph.




(A)




(B)



(C)



(D)



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q50

Laws of Motion

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 4

Top 100: **44%** got it right · Campus: **17%** (11 of 63)

Within reach

You: Skipped

50. A constant force acts on a body of mass 1kg for 5 seconds, so that the body begins to move with zero initial velocity on a smooth horizontal plane. After 5 seconds the force ceases to act. In the next 5 second, the body describes 100m. What is force (in Newton) that acted on the body

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q42

Laws of Motion – Extra tension when bird leaves the wire

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **31%** got it right · Campus: **14%** (9 of 63)

Tough one

You: Wrong

42. A bird dismounts on a stretched telegraph wire. The additional tension produced in the wire is

(A) Zero

(B) greater than the weight of the bird

(C) Less than the weight of the bird

(D) equal to the weight of the bird

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q38

Kinematics – Resistance ∝ v² – time inside plank

JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 4

Top 100: **27%** got it right · Campus: **11%** (7 of 63)

Tough one

You: Skipped

38. Having gone through a plank of thickness h, a bullet changed its velocity from v_0 to v. Find the time of motion of the bullet in the plank assuming resistance force to be proportional to the square of the velocity

(A) $\left[\frac{h(v_0-v)}{vv_0 l\,n\frac{v_0}{v}}\right]$ (B) $\left[\frac{(v_0-v)}{hvv_0 l\,n\left(\frac{v_0}{v}\right)}\right]$ (C) $\left[\frac{vv_0 \ln\left(\frac{v_0}{v}\right)}{h(v_0-v)}\right]$ (D) $\left[\frac{\ln\frac{v_0}{v}}{vv_0(v_0-v)}\right]$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q45

Laws of Motion – Contact force between pushed blocks (statement type)


JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5

Top 100: **27%** got it right · Campus: **10%** (6 of 63)

Tough one

You: Wrong

45. Statement-1: Block A is moving on a horizontal surface towards right under action of force F. all surfaces are smooth. At the instant shown the force exerted by block A on block B is equal to net force on block B.



Statement-2: From Newton's third law, the force exerted by block A on B is equal in magnitude to force exerted by block B on A.

(A) Statement 1 is true, statement 2 is true, statement 2 is correct explanation for statement 1

(B) Statement 1 is true, statement 2 is true, statement 2 is not correct explanation for statement 1

(C) Statement 1 is true, statement 2 is false

(D) Statement 1 is false, statement 2 is true

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q47

Vectors – Net displacement from multi-leg journey

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 4

Top 100: **15%** got it right · Campus: **3%** (2 of 63)

Tough one

You: Skipped

47. In going from one city to another , a car travels 75 km north, 60 km north –west and 20 km east. The magnitude(in km) of the vector drawn between the two cities is $\left(Take 1/\sqrt{2}=0.7\right)$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q48

Kinematics – Distance from a-t graph


JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 4

Top 100: **15%** got it right · Campus: **3%** (2 of 63)

Tough one

You: Skipped

48. An experiment on the take off performance of an aeroplane shows that the acceleration varies as shown in the fig and it takes 12 sec to take off from a rest position.The distance along the runway covered by the aeroplane is(in m).



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q49

Kinematics – Free fall then deceleration – find height

JEE Mains · Physics · Numerical · marking +4 / −1 · marks lost 5

Top 100: **15%** got it right · Campus: **2%** (1 of 63)

Tough one

You: Wrong

49. A parachutist after bailing out falls 50m without friction. When parachute opens, it decelerates at $2m/\sec^2$. He reaches the ground with a speed of 3m/s. The height he bail out is nearly (in m) (Take g=10m/sec^2) .

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Mains · Chemistry – questions to revisit

8 questions · easy misses first
cropped from the question paper

Q66 Periodic Classification

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5
Top 100: **91%** got it right · Campus: **65%** (41 of 63)

Easy miss
You: Wrong

66.

Column-A		Column-B	
(A)	Vertical column in periodic table	(i)	IE_1
(B)	$A(g)+\text{Energy} \rightarrow A^+(g)+e^-$	(ii)	Period
(C)	Horizontal row in periodic table	(iii)	EA_2
(D)	$A(g)+e^- \rightarrow A^-(g)+\text{Energy}$	(iv)	Group
(E)	$A^+(g)+\text{Energy} \rightarrow A^{2+}(g)+e^-$	(v)	EA_1
(F)	$A^-(g)+e^- \rightarrow A^{2-}(g)+\text{Energy}$	(vi)	IE_2

A) [(A) → (i), (B) → (iv) , (C) → (iii) , (D) → (v) ,(E) → (vi) , (F) → (ii)]
B) [(A) → (iv), (B) → (iii) , (C) → (ii) , (D) → (vi) ,(E) → (v) , (F) → (i)]
C) [(A) → (iv), (B) → (i) , (C) → (ii) , (D) → (v) ,(E) → (vi) , (F) → (iii)]
D) [(A) → (v), (B) → (i) , (C) → (ii) , (D) → (iv) ,(E) → (iii) , (F) → (vi)]

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q74 Periodic Classification

JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 4
Top 100: **70%** got it right · Campus: **46%** (29 of 63)

Easy miss
You: Skipped

74. An element X belongs to the 3rd period and has 5 valence electrons. Another element Y belongs to the same period and has 2 valence electrons.
Find the sum of the atomic numbers of X and Y.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q72 — Mole Concept & Basics

JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 4

Top 100: **69%** got it right · Campus: **37%** (23 of 63)

Within reach

You: Skipped

72. At STP, 5 Moles of N_2 reacts completely with excess H_2:
$N_2 + 3H_2 \rightarrow 2NH_3$.
The mass of NH_3 formed is _____ g.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q65 — Periodic Classification – Largest radius among isoelectronic ions

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **64%** got it right · Campus: **33%** (21 of 63)

Within reach

You: Wrong

65. Which of the following has largest radius ?
(A) Mg^{2+} (B) Na^{+} (C) O^{2-} (D) F^{-}

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q73 — Mole Concept & Basics

JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 4

Top 100: **60%** got it right · Campus: **22%** (14 of 63)

Within reach

You: Skipped

73. 3.011×10^{23} molecules of CO_2 contain $x \times 10^{23}$ atoms in total. Find x.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q75 — Chemical Bonding – Hybrid orbitals + lone pairs in NH_3

JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 4

Top 100: **60%** got it right · Campus: **30%** (19 of 63)

Within reach

You: Skipped

75. According to VBT, consider the molecule NH_3. The central nitrogen atom undergoes hybridisation before bond formation.
If the number of hybrid orbitals formed is x, and the number of lone pairs present on nitrogen is y, find:
$x + y$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q58 — Atomic Structure

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **57%** got it right · Campus: **16%** (10 of 63)

Within reach

You: Wrong

58. The ratio of the radii of first orbits of H, He^+ and Li^{2+} is -
(A) 1 : 2 : 3 (B) 6 : 3 : 2 (C) 1 : 4 : 9 (D) 9 : 4 : 1

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q67 — Chemical Bonding – Strongest ionic bond (charge and size)

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **32%** got it right · Campus: **13%** (8 of 63)

Tough one

You: Wrong

67. Which combination will give strongest ionic bond?
(A) K^+ and Cl^- (B) K^+ and O^{2-}
(C) Ca^{2+} and Cl^- (D) Ca^{2+} and O^{2-}

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced – question by question

74 / 171 · 43.3%
09 Oct 2026

6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

Maths	1	**2**	**3**	**4**	5	**6**	**7**	8	9	10	**11**	**12**	13	~~14~~	**15**	16	~~17~~
Physics	18	19	20	21	**22**	**23**	**24**	**25**	**26**	**27**	**28**	29	30	31	32	**33**	**34**
Chemistry	**35**	36	37	**38**	39	40	**41**	42	**43**	44	45	46	47	**48**	**49**	~~50~~	**51**

7 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 63 students of this program on campus.

Easy miss 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40–69% · **Tough one** below 40%

Maths

8 of 15 questions lost · **31** marks (+2 on partly-correct answers) · ● 5 easy miss · ● 3 within reach

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q7	Easy miss	**Sequences & Series**	Multiple correct · +4 / −2	Skipped	4	90%	98%
Q11	Easy miss	**Sequences & Series**	Integer · +4 / 0	Skipped	4	90%	67%
Q3	Easy miss	**Quadratic Equations**	Single correct · +3 / −1	Wrong	4	86%	57%
Q6	Easy miss	**Quadratic Equations** – Other root of $4x^2 + 2x - 1 = 0$ in terms of α	Multiple correct · +4 / −2	Skipped	4	82%	67%
Q2	Easy miss	**Quadratic Equations**	Single correct · +3 / −1	Wrong	4	80%	76%
Q4	Within reach	**Logarithms** – Logs in AP – solve for x	Single correct · +3 / −1	Wrong	4	68%	35%
Q12	Within reach	**Sequences & Series**	Integer · +4 / 0	Skipped	4	68%	38%
Q15	Within reach	**Sequences & Series** – AP: ratio of sums of 14 terms	Paragraph · +3 / 0	Skipped	3	42%	8%

Physics

9 of 17 questions lost · **38** marks · ● 3 easy miss · ● 2 within reach · ● 4 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q22	Easy miss	**Kinematics**	Multiple correct · +4 / −2	Skipped	4	97%	98%
Q25	Easy miss	**Vectors**	Integer · +4 / 0	Wrong	4	84%	37%
Q24	Easy miss	**Laws of Motion** – Tensions in two inclined strings	Multiple correct · +4 / −2	Wrong	6	70%	44%
Q26	Within reach	**Vectors**	Integer · +4 / 0	Wrong	4	56%	32%
Q23	Within reach	**Laws of Motion** – Block on block, no friction – motion of m	Multiple correct · +4 / −2	Wrong	6	51%	22%
Q28	Tough one	**Laws of Motion** – Spring-connected blocks – acceleration	Integer · +4 / 0	Wrong	4	25%	13%
Q33	Tough one	**Kinematics** – Train passage – retardation to avoid collision	Paragraph · +3 / 0	Skipped	3	15%	8%
Q34	Tough one	**Kinematics** – Train passage – time of retardation	Paragraph · +3 / 0	Wrong	3	15%	10%
Q27	Tough one	**Laws of Motion** – Normal reaction between pushed blocks	Integer · +4 / 0	Wrong	4	11%	2%

Chemistry

7 of 16 questions lost · **26** marks · ● 3 easy miss · ● 2 within reach · ● 2 tough one

Q	PRIORITY	CHAPTER – WHAT IT TESTS	TYPE	YOU	MARKS LOST	TOP 100 RIGHT	CAMPUS RIGHT
Q38	Easy miss	**Chemical Bonding** – Pair of species with the same shape (VSEPR)	Single correct · +3 / −1	**Skipped**	**3**	**92%**	49%
Q41	Easy miss	**Periodic Classification**	Multiple correct · +4 / −2	**Wrong**	**6**	**92%**	70%
Q43	Easy miss	**Mole Concept & Basics**	Integer · +4 / 0	**Skipped**	**4**	**84%**	49%
Q49	Within reach	**Mole Concept & Basics** – Mass of oxygen in 24 g of the same copper oxide	Paragraph · +3 / 0	**Wrong**	**3**	**60%**	49%
Q35	Within reach	**Mole Concept & Basics** – Limiting reagent over two-step reaction	Single correct · +3 / −1	**Wrong**	**4**	**51%**	24%
Q48	Tough one	**Mole Concept & Basics** – Empirical formula from % composition	Paragraph · +3 / 0	**Wrong**	**3**	**0%**	59%
Q51	Tough one	**Atomic Structure** – Hydrogen-like ion – find Z from photon energies	Paragraph · +3 / 0	**Skipped**	**3**	**0%**	5%

8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

CHAPTER	QS	YOUR MARKS	YOU VS CAMPUS AVERAGE	CAMPUS AVG	QUESTIONS YOU LOST
Maths					
Sequences & Series	4	≈ **0**/15		56%	**Q7**, **Q11**, **Q12**, **Q15**
Quadratic Equations	7	≈ **14**/26		43%	**Q2**, **Q3**, **Q6**
Logarithms	4	≈ **9**/13		50%	**Q4**
Physics					
Laws of Motion	4	≈ **-4**/16		6%	**Q23**, **Q24**, **Q27**, **Q28**
Vectors	5	≈ **9**/17		23%	**Q25**, **Q26**
Kinematics	8	≈ **17**/27		24%	**Q22**, **Q33**, **Q34**
Chemistry					
Chemical Bonding	1	≈ **0**/3		41%	**Q38**
Periodic Classification	2	≈ **1**/7		68%	**Q41**
Mole Concept & Basics	9	≈ **19**/33		44%	**Q35**, **Q43**, **Q48**, **Q49**
Atomic Structure	4	≈ **11**/14		33%	**Q51**



Bar = your % of the chapter's marks | campus average

9 JEE Advanced · Maths – questions to revisit

8 questions · easy misses first
cropped from the question paper

Q7 Sequences & Series

JEE Advanced · Maths · Multiple correct · marking +4 / −2 · marks lost 4
Top 100: **90%** got it right · Campus: **98%** (62 of 63)

Easy miss
You: Skipped

7. If $S_r = \sqrt{r+\sqrt{r+\sqrt{r+\sqrt{r....\infty}}}}$, $r>0$;then which of the following is/are correct?

A) S_2, S_6, S_{12}, S_{20} are in AP
B) S_4, S_9, S_{16} are irrational
C) $(2S_4-1)^2, (2S_5-1)^2, (2S_6-1)^2$ are in AP
D) S_2, S_{12}, S_{56} are in GP

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q11 Sequences & Series

JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4
Top 100: **90%** got it right · Campus: **67%** (42 of 63)

Easy miss
You: Skipped

11. Number of terms common to the two sequences 17, 21, 25, ……., 417 and 16, 21, 26, ……. , 466 is _____

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q3 Quadratic Equations

JEE Advanced · Maths · Single correct · marking +3 / −1 · marks lost 4
Top 100: **86%** got it right · Campus: **57%** (36 of 63)

Easy miss
You: Wrong

3. If α, β are roots of the equation $ax^2+bx+c=0$ then the value of $\left(\frac{\alpha}{a\beta+b}\right)^3-\left(\frac{\beta}{a\alpha+b}\right)^3$ is equal to:

A) 0
B) ab
C) $b-c$
D) $c-a$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q6

Quadratic Equations – Other root of 4x² + 2x − 1 = 0 in terms of α

JEE Advanced · Maths · Multiple correct · marking +4 / −2 · marks lost 4

Top 100: **82%** got it right · Campus: **67%** (42 of 63)

Easy miss

You: Skipped

6. If α is a root of the equation $4x^2+2x-1=0$, then it's other root is given by

A) $4\alpha^3-3\alpha$ B) $4\alpha^3+3\alpha$ C) $\alpha-\frac{1}{2}$ D) $-\alpha-\frac{1}{2}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q2

Quadratic Equations

JEE Advanced · Maths · Single correct · marking +3 / −1 · marks lost 4

Top 100: **80%** got it right · Campus: **76%** (48 of 63)

Easy miss

You: Wrong

2. If $a \in Z$ and the equation $(x-a)(x-10)+1=0$ has integral roots then the sum of all possible values of a is:

A)18 B)22 C)20 D)24

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q4

Logarithms – Logs in AP – solve for x

JEE Advanced · Maths · Single correct · marking +3 / −1 · marks lost 4

Top 100: **68%** got it right · Campus: **35%** (22 of 63)

Within reach

You: Wrong

4. If $\log_3 2, \log_3(2^x-5)$ & $\log_3\left(2^x-\frac{7}{2}\right)$ are in AP then the value of x is?

A)2 B)3 C)4 D)2&3

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q12

Sequences & Series
JEE Advanced · Maths · Integer · marking +4 / 0 · marks lost 4
Top 100: **68%** got it right · Campus: **38%** (24 of 63)

Within reach
You: Skipped

12. Consider a sequence whose sum to n terms is given by the quadratic function $S_n = 3n^2 + 5n$. For the given sequence, the number 5456 is m^{th} term then value of m is___?

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q15

Sequences & Series – AP: ratio of sums of 14 terms
JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **42%** got it right · Campus: **8%** (5 of 63)

Within reach
You: Skipped

Sum of n terms of two different Arithmetic progressions are in the ratio 5n+4:9n+6 then
15. The ratio of the sum of their first 14 terms is Q, then [100Q] is _____(where [.] is G.I.F)

Why did I lose this question? (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q22


Kinematics
JEE Advanced · Physics · Multiple correct · marking +4 / −2 · marks lost 4
Top 100: **97%** got it right · Campus: **98%** (62 of 63)

Easy miss
You: Skipped


22. Look at the graphs (A) to (D) in figure carefully and find out which of these cannot possibly represent one-dimensional motion of a particle.




(A)



(B)



(C)



(D)

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q25

Vectors
JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4
Top 100: **84%** got it right · Campus: **37%** (23 of 63)

Easy miss
You: Wrong

25. The vectors $\vec{A} = 5\hat{i} - 7\hat{j} - 2\hat{k}$ and $\vec{B} = 2\hat{i} + 2\hat{j} - c\hat{j}$ are perpendicular. Find the value of C.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q24 — Laws of Motion – Tensions in two inclined strings


JEE Advanced · Physics · Multiple correct · marking +4 / −2 · marks lost 6

Top 100: **70%** got it right · Campus: **44%** (28 of 63)

Easy miss

You: Wrong

24. A body of mass 5 kg is suspended by the strings making angles 60^0 and 30^0 with the horizontal as shown in the figure($g = 10ms^{-2}$). Then



A) $T_1 = 25N$ B) $T_2 = 25N$ C) $T_1 = 25\sqrt{3}N$ D) $T_2 = 25\sqrt{3}N$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q26 — Vectors

JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **56%** got it right · Campus: **32%** (20 of 63)

Within reach

You: Wrong

26. Two forces 5N and 10N are acting with an inclination of 120^0 between them. The angle which the resultant makes with the 10N is $\frac{180^0}{n}$ Find the value of n.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q23

Laws of Motion – Block on block, no friction – motion of m


JEE Advanced · Physics · Multiple correct · marking +4 / −2 · marks lost 6

Top 100: **51%** got it right · Campus: **22%** (14 of 63)

Within reach

You: Wrong

23. In the figure small block is kept on M, then



A) the acceleration of m w.r.t. ground is $\frac{F}{m}$

B) the acceleration of m w.r.t. ground is zero

C) the time taken by m to separate from M is $\sqrt{\frac{2\ell m}{F}}$

D) the time taken by m to separate from M is $\sqrt{\frac{2\ell M}{F}}$

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q28

Laws of Motion – Spring-connected blocks – acceleration


JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **25%** got it right · Campus: **13%** (8 of 63)

Tough one

You: Wrong

28. If the acceleration of 3 kg block is 4 m/s^2 to the left. What is the magnitude of acceleration of 8 kg block.



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q33

Kinematics – Train passage – retardation to avoid collision

JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **15%** got it right · Campus: **8%** (5 of 63)

Tough one

You: Skipped

PASSAGE-II:

The driver of a train A moving with a uniform speed of 144 km/h sights another train B, 1km ahead of him. The train B is moving with a uniform speed of 108 km/h. the driver of the train A immediately applies brakes producing a constant retardation and just manages to avoid a collision.

33. What is the retardation of the train A(in ms^{-2})_____

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q34

Kinematics – Train passage – time of retardation

JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **15%** got it right · Campus: **10%** (6 of 63)

Tough one

You: Wrong

PASSAGE-II:

The driver of a train A moving with a uniform speed of 144 km/h sights another train B, 1km ahead of him. The train B is moving with a uniform speed of 108 km/h. the driver of the train A immediately applies brakes producing a constant retardation and just manages to avoid a collision.

34. For how long is this retardation produced(in sec)_____

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q27

Laws of Motion – Normal reaction between pushed blocks


JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **11%** got it right · Campus: **2%** (1 of 63)

Tough one

You: Wrong

27. The normal reaction between 2 kg and 3 kg block is



Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

JEE Advanced · Chemistry – questions to revisit

7 questions · easy misses first
cropped from the question paper

Q38 — Chemical Bonding – Pair of species with the same shape (VSEPR)

JEE Advanced · Chemistry · Single correct · marking +3 / −1 · marks lost 3
Top 100: **92%** got it right · Campus: **49%** (31 of 63)

Easy miss
You: Skipped

38. The pair of species with similar shape is

(A) PCl_3, NH_3 (B) CF_4, SF_4 (C) $PbCl_2$, CO_2 (D) PF_5, IF_5

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q41 — Periodic Classification

JEE Advanced · Chemistry · Multiple correct · marking +4 / −2 · marks lost 6
Top 100: **92%** got it right · Campus: **70%** (44 of 63)

Easy miss
You: Wrong

41. Which of the following trends of atomic sizes are correct ?

(A) F > N > O > C (B) Rb > K > Na > Li
(C) Be > B > C > N (D) Ne >He > Ar > Kr

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q43 — Mole Concept & Basics

JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4
Top 100: **84%** got it right · Campus: **49%** (31 of 63)

Easy miss
You: Skipped

43. If a protein has 0.07% Fe (M = 56) by weight as the only metal, its molar mass would be at least $M \times 10^4$ g. Here M is.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q49 **Mole Concept & Basics – Mass of oxygen in 24 g of the same copper oxide**
JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **60%** got it right · Campus: **49%** (31 of 63)

Within reach
You: Wrong

PARAGRAPH-I

An unknown copper oxide is analysed. A 12.0 g sample contains 9.6 g Cu, so the remaining 2.4 g is oxygen. Taking Cu = 64 and O = 16, the moles of Cu and O are equal

49. If the same oxide has the same composition, what mass of oxygen is present in a 24 g sample?

Why did I lose this question? (write the reason and the correct approach)
☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q35 **Mole Concept & Basics – Limiting reagent over two-step reaction**
JEE Advanced · Chemistry · Single correct · marking +3 / −1 · marks lost 4
Top 100: **51%** got it right · Campus: **24%** (15 of 63)

Within reach
You: Wrong

35. 5 moles of A, 6 moles of Z and mixed with sufficient amount of C to produce final product F. How many maximum moles of 'F' can be produced as per the given sequence of reaction ?

$A + 2Z \rightarrow B$; $B + C \rightarrow Z + F$

(A) 3 (B) 2 (C) 4 (D) 5

Why did I lose this question? (write the reason and the correct approach)
☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q48 **Mole Concept & Basics – Empirical formula from % composition**
JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **0%** got it right · Campus: **59%** (37 of 63)

Tough one
You: Wrong

PARAGRAPH-I

An unknown copper oxide is analysed. A 12.0 g sample contains 9.6 g Cu, so the remaining 2.4 g is oxygen. Taking Cu = 64 and O = 16, the moles of Cu and O are equal

48. What is the sum of the simplest whole-number ratio of Cu:O?

Why did I lose this question? (write the reason and the correct approach)
☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

Q51 **Atomic Structure – Hydrogen-like ion – find Z from photon energies**
JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **0%** got it right · Campus: **5%** (3 of 63)

Tough one
You: Skipped

PARAGRAPH-II

When electron jumps from lower orbit to higher orbit energy is gained and when electron jumps from higher orbit to lower orbit energy is released.

51. A hydrogen like species (atomic number Z) is present in a higher excited state of quantum number n. This excited atom can make a transition to the first excited state by successive emission of two photons of energies 10.20 eV and 17.0 eV respectively. Alternatively the atom from the same excited state can make a transition to the second excited state by successive emission of two photons of energy 4.25 eV and 5.95 eV respectively. Determine the value of Z.

Why did I lose this question? (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

10 How to read this report

Where the numbers come from. Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q20 — JEE Advanced: Q14, Q17, Q50. **Program rank** = rank in Pragya G8 (EXI) Achievers across all campuses, from the batch's question-wise sheet († JEE Advanced: that sheet was graded before the final key, so this rank may differ slightly). **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. In JEE Advanced that sheet predates the final key, so its figures for the revised questions Q25, Q48, Q51 use the old answers. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. In JEE Advanced, 2 marks went on multiple-correct answers that were only partly correct. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.