CLASS 10 · JEE MAINS · TOP-10 QUESTION IMPACT REPORT

Pragya G10 (EXT) Achievers

Part Test-1 · which questions cost the top 11 the most

Exam date 08 Oct 2026
Campus HYD/Nallakunta DD Colony
Students analysed 11 students (tie at 10th place)

In total, the top 11 lost **738 marks** – **269** from Maths, **253** from Physics and **216** from Chemistry.

Maths 36% | Physics 34% | Chemistry 29%

Together they could have scored 3,256 (296 each) and scored 2,518 – the 738 marks lost is the gap. Marks lost = marks not earned on wrong or skipped questions plus negative marks.

13 of 74
high-impact questions – lost by 5+ of the top 11

36%
of all lost marks came from Maths

Q30 10/11
most-lost question

229 / 300
top-11 average score (range 209–281)

1 Where the damage happened

Marks the top 11 gave away in each subject, split into marks lost on **wrong answers** (the question's marks plus the negative mark) and marks left on **skipped** questions.

SUBJECT	SPLIT ■ wrong ■ skipped	MARKS LOST	SHARE	ACCURACY*	HIGH-IMPACT
Maths	165 on 33 wrong answers (incl. 33 negative) · 104 on 26 skipped	**269** ≈ 24 per student	**36%**	**87%**	**5** of 25 Qs
Physics	205 on 41 wrong answers (incl. 41 negative) · 48 on 12 skipped	**253** ≈ 23 per student	**34%**	**84%**	**4** of 25 Qs
Chemistry	180 on 36 wrong answers (incl. 36 negative) · 36 on 9 skipped	**216** ≈ 20 per student	**29%**	**86%**	**4** of 24 Qs

* Accuracy = right answers ÷ questions attempted.

BY QUESTION TYPE	MATHS	PHYSICS	CHEMISTRY
Single correct marking +4 / −1	Q1–20 **12%** wrong · **10%** skipped	Q26–45 **14%** wrong · **5%** skipped	Q51–70 **12%** wrong · **3%** skipped
Numerical marking +4 / −1	Q21–25 **13%** wrong · **5%** skipped	Q46–50 **18%** wrong · **2%** skipped	Q71–75 **20%** wrong · **5%** skipped

Key takeaways

1. **Maths** did the most damage: **36%** of all marks lost by the top 11 (269 of 738). 5 of its 25 questions were lost by 5 or more students.
2. No question beat everyone, but **1** were lost by 10 of 11: Q30.
3. Biggest chapter-level loss: **Maths · Definite Integration** – 164 marks across 9 questions (4 high-impact).
4. Negative marking alone cost the top 11 **110 marks** (about 10 per student).
5. Strong ground: all 11 answered **24 questions** correctly (Q2, Q3, Q7, Q9, Q13, Q21, Q26, Q32, Q33, Q36, Q38, Q39, Q40, Q44, Q45, Q49, Q55, Q57, Q58, Q59, Q60, Q67, Q70, Q72).

Answered wrong by 5+ students

Students attempted these and still got them wrong – points to a misconception or a trap worth re-teaching.

Q52 7 wrong | **Q63** 7 wrong | **Q74** 7 wrong | **Q30** 6 wrong
Q42 6 wrong | **Q16** 5 wrong | **Q27** 5 wrong | **Q69** 5 wrong

Left blank by 5+ students

Most students did not attempt these – points to an unfamiliar topic, low confidence, or running out of time.


Q20 5 skipped

2 Question-by-question impact


How many of the top 11 lost each question. Questions at or above the dashed line (lost by 5+) are **high-impact** and shown in full colour with their count.

■ Wrong answer ■ Skipped ---- High-impact line (5 of 11) ■ Below the line (faded) "del" = deleted / bonus question


Maths — **5** of 25 questions high-impact · **269** marks lost by the top 11



Physics — **4** of 25 questions high-impact · **253** marks lost by the top 11



Chemistry — **4** of 24 questions high-impact · **216** marks lost by the top 11



3 Chapter hot-spots

Marks lost by the top 11, chapter by chapter. Subjects are ordered from most marks lost to least; within each subject, re-teach from the top.

Marks lost adds up what all 11 students gave away on a chapter's questions: **5 marks** for each wrong answer (4 not earned + 1 negative) and **4 marks** for each skipped one. Example: **Maths · Definite Integration** has 9 questions, and the top 11 lost **164** marks on them — about **15 per student**. **Students per Q** = on average, how many of the 11 lost each question in that chapter (here 4.1 of 11).

CHAPTER	QS	HIGH-IMPACT QUESTIONS	MARKS LOST BY TOP 11	PER STUDENT	STUDENTS PER Q
1. Maths 269 marks lost · 36% of all lost marks · 5 high-impact questions					
Definite Integration	9	**Q16, Q18, Q20, Q22**	**164**	≈ 15 marks	4.1 of 11
Indefinite Integration	7	**Q6**	**65**	≈ 6 marks	2.0 of 11
Area Under Curves	5	None reached 5 · most missed Q23 (3/11)	**25**	≈ 2 marks	1.0 of 11
Differential Equations	4	None reached 5 · most missed Q10, Q19, Q25 (1/11)	**15**	≈ 1 marks	0.8 of 11
2. Physics 253 marks lost · 34% of all lost marks · 4 high-impact questions					
Electrostatics	8	**Q27, Q30**	**139**	≈ 13 marks	3.6 of 11
Current Electricity	8	**Q37**	**59**	≈ 5 marks	1.6 of 11
Kinematics	9	**Q42**	**55**	≈ 5 marks	1.2 of 11
3. Chemistry 216 marks lost · 29% of all lost marks · 4 high-impact questions					
Alcohols, Phenols & Ethers	10	**Q52, Q74**	**114**	≈ 10 marks	2.4 of 11
Aldehydes & Ketones	14	**Q63, Q69**	**102**	≈ 9 marks	1.5 of 11

4 High-impact questions at a glance

Every question lost by 5 or more of the top 11, one table per subject, worst first. The cropped question for each is in section 7.

Marks lost = marks the top 11 together gave away on that question: **5 marks** for each wrong answer (4 not earned + 1 negative) and **4 marks** for each skipped one. Example: **Q30** – 6 wrong × 5 + 4 skipped × 4 = 46 marks. **Lost by** = how many of the 11 got it wrong or skipped it.

Critical lost by 10–11 **High** lost by 8–9 **Moderate** lost by 5–7

Maths

5 of 25 questions high-impact · **132** marks lost on them by the top 11

Q	CHAPTER – WHAT IT TESTS	TYPE	LOST BY	WRONG	SKIPPED	MARKS LOST (TOP 11)
Q16	**Definite Integration** – $\int_0^{100}([\tan^{-1}x]+[\cot^{-1}x])\,dx$ with GIF	Single · +4 / −1	**8/11**	5	3	**37**
Q18	**Definite Integration** – $\int$ of min{|x − 3k|} – periodic zig-zag	Single · +4 / −1	**7/11**	3	4	**31**
Q6	**Indefinite Integration** – $\int \sqrt{(x^2+1)}[\ln(x^2+1) - 2\ln x] / x^4\,dx$	Single · +4 / −1	**5/11**	2	3	**22**
Q22	**Definite Integration** – Definite integral of a product × sum of reciprocals	Numerical · +4 / −1	**5/11**	2	3	**22**
Q20	**Definite Integration** – King's property with f(x) + f(y) = f(xy)	Single · +4 / −1	**5/11**	0	5	**20**

Physics

4 of 25 questions high-impact · **127** marks lost on them by the top 11

Q	CHAPTER – WHAT IT TESTS	TYPE	LOST BY	WRONG	SKIPPED	MARKS LOST (TOP 11)
Q30	**Electrostatics** – Field energy inside vs outside a charged sphere	Single · +4 / −1	**10/11**	6	4	**46**
Q42	**Kinematics** – Distance (not displacement) in 3 s for a ball thrown up	Single · +4 / −1	**6/11**	6	0	**30**
Q37	**Current Electricity** – Infinite ladder – voltage across the 2nd shunt resistor	Single · +4 / −1	**6/11**	2	4	**26**
Q27	**Electrostatics** – Potential at the centre of a thick charged shell	Single · +4 / −1	**5/11**	5	0	**25**

Chemistry

4 of 24 questions high-impact · **138** marks lost on them by the top 11

Q	CHAPTER – WHAT IT TESTS	TYPE	LOST BY	WRONG	SKIPPED	MARKS LOST (TOP 11)
Q52	**Alcohols, Phenols & Ethers** – Ether vs butanol miscibility – assertion / reason	Single · +4 / −1	**8/11**	7	1	**39**
Q74	**Alcohols, Phenols & Ethers** – Site of benzylation of 2-naphthoxide	Numerical · +4 / −1	**8/11**	7	1	**39**
Q63	**Aldehydes & Ketones** – Enol-ether hydrolysis; iodoform-positive products	Single · +4 / −1	**7/11**	7	0	**35**
Q69	**Aldehydes & Ketones** – Order of hydration constants of carbonyls	Single · +4 / −1	**5/11**	5	0	**25**

5 Who lost which high-impact question

Each row is a student (campus order); each column a high-impact question. **Prog. rank** = rank in the program, **AIR** = All-India rank, **Total** = marks out of 300, **Avg** = average of the 6 weekly Mains tests (WTM), out of 300. ✗ = wrong, – = skipped, ✓ = correct.

■ ✗ Wrong ■ – Skipped ■ ✓ Correct

	Rank & score				Maths					Physics				Chemistry				
STUDENT	PROG. RANK	AIR	TOTAL	AVG /300	6	16	18	20	22	27	30	37	42	52	63	69	74	Lost
Thulla Anuradhan Reddy	1	1	281	274.0*	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	1
Ragi Tanmay Sai	2	7	248	228.8	✓	–	✓	–	✓	✓	–	✓	✓	✗	✓	✓	–	5
Shiva S. J. Kokkonda	3	8	246	229.3*	✓	✓	✓	✓	✓	✓	–	–	✗	–	✗	✓	✗	6
Arnav Karthik Medichalam	4	16	227	188.9	–	–	–	–	✓	✓	–	✓	✓	✓	✓	✓	✗	6
Vibha Nayana Pobbati	5	17	226	211.8	✓	✗	✗	✓	–	✗	–	–	✗	✗	✗	✗	✓	10
Mano Nischal Reddy D	6	19	224	194.4	–	–	–	–	✓	✓	✗	–	✓	✓	✓	✓	✗	7
Dharshan Raj S	7	20	219	236.4*	✗	✗	✓	–	✓	✓	✗	–	✗	✗	✗	✓	✓	8
Shubhakar R. Eppalapally	8	25	216	147.2	✗	✗	✗	✓	✗	✗	✗	✗	✗	✗	✓	✗	✗	11
Mancha Sagar Babu	9	27	213	182.2	✓	✓	✗	✓	✗	✗	✗	✗	✓	✗	✗	✗	✗	9
Rayala Manoj	10	33	209	198.8	✓	✗	–	–	–	✗	✗	✓	✗	✗	✗	✗	✗	11
K Ranveer Reddy	10	33	209	219.4	–	✗	–	✓	–	✗	✗	✓	✗	✗	✗	✗	✗	11
Students who lost it					5	8	7	5	5	5	10	6	6	8	7	5	8	

6 Subject scores of the top 11

Scores rebuilt from each student's right / wrong / skipped answers (they match the official totals exactly). The weakest subject (lowest % of its maximum) is highlighted. **Subject maximum** leaves out the deleted / ungraded questions: Chemistry 96 = 100 minus Q56 (4).

STUDENT	PROG. RANK	AIR	TOTAL	AVG /300	Maths score · right / wrong / skipped	Physics score · right / wrong / skipped	Chemistry score · right / wrong / skipped	WEAKEST
Thulla Anuradhan Reddy	1	1	281	274.0*	95/100 · 24 / 1 / 0	100/100 · 25 / 0 / 0	86/96 · 22 / 2 / 0	Chemistry
Ragi Tanmay Sai	2	7	248	228.8	88/100 · 22 / 0 / 3	87/100 · 22 / 1 / 2	73/96 · 19 / 3 / 2	Chemistry
Shiva S. J. Kokkonda	3	8	246	229.3*	95/100 · 24 / 1 / 0	87/100 · 22 / 1 / 2	64/96 · 17 / 4 / 3	Chemistry
Arnav Karthik Medichalam	4	16	227	188.9	63/100 · 16 / 1 / 8	81/100 · 21 / 3 / 1	83/96 · 21 / 1 / 2	Maths
Vibha Nayana Pobbati	5	17	226	211.8	86/100 · 22 / 2 / 1	63/100 · 17 / 5 / 3	77/96 · 20 / 3 / 1	Physics
Mano Nischal Reddy D	6	19	224	194.4	57/100 · 15 / 3 / 7	76/100 · 20 / 4 / 1	91/96 · 23 / 1 / 0	Maths
Dharshan Raj S	7	20	219	236.4*	66/100 · 18 / 6 / 1	82/100 · 21 / 2 / 2	71/96 · 19 / 5 / 0	Maths
Shubhakar R. Eppalapally	8	25	216	147.2	70/100 · 19 / 6 / 0	65/100 · 18 / 7 / 0	81/96 · 21 / 3 / 0	Physics
Mancha Sagar Babu	9	27	213	182.2	75/100 · 20 / 5 / 0	66/100 · 18 / 6 / 1	72/96 · 19 / 4 / 1	Physics
Rayala Manoj	10	33	209	198.8	68/100 · 18 / 4 / 3	70/100 · 19 / 6 / 0	71/96 · 19 / 5 / 0	Maths
K Ranveer Reddy	10	33	209	219.4	68/100 · 18 / 4 / 3	70/100 · 19 / 6 / 0	71/96 · 19 / 5 / 0	Maths

Average. "Avg" = the student's average over the 6 weekly Mains tests (WTM) before this Part Test, out of 300, from the campus Mains & Advance averages sheet. * Sat fewer weekly tests (tests sat / conducted): Thulla Anuradhan Reddy (5/6), Shiva Sai Jyothiraditya Kokkonda (4/6), Dharshan Raj S (5/6).
Ranks. Program rank = rank within Pragya G10 (EXT) Achievers across all campuses (from the final marks sheet; the top 11 are picked by this rank). **AIR** = All-India rank across the whole Class 10 programme (all batches, all campuses), from the institute's All India Marks Analysis sheet.
How to read this report. "Lost" means the student did not get the question right – either answered it wrong or left it blank. A question is **high-impact** when 5 or more of the top 11 lost it. **"Marks lost"** = marks the top 11 together gave away: **5 marks** for each wrong answer (4 not earned + 1 negative) and **4 marks** for each skipped one. "Per student" divides that by 11. **Deleted question:** Q56 has no right / wrong / skipped entry for any student in the final marks sheet (deleted / bonus question), so it is left out of all counts and shown as "del" in the charts. Chapter tags were assigned by reading each question; please correct any that your department classifies differently.

7 Maths – high-impact questions

5 questions, worst first
cropped from the question paper

Q16 Definite Integration – $\int_0^{100}([\tan^{-1}x]+[\cot^{-1}x])\,dx$ with GIF

Maths · Single correct · marking +4 / −1 · marks lost by the top 11: 5 wrong × 5 + 3 skipped × 4 = 37

Lost by 8/11
5 wrong 3 skipped

16. If $\int_0^{100}\left(\left[\tan^{-1}x\right]+\left[\cot^{-1}x\right]\right)dx=\ldots$ [.] denotes the greatest integer function

A) $100-\cot 1$ B) $100+2\cot 1$ C) $100-2\cot 2$ D) $100+2\cot 2$

Wrong: Vibha Nayana Pobbati, Dharshan Raj S, Shubhakar Reddy Eppalapally, Rayala Manoj, K Ranveer Reddy

Skipped: Ragi Tanmay Sai, Arnav Karthik Medichalam, Mano Nischal Reddy D

Q18 Definite Integration – ∫ of min{|x − 3k|} – periodic zig-zag

Maths · Single correct · marking +4 / −1 · marks lost by the top 11: 3 wrong × 5 + 4 skipped × 4 = 31

Lost by 7/11
3 wrong 4 skipped

18. Let $f(x)=\min\{\ldots,|x+6|,|x+3|,|x|,|x-3|,|x-6|,\ldots\}$ then $\int_{-4}^{3}f(x)\,dx=$ _____

A) 4 B) $\frac{9}{2}$ C) 5 D) $\frac{11}{2}$

Wrong: Vibha Nayana Pobbati, Shubhakar Reddy Eppalapally, Mancha Sagar Babu

Skipped: Arnav Karthik Medichalam, Mano Nischal Reddy D, Rayala Manoj, K Ranveer Reddy

Q6 Indefinite Integration – ∫ √(x²+1)[ln(x²+1) − 2 ln x] / x⁴ dx

Maths · Single correct · marking +4 / −1 · marks lost by the top 11: 2 wrong × 5 + 3 skipped × 4 = 22

Lost by 5/11
2 wrong 3 skipped

6. $\int\frac{\sqrt{x^2+1}\left[\ln\left(x^2+1\right)-2\ln x\right]}{x^4}\,dx$ is equal to (c is arbitrary constant)

A) $\frac{\left(x^2+1\right)^{3/2}}{x^3}\left[\frac{2}{3}-\ln\left(\frac{x^2+1}{x^2}\right)\right]+c$ B) $\frac{\left(x^2+1\right)^{3/2}}{3x^3}\left[\ln\left(\frac{x^2+1}{x^2}\right)-\frac{2}{3}\right]+c$

C) $\frac{2\left(x^2+1\right)^{3/2}}{3x^3}\left[\frac{1}{3}-\frac{1}{2}\ln\left(\frac{x^2+1}{x^2}\right)\right]+c$ D) $\frac{\left(x^2+1\right)^{3/2}}{3x^3}\left[\ln\left(\frac{x^2+1}{x^2}\right)+\frac{2}{3}\right]+c$

Wrong: Dharshan Raj S, Shubhakar Reddy Eppalapally

Skipped: Arnav Karthik Medichalam, Mano Nischal Reddy D, K Ranveer Reddy

Q22 Definite Integration – Definite integral of a product × sum of reciprocals

Maths · Numerical · marking +4 / −1 · marks lost by the top 11: 2 wrong × 5 + 3 skipped × 4 = 22

Lost by 5/11
2 wrong 3 skipped

22. $\int_0^{102}(x-1)(x-2)\ldots(x-100)\left(\frac{1}{x-1}+\frac{1}{x-2}+\ldots+\frac{1}{x-100}\right)dx=p(p!)$ then the number of positive integral divisors of p is equal to_____ (where, $p\in N$, $p!$ means the product of first p natural numbers).

Wrong: Shubhakar Reddy Eppalapally, Mancha Sagar Babu

Skipped: Vibha Nayana Pobbati, Rayala Manoj, K Ranveer Reddy

Q20 **Definite Integration** – King's property with f(x) + f(y) = f(xy)

Maths · Single correct · marking +4 / −1 · marks lost by the top 11: 5 skipped × 4 = 20

Lost by 5/11

0 wrong 5 skipped

20. Let $f:(0,\infty)\to R$ be a continuous function, satisfying $f(x)+f(y)=f(xy)$. Then the value of

$$\int_{\sqrt{f(e)}}^{\sqrt{f(e^2)}} \frac{x\tan x^2}{\tan x^2+\tan\left(f(e^3)-x^2\right)}\,dx \text{ is equal to}$$

A) $\frac{1}{2}f(e^2)$ B) $\frac{1}{4}f(e^2)$ C) $\frac{1}{2}f(e)$ D) $\frac{f(e)}{4}$

Wrong: –

Skipped: Ragi Tanmay Sai, Arnav Karthik Medichalam, Mano Nischal Reddy D, Dharshan Raj S, Rayala Manoj

Physics – high-impact questions

4 questions, worst first
cropped from the question paper

Q30 Electrostatics – Field energy inside vs outside a charged sphere

Physics · Single correct · marking +4 / −1 · marks lost by the top 11: 6 wrong × 5 + 4 skipped × 4 = 46

Lost by 10/11
6 wrong · 4 skipped

30. A solid sphere of radius R carries a total charge Q distributed uniformly throughout its volume. The ratio of the electrostatic field energy stored inside the sphere to that stored outside the sphere is

A) 3 : 5 B) 1 : 5 C) 1 : 3 D) 1 : 2

Wrong: Mano Nischal Reddy D, Dharshan Raj S, Shubhakar Reddy Eppalapally, Mancha Sagar Babu, Rayala Manoj, K Ranveer Reddy

Skipped: Ragi Tanmay Sai, Shiva Sai Jyothiraditya Kokkonda, Arnav Karthik Medichalam, Vibha Nayana Pobbati

Q42 Kinematics – Distance (not displacement) in 3 s for a ball thrown up

Physics · Single correct · marking +4 / −1 · marks lost by the top 11: 6 wrong × 5 = 30

Lost by 6/11
6 wrong · 0 skipped

42. A ball is thrown vertically upward with a speed of 20 m/s (take g = 10 m/s^2). The total distance travelled by the ball in the first 3 s is

A) 15 m B) 25 m C) 20 m D) 45 m

Wrong: Shiva Sai Jyothiraditya Kokkonda, Vibha Nayana Pobbati, Dharshan Raj S, Shubhakar Reddy Eppalapally, Rayala Manoj, K Ranveer Reddy

Skipped: –

Q37 Current Electricity – Infinite ladder – voltage across the 2nd shunt resistor

Physics · Single correct · marking +4 / −1 · marks lost by the top 11: 2 wrong × 5 + 4 skipped × 4 = 26

Lost by 6/11
2 wrong · 4 skipped

37. A 24 V battery of negligible internal resistance is connected to an infinite ladder network. In each section, both the top rail and the bottom rail contain a 1 Ω resistor, and a 4 Ω resistor is connected across the rails. The potential difference across the second 4 Ω resistor (counting from the battery) is

A) 12 V B) 8 V C) 6 V D) 3 V

Wrong: Shubhakar Reddy Eppalapally, Mancha Sagar Babu

Skipped: Shiva Sai Jyothiraditya Kokkonda, Vibha Nayana Pobbati, Mano Nischal Reddy D, Dharshan Raj S

Q27 Electrostatics – Potential at the centre of a thick charged shell

Physics · Single correct · marking +4 / −1 · marks lost by the top 11: 5 wrong × 5 = 25

Lost by 5/11
5 wrong · 0 skipped

27. A thick spherical shell of inner radius ‘a’ and outer radius ‘b’ carries a uniform volume charge density ρ. The electric potential at the centre of the shell (taking V = 0 at infinity) is

A) $\rho\frac{\left(b^2-a^2\right)}{12\varepsilon_0}$ B) $\rho\frac{\left(b^3-a^3\right)}{3\varepsilon_0 b}$ C) $\rho\frac{\left(b^2-a^2\right)}{2\varepsilon_0}$ D) $\rho\frac{\left(b^3-a^3\right)}{3\varepsilon_0 a}$

Wrong: Vibha Nayana Pobbati, Shubhakar Reddy Eppalapally, Mancha Sagar Babu, Rayala Manoj, K Ranveer Reddy

Skipped: –

Chemistry – high-impact questions

4 questions, worst first
cropped from the question paper

Q52 Alcohols, Phenols & Ethers – Ether vs butanol miscibility – assertion / reason

Chemistry · Single correct · marking +4 / −1 · marks lost by the top 11: 7 wrong × 5 + 1 skipped × 4 = 39

Lost by 8/11
7 wrong · 1 skipped

52. **Assertion(A) :** Ethoxy ethane and butanol-1 have almost same miscibility with water.
Reason(R) : Ethoxy ethane and butanol-1 have form Hydrogen bond with water.
A) Both (A) and (R) are correct and (R) is the correct explanation of (A)
B) (A) is correct but (R) is not correct
C) Both (A) and (R) are not correct
D) Both (A) and (R) are correct and (R) is not the correct explanation of (A)

Wrong: Ragi Tanmay Sai, Vibha Nayana Pobbati, Dharshan Raj S, Shubhakar Reddy Eppalapally, Mancha Sagar Babu, Rayala Manoj, K Ranveer Reddy


Skipped: Shiva Sai Jyothiraditya Kokkonda

Q74 Alcohols, Phenols & Ethers – Site of benzylation of 2-naphthoxide

Chemistry · Numerical · marking +4 / −1 · marks lost by the top 11: 7 wrong × 5 + 1 skipped × 4 = 39

Lost by 8/11
7 wrong · 1 skipped

74. Which site is predominately benzylated in the given reaction?



Wrong: Shiva Sai Jyothiraditya Kokkonda, Arnav Karthik Medichalam, Mano Nischal Reddy D, Shubhakar Reddy Eppalapally, Mancha Sagar Babu, Rayala Manoj, K Ranveer Reddy

Skipped: Ragi Tanmay Sai

Q63 Aldehydes & Ketones – Enol-ether hydrolysis; iodoform-positive products

Chemistry · Single correct · marking +4 / −1 · marks lost by the top 11: 7 wrong × 5 = 35

Lost by 7/11
7 wrong · 0 skipped

63. $(A)_{C_5H_{10}O} \xrightarrow{H_3O^{\oplus}} B + C; (B) and (C)$ both give +ve Iodoferm test.
Compound (A) is

A) $CH_3-CH=CH-O-CH_2-CH_3$

B) $CH_3-\underset{\displaystyle CH_3}{\overset{\displaystyle H}{\underset{|}{\overset{|}{C}}}}-O-CH_2-CH_3$

C) $CH_3-\underset{\displaystyle CH_2}{\overset{\displaystyle }{\underset{\|}{C}}}-O-CH_2-CH_3$

D) Both (B) and (C)


Wrong: Thulla Anuradhan Reddy, Shiva Sai Jyothiraditya Kokkonda, Vibha Nayana Pobbati, Dharshan Raj S, Mancha Sagar Babu, Rayala Manoj, K Ranveer Reddy

Skipped: –

Q69 **Aldehydes & Ketones** – **Order of hydration constants of carbonyls**
Chemistry · Single correct · marking +4 / −1 · marks lost by the top 11: 5 wrong × 5 = 25

Lost by 5/11
5 wrong · 0 skipped

69. Arrange in their increasing order of equilibrium constants for hydration?



A) A < B < C < D < E
B) A < C < B < E < D
C) A < C < E < B < D
D) C < A < B < E < D

Wrong: Vibha Nayana Pobbati, Shubhakar Reddy Eppalapally, Mancha Sagar Babu, Rayala Manoj, K Ranveer Reddy
Skipped: –