CLASS 9 · PART TEST-1 · STUDENT PERFORMANCE REPORT

# Geetansh Praveen Reddy Vengala

Pragya G9 (EXT) Achievers · Adm No **246549490**

**Campus** HYD/Nallakunta DD Colony
**JEE Mains** 08 Oct 2026
**JEE Advanced** 09 Oct 2026

## JEE Mains

08 Oct 2026 · 74 questions

**249** / 296 — **84.1%**

| 3 | 3 | 1/79 | 1 |
|---|---|---|---|
| ALL-INDIA | STATE | CAMPUS | PROGRAM |

Weekly-test average **196.8 / 300** (65.6%), 5 of 6 tests → this test **84.1%** ▲ **18.5**

**47 marks lost**: 35 on 7 wrong answers (incl. 7 negative) · 12 on 3 skipped

## JEE Advanced

09 Oct 2026 · 50 questions

**135** / 176 — **76.7%**

| 8 | 6 | 3/78 | 3† |
|---|---|---|---|
| ALL-INDIA | STATE | CAMPUS | PROGRAM |

Weekly-test average **101.3 / 180** (56.3%), 5 of 6 tests → this test **76.7%** ▲ **20.4**

**41 marks lost**: 36 on 10 wrong answers (incl. 1 negative) · 3 on 1 skipped · 2 on partly-correct answers

## 1 Subject scorecard

Your marks in each subject, against the 79 students of this program on campus and against your own weekly-test average.

| SUBJECT | MARKS | SCORE VS CAMPUS | SUBJECT AIR | CAMPUS AVG / BEST | WEEKLY AVG | CHANGE | RIGHT / WRONG / SKIP |
|---|---|---|---|---|---|---|---|
| **JEE Mains** 249 / 296 · 84.1% | | | | | | | |
| Maths | 95/100 | 95% Best on campus | 5 | 43.1 / 95 | 79.8/100 79.8% | ▲ 15.2 | 24 / 1 / 0 |
| Physics | 90/100 | 90% Best on campus | 4 | 21.9 / 90 | 80.6/100 80.6% | ▲ 9.4 | 23 / 2 / 0 |
| Chemistry | 64/96 | 67% | 72 | 41.4 / 81 | 35.9/100 35.9% | ▲ 30.8 | 17 / 4 / 3 |
| **JEE Advanced** 135 / 176 · 76.7% | | | | | | | |
| Maths | 57/60 | 95% | 2 | 24.5 / 60 | 40.0/60 66.7% | ▲ 28.3 | 16 / 1 / 0 |
| Physics | 45/60 | 75% | 15 | 12.3 / 56 | 40.0/60 66.7% | ▲ 8.3 | 13 / 4 / 0 |
| Chemistry | 33/56 | 59% | 46 | 15.8 / 37 | 20.8/60 34.7% | ▲ 24.2 | 10 / 5 / 1 |

Bar = your score % | campus average | best on campus  Change = this test % − weekly-test average %

### What this report says

1. **Maths** is your strongest JEE Mains subject: 95/100 (95%), All-India subject rank 5 – the best score on campus.
2. Your JEE Mains **Physics** score (90/100) is the best on campus – All-India subject rank 4.
3. **Chemistry** needs the most work in JEE Mains: 64/96 (67%), subject rank 72; you lost 7 of its 24 questions.
4. **Maths** is your strongest JEE Advanced subject: 57/60 (95%), All-India subject rank 2.
5. **Chemistry** needs the most work in JEE Advanced: 33/56 (59%), subject rank 46; you lost 6 of its 16 questions.
6. Biggest improvement: **JEE Mains Chemistry** – 67% here against 36% on average.
7. Negative marking cost you **7 in JEE Mains and 1 in JEE Advanced**.
8. You attempted almost everything (only 4 questions skipped across both papers), so the marks to gain are in **accuracy**: wrong answers – 7 in JEE Mains and 10 in JEE Advanced.

# JEE Mains – question by question

249 / 296 · 84.1%
08 Oct 2026

## 2 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Maths | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| Physics | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 |
| Chemistry | 51 | 52 | 53 | 54 | 55 | 56 | 57 | ~~58~~ | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |

## 3 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 79 students of this program on campus.

**Easy miss** 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40-69% · **Tough one** below 40%

### Maths

1 of 25 questions lost · 5 marks · 1 tough one

| Q | PRIORITY | CHAPTER – WHAT IT TESTS | TYPE | YOU | MARKS LOST | TOP 100 RIGHT | CAMPUS RIGHT |
|---|---|---|---|---|---|---|---|
| Q20 | Tough one | **Inverse Trigonometric Functions** – Composite inverse-trig function – counting solutions | Single correct · +4 / −1 | Wrong | 5 | 19% | 13% |

### Physics

2 of 25 questions lost · 10 marks · 2 tough one

| Q | PRIORITY | CHAPTER – WHAT IT TESTS | TYPE | YOU | MARKS LOST | TOP 100 RIGHT | CAMPUS RIGHT |
|---|---|---|---|---|---|---|---|
| Q27 | Tough one | **Circular Motion** – Coins on a rotating disc – friction limit at each radius | Single correct · +4 / −1 | Wrong | 5 | 37% | 23% |
| Q45 | Tough one | **Work, Energy & Power** – Speed on hitting the ground – energy conservation | Single correct · +4 / −1 | Wrong | 5 | 18% | 6% |



### Chemistry

7 of 24 questions lost · 32 marks · 4 within reach · 3 tough one

| Q | PRIORITY | CHAPTER – WHAT IT TESTS | TYPE | YOU | MARKS LOST | TOP 100 RIGHT | CAMPUS RIGHT |
|---|---|---|---|---|---|---|---|
| Q68 | Within reach | **General Organic Chemistry** | Single correct · +4 / −1 | Skipped | 4 | 60% | 57% |
| Q70 | Within reach | **General Organic Chemistry** | Single correct · +4 / −1 | Skipped | 4 | 60% | 52% |
| Q66 | Within reach | **General Organic Chemistry** – False order of –I effect | Single correct · +4 / −1 | Wrong | 5 | 45% | 39% |
| Q59 | Within reach | **Isomerism** | Single correct · +4 / −1 | Skipped | 4 | 43% | 38% |
| Q73 | Tough one | **General Organic Chemistry** | Numerical · +4 / −1 | Wrong | 5 | 32% | 23% |
| Q63 | Tough one | **Hydrocarbons** – Monochlorination products incl. stereoisomers | Single correct · +4 / −1 | Wrong | 5 | 16% | 20% |
| Q71 | Tough one | **Isomerism** – Count of optically active compounds | Numerical · +4 / −1 | Wrong | 5 | 6% | 10% |

## 4 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject.

| CHAPTER | QS | YOUR MARKS | YOU VS CAMPUS AVERAGE | CAMPUS AVG | QUESTIONS YOU LOST |
|---|---|---|---|---|---|
| **Maths** | | | | | |
| Inverse Trigonometric Functions | 10 | **35**/40 |  | 48% | **Q20** |
| Functions | 7 | **28**/28 |  | 35% | – none |
| Sequences & Series | 1 | **4**/4 |  | 45% | – none |
| Trigonometric Equations | 7 | **28**/28 |  | 44% | – none |
| **Physics** | | | | | |
| Work, Energy & Power | 5 | **15**/20 |  | 9% | **Q45** |
| Circular Motion | 7 | **23**/28 |  | 30% | **Q27** |
| Friction | 2 | **8**/8 |  | 17% | – none |
| Laws of Motion | 8 | **32**/32 |  | 23% | – none |
| Momentum & Collisions | 3 | **12**/12 |  | 25% | – none |
| **Chemistry** | | | | | |
| General Organic Chemistry | 10 | **22**/40 |  | 32% | **Q66**, **Q68**, **Q70**, **Q73** |
| Hydrocarbons | 4 | **11**/16 |  | 42% | **Q63** |
| Isomerism | 10 | **31**/40 |  | 55% | **Q59**, **Q71** |

Bar = your % of the chapter's marks | campus average

## 5 JEE Mains · Maths – questions to revisit

1 question · easy misses first
cropped from the question paper

**Q20** **Inverse Trigonometric Functions** – Composite inverse-trig function – counting solutions

JEE Mains · Maths · Single correct · marking +4 / −1 · marks lost 5

Top 100: **19%** got it right · Campus: **13%** (10 of 79)

Tough one

You: Wrong

20. Consider the functions $rage(x)=\sin^{-1}\sqrt{x}+e^{\left(\tan^{-1}\left(\sqrt{x-1}\right)\right)^2}+\left(\cos^{-1}\left(\sqrt{x}\right)\right)^3$ and $bait(x)=x^2+x+1$ within their respective domains. Then the number of solutions of $rage\left(bait(x)\right)<3$ is/are .....

A) 0 B)1 C)2 D)3

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## JEE Mains · Physics – questions to revisit

2 questions · easy misses first
cropped from the question paper

### Q27

**Circular Motion** – Coins on a rotating disc – friction limit at each radius
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **37%** got it right · Campus: **23%** (18 of 79)

Tough one
You: Wrong

27. A disc revolves with a speed of 100/3 rev/min and has radius of 15cm. Two coins of same mass as disc are placed at 4 cm and 14cm away from the centre of disc. If the coefficient of friction between the coins and the disc is 0.15, which of the two coins will revolve with disc?
A) both the coins will revolve
B) No coin will revolve with disc
C) coin at 4cm will revolve with disc
D) coin at 14cm will revolve with disc

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

### Q45

**Work, Energy & Power** – Speed on hitting the ground – energy conservation
JEE Mains · Physics · Single correct · marking +4 / −1 · marks lost 5
Top 100: **18%** got it right · Campus: **6%** (5 of 79)

Tough one
You: Wrong

45. A cricket bowler releases the ball in two different ways

i) giving it only horizontal velocity and

ii) giving it horizontal velocity and small downward velocity

The speeds at the time release is same. Both are released at a height H from ground then which one will have greater speed when ball hits the ground?(Neglect air resistance)

A) Ist way B) IInd way C) same in two ways D) None of the above

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## JEE Mains · Chemistry – questions to revisit


**7** questions · easy misses first
cropped from the question paper

### Q68

**General Organic Chemistry**
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 4
Top 100: **60%** got it right · Campus: **57%** (45 of 79)

**Within reach**
**You: Skipped**

68. Examine the following two structure for pyrrole and choose the correct statement given below :




A) II is not an acceptable resonating structure because carbonium ions is less stable than nitride ion

B) II is not an acceptable resonating strucure because there is charge separation

C) II is not an acceptable resonating strucure because nitrogen has ten valence electrons

D) II is an acceptable resonating structure

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

### Q70

**General Organic Chemistry**
JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 4
Top 100: **60%** got it right · Campus: **52%** (41 of 79)

**Within reach**
**You: Skipped**

70. Statement I : Tropylium cation is more stable than $(CH_3)_3C^+$

Statement II : Tropylium cation has (+) charge which is part of aromatic character

A) Statement I is true, Statement II is true, Statement II is a correct explanation for statement I

B) Statement I is true , Statement II is true, statement II is not a correct explanation for statement I

C) Statement I is true , Statement II is false

D) Statement I is false, statement II is true

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## Q66 General Organic Chemistry – False order of –I effect

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **45%** got it right · Campus: **39%** (31 of 79)

**Within reach**


**You: Wrong**

66. Which of the following is false order of – I effect ?

A) $-F > -Cl > -Br > -I$

B) $-\overset{\oplus}{N}R_3 > -\overset{\oplus}{N}H_3 > -NO_2$

C) $-F > -OH > -NH_2$

D)  $> -C \equiv CH > -H$

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## Q59 Isomerism

JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 4

Top 100: **43%** got it right · Campus: **38%** (30 of 79)

**Within reach**

**You: Skipped**

59. Which of the following statements regarding 1,2-dimethylcyclopropane (I) and 1,2-dimethyl cyclobutane (II) are wrong ?

A) Both of them show three stereoisomers each

B) The cis form of both is optically inactive (meso) and the trans form of both has a pair of enantiomers

C) The cis form of both has a pair of enantiomers and the trans form of both is optically inactive (meso)

D) The meso form of both is optically inactive due to the presence of plane of symmetry.

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## Q73

**General Organic Chemistry**


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **32%** got it right · Campus: **23%** (18 of 79)

Tough one

You: Wrong

73. How Many of the following are Aromatic compounds?



**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## Q63

**Hydrocarbons – Monochlorination products incl. stereoisomers**


JEE Mains · Chemistry · Single correct · marking +4 / −1 · marks lost 5

Top 100: **16%** got it right · Campus: **20%** (16 of 79)

Tough one

You: Wrong

63. Number of monochlorinated product when following compound undergo reaction with $Cl_2 / h\nu$ (including stereo isomers)




A) 5 B) 9 C) 10 D) 6

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

**Q71** **Isomerism – Count of optically active compounds**


JEE Mains · Chemistry · Numerical · marking +4 / −1 · marks lost 5

Top 100: **6%** got it right · Campus: **10%** (8 of 79)

Tough one

You: Wrong

71. Total no of compounds which are optically active are _____



**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

# JEE Advanced – question by question

135 / 176 · 76.7%
09 Oct 2026

## 6 Every question at a glance

Right · Wrong · Skipped · Deleted (no marks) · Easy miss · Within reach · Tough one

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Maths | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| Physics | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 |
| Chemistry | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | ~~45~~ | 46 | 47 | 48 | 49 | 50 | 51 |

## 7 Questions you lost – what to fix first

Every question you got wrong or skipped, one table per subject, easiest marks first. **Top 100** = the batch's top 100 across all campuses; **Campus** = all 78 students of this program on campus.

**Easy miss** 70%+ of the top 100 got it right – easiest marks to win back · **Within reach** 40-69% · **Tough one** below 40%

### Maths

**1** of 17 questions lost · **3** marks · ● 1 within reach

| Q | PRIORITY | CHAPTER – WHAT IT TESTS | TYPE | YOU | MARKS LOST | TOP 100 RIGHT | CAMPUS RIGHT |
|---|---|---|---|---|---|---|---|
| Q14 | Within reach | **Inverse Trigonometric Functions** | Paragraph · +3 / 0 | Wrong | 3 | 63% | 58% |

### Physics

**4** of 17 questions lost · **15** marks · ● 4 tough one

| Q | PRIORITY | CHAPTER – WHAT IT TESTS | TYPE | YOU | MARKS LOST | TOP 100 RIGHT | CAMPUS RIGHT |
|---|---|---|---|---|---|---|---|
| Q29 | Tough one | **Circular Motion** – Net acceleration in a vertical circle at 37° | Integer · +4 / 0 | Wrong | 4 | 19% | 14% |
| Q18 | Tough one | **Friction** – Static vs kinetic friction under a time-varying force | Single correct · +3 / −1 | Wrong | 4 | 16% | 9% |
| Q27 | Tough one | **Friction** – Net work done by friction between sliding blocks | Integer · +4 / 0 | Wrong | 4 | 8% | 10% |
| Q33 | Tough one | **Work, Energy & Power** – Work-energy theorem from a-t and U-x graphs | Paragraph · +3 / 0 | Wrong | 3 | 2% | 1% |



### Chemistry

**6** of 16 questions lost · **21** marks (+2 on partly-correct answers) · ● 1 within reach · ● 5 tough one

| Q | PRIORITY | CHAPTER – WHAT IT TESTS | TYPE | YOU | MARKS LOST | TOP 100 RIGHT | CAMPUS RIGHT |
|---|---|---|---|---|---|---|---|
| Q43 | Within reach | **Hydrocarbons** – Alkane from $O_2$ needed; count secondary carbons | Integer · +4 / 0 | Wrong | 4 | 47% | 28% |
| Q48 | Tough one | **General Organic Chemistry** – Counting electrophiles | Paragraph · +3 / 0 | Wrong | 3 | 37% | 27% |
| Q46 | Tough one | **Isomerism** – Count of optically active compounds | Integer · +4 / 0 | Wrong | 4 | 15% | 15% |
| Q51 | Tough one | **Hydrocarbons** – Chiral products of free-radical monobromination | Paragraph · +3 / 0 | Wrong | 3 | 15% | 4% |
| Q47 | Tough one | **Hydrocarbons** – Dichlorination isomers of $C_5H_{10}$ (VD 35) | Integer · +4 / 0 | Wrong | 4 | 7% | 5% |
| Q50 | Tough one | **Hydrocarbons** – Preparation of alkanes – count correct statements | Paragraph · +3 / 0 | Skipped | 3 | 4% | 3% |

## 8 Chapter scorecard

Your marks on each chapter's questions against the campus average for the same questions. Weakest chapters first within each subject. Chapter marks are approximate (≈): partly-correct answers cannot be traced to a question.

| CHAPTER | QS | YOUR MARKS | YOU VS CAMPUS AVERAGE | CAMPUS AVG | QUESTIONS YOU LOST |
|---|---|---|---|---|---|
| **Maths** | | | | | |
| Inverse Trigonometric Functions | 6 | ≈ **18**/21 |  | 55% | **Q14** |
| Functions | 6 | ≈ **22**/22 |  | 40% | – none |
| Trigonometric Equations | 5 | ≈ **17**/17 |  | 35% | – none |
| **Physics** | | | | | |
| Friction | 5 | ≈ **9**/17 |  | 12% | **Q18**, **Q27** |
| Circular Motion | 4 | ≈ **11**/15 |  | 17% | **Q29** |
| Work, Energy & Power | 4 | ≈ **9**/12 |  | 22% | **Q33** |
| Laws of Motion | 3 | ≈ **12**/12 |  | 39% | – none |
| Momentum & Collisions | 1 | ≈ **4**/4 |  | 33% | – none |
| **Chemistry** | | | | | |
| Hydrocarbons | 5 | ≈ **4**/18 |  | 22% | **Q43**, **Q47**, **Q50**, **Q51** |
| Isomerism | 2 | ≈ **4**/8 |  | 16% | **Q46** |
| General Organic Chemistry | 9 | ≈ **27**/30 |  | 43% | **Q48** |

Bar = your % of the chapter's marks | campus average

## 9 JEE Advanced · Maths – questions to revisit

1 question · easy misses first
cropped from the question paper

### Q14 Inverse Trigonometric Functions

JEE Advanced · Maths · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **63%** got it right · Campus: **58%** (45 of 78)

**Within reach**
You: Wrong

**PARAGRAPH-I**

A mischievous student decides to play around with inverse trigonometric functions. She decides that since $f:\left[\frac{\pi}{2},\frac{3\pi}{2}\right]\to[-1,1], f(x)=\sin x$ and $g:[\pi,2\pi]\to[-1,1], g(x)=\cos x$ are invertible , she defines

$$h:[-1,1]\to\left[\frac{\pi}{2},\frac{3\pi}{2}\right], h(x)=\sin^{-1}x$$

$$j:[-1,1]\to[\pi,2\pi], j(x)=\cos^{-1}x$$

So that $h=f^{-1}$ and $j=g^{-1}$ . (For example under this definition $\sin^{-1}(0)=\pi$ and $\cos^{-1}(0)=\frac{3\pi}{2}$). Under these definitions, answer the following :(use $\pi=3.14$)

14. $\sin^{-1}(1)+\cos^{-1}(1)=.....$

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## JEE Advanced · Physics – questions to revisit

4 questions · easy misses first
cropped from the question paper

### Q29

**Circular Motion** – Net acceleration in a vertical circle at 37°
JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4
Top 100: **19%** got it right · Campus: **14%** (11 of 78)

Tough one
You: Wrong

29. A small ball of mass m is attached to the end of string of length $l = 1m$ whose other end is fixed. From its lowest position, the ball is given a kinetic energy $\frac{mgl}{5}$. Net acceleration $\left(in\ m/s^2\right)$ of ball at the instant when string makes an angle $\theta = 37^o$ with vertical is ..... $\left(g = 10m/s^2\right)$

**Why did I lose this question?** (write the reason and the correct approach)


☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

### Q18

**Friction** – Static vs kinetic friction under a time-varying force
JEE Advanced · Physics · Single correct · marking +3 / −1 · marks lost 4
Top 100: **16%** got it right · Campus: **9%** (7 of 78)

Tough one
You: Wrong

18. The force acting on the block of mass 1 kg is given by $F = 5 - 2t$. The frictional force acting on the block after time $t = 2\text{sec}$ will be $\left(\mu = 0.2, g = 10m/s^2\right)$




A) 2N B) 3N C) 1N D) zero

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## Q27

**Friction** – Net work done by friction between sliding blocks


JEE Advanced · Physics · Integer · marking +4 / 0 · marks lost 4

Top 100: **8%** got it right · Campus: **10%** (8 of 78)

Tough one

You: Wrong

27. Block A of mass 1kg is placed on rough surface of block B of mass 3kg. Block B is placed on smooth horizontal surface. Blocks are given velocities as shown. If net workdone by frictional force is "-n" J. value of n is ……..




**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## Q33

**Work, Energy & Power** – Work-energy theorem from a-t and U-x graphs

JEE Advanced · Physics · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **2%** got it right · Campus: **1%** (1 of 78)


Tough one

You: Wrong

**PARAGRAPH-II**

A particle of mass 1kg is moving along x-axis its velocity is 6m/s at x=0. Acceleration versus time and P.E versus displacement of particle are shown $\left(g = 10 m/s^2\right)$

Acceleration a is in $m/\sec^2$ b




33. Work done by all forces _____ J

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## JEE Advanced · Chemistry – questions to revisit

6 questions · easy misses first
cropped from the question paper

### Q43

**Hydrocarbons – Alkane from $O_2$ needed; count secondary carbons**
JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4
Top 100: **47%** got it right · Campus: **28%** (22 of 78)

Within reach
You: Wrong

43. one mole of alkane $(Y)$ requires 8 moles of oxygen for complete combustion on chlorination with $Cl_2 / h\gamma$, gives four monochlorinated products (including stereo). The total number of secondary carbon atoms per each (Y) is ……..

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

### Q48

**General Organic Chemistry – Counting electrophiles**
JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3
Top 100: **37%** got it right · Campus: **27%** (21 of 78)

Tough one
You: Wrong

**PARAGRAPH-I**

Electrophiles and nucleophiles are fundamental concepts of organic chemistry playing crucial roles in various reactions. Electron loving species that accept electron pairs to form covalent bonds are electrophiles, Nucleus loving species that donate electron pair to form covalent bonds.

48. How many of the following are electrophiles

A) $Br^+$ B)$\boldsymbol{Na^+}$ C) $CN^-$ D) $BF_3$

E) $BeCl_2$ F) $NH_2^-$ G) $SH^-$ H) $OR^-$

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## Q46 — Isomerism – Count of optically active compounds


JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **15%** got it right · Campus: **15%** (12 of 78)

**Tough one**

**You: Wrong**

46. How many given compounds are optically active




**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## Q51 — Hydrocarbons – Chiral products of free-radical monobromination

JEE Advanced · Chemistry · Paragraph · marking +3 / 0 · marks lost 3

Top 100: **15%** got it right · Campus: **4%** (3 of 78)


**Tough one**

**You: Wrong**

**PARAGRAPH-II**

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula $C_nH_{2n+2}$. The simplest one is methane $(CH_4)$, is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

51. In the following monobromination reaction, the number of possible chiral products is




**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

**Q47** **Hydrocarbons – Dichlorination isomers of $C_5H_{10}$ (VD 35)**

JEE Advanced · Chemistry · Integer · marking +4 / 0 · marks lost 4

Top 100: **7%** got it right · Campus: **5%** (4 of 78)

**Tough one**

**You: Wrong**

47. A hydrocarbon [X] is having vapour density 35 and it forms only 1 monochloro product under sunlight. How many isomeric products (including stereo) are possible when [X] undergoes dichlorination?

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed


**PARAGRAPH-II**

Alkanes are aliphatic saturated hydrocarbons and have the general molecular formula $C_nH_{2n+2}$. The simplest one is methane $(CH_4)$, is also the most abundant. Large amounts are present in atmosphere, in the ground, and in the oceans. Alkanes are most reduced forms of organic compounds. Hence, they can be prepared by reduction of any organic compound. Alkanes are prepared by the catalytic hydrogenation of alkenes or alkynes.

50. Find the No of correct statements out of the following

A) Alkanes are prepared by catalytic hydrogenation of Alkenes where both hydrogen atoms add to the same face of the alkene (syn-addition).

B) Alkyl halides when reacts with Lithium Aluminium Hydride form corresponding alkane: $R-X \xrightarrow{LiAlH_4} R-H$ for R : methyl , $1^0, 2^0$





C)In case of Tertiary Alkyl halide is observed.


D) Grignard's reagent when treated with a polar protic solvent gives alkane:

$R-Mg+HA \rightarrow R-H+MgX(A)$

E) The different compounds obtained by the following reaction are 7 (only organic compounds)




F) Rate of sodalime decarboxylation for the following acids follow:




G) The side products of potassium butanoate during Kolbe's Electrolysis are propane, propene and propyl butanoate

**Why did I lose this question?** (write the reason and the correct approach)

☐ Did not know the concept ☐ Calculation mistake ☐ Misread the question ☐ Ran out of time ☐ Guessed

## 10 How to read this report

**Where the numbers come from.** Marks, percentages, All-India / State / Campus ranks, subject marks, subject All-India ranks and the wrong / skipped questions are the official results in the institute's *All India Marks Analysis* (graded with the final answer key). Maximum marks leave out deleted questions — JEE Mains: Q58 — JEE Advanced: Q45. **Program rank** = rank in Pragya G9 (EXT) Achievers across all campuses, from the batch's question-wise sheet († JEE Advanced: that sheet was graded before the final key, so this rank may differ slightly). **Top 100** = the batch's top 100 across all campuses, from the same question-wise sheet; * where it has no data for a question, the campus figure decides the priority. **Campus** = all students of this program on campus. **Priority:** Easy miss = 70%+ of the top 100 got it right; Within reach = 40–69%; Tough one = below 40%. **Marks lost** on a question = its marks plus the negative mark if answered wrong, its marks if skipped. In JEE Advanced, 2 marks went on multiple-correct answers that were only partly correct. **Weekly-test average** = your average over the weekly Mains tests (WTM) or Advanced tests (WTA) before this Part Test, from the campus averages sheet. The weekly Advanced tests are marked out of 240; their averages are scaled to 180 to match this paper (× 180/240, so 80 per subject becomes 60). Percentages are unchanged.