



(2) N=5 (1) 2 3 4 5 (2) -9 5 (3) -9 5 (4) -9 7 columns. 1 * 2 * 2 1															
Columns. 1										06.	ser ve	tion_			
Columns. 1	Q 2.		N :	<u>= S</u>						1-	nuı	n is	printe	d in	even
			ന	2	3	س	5			- 41		colur	nn1.		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			*								١,				
3 * 2 *	•	1													
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	n	,					_	r	inge	C1/3)	= C1	12)		
5 * 2 * 4 * * * * * * * * * * * * * * * *		3		2	*		-	-9 γ	ange	(4,	4) .	= []/	2,3)		
5 * 2 * 4 * • range (2,6) = $C(1,2,3,4,5)$ X 0 1 2 3 4 For 9 in stange (1, N+1): # print 2 * s for C in mange (1, 91+1): if c $7/2 = = 1$: print (6 * 2 and = 6 ?) else: # =) even print (c, end = 6 ?)		H	*	2_	*	4	•	ب ۲۰	nge	(1,5) .	= C1/	2,3,4	ם כ	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		5	*	2	*	4									
for g in sange $(1, N+1)$: # print $x \neq s$ for G in range $(1, g+1)$: if $C \neq 2 = 1$: print $(6 + 2)$ and $(6 + 2)$ e(ce: # =) even print $(6 + 2)$ even		X	O	1	2	3								_	
		/\													
for C in range $(1, n+1)$: if $c < 2 = 1$: print $(6 * ?, cnd = 6 ?)$ else: $\# =) even$ print $(c, end = 6 ?)$					for	90	in	9ra	nge	(1,1	∪ +I):			
if c % 2 = = 1: print(6*, and=6*) e(a: # =) even print(c, end=6*)							Ħ	print	:	2*					
print (6 * ?, and = 6 ?) e(ce: # => even print (c, end = 6 ?)					! ! !		for	C	įh (nange	(1,	91+1) :		
print (6 * ?, and = 6 ?) e(ce: # => even print (c, end = 6 ?)								if	_	·/. 2	\ \ = =	1:			
e(ce: # =) even print (c, end= 69)															
print (c, end=69)															
								614	ė:	# :	=) e	ven			
porint(C)									P	rint	(c,	end=	69)		
							baiv	tc)							

Q3,		<u>N</u> =														
			2	3 C →	ч	(C*)								
		*	*	*	*		4	=)	N	=	N-	- C I—	-I) =	N-	-1+1	
ا ا	(1)	*	*	*			3	<i>=</i>)	N-1	: = 1	V-1	= 1	v— (2	2-1)	= N-2	+
	3	*	*				2	=)	N-1-	-/ =	N −2	= 1	v-(;	3-1)	= N-3	4
	(4)	*					1	=)	N-1-	1-, =	= N-3	} =	N-(4-1)	= N-4	1 -
		N :	= 5	C-5				_								
		1	2			*		C*	_							
مارو	2	*	*	*	*	*		<i>5</i>	Λ		-1,4	-1			= N	
	3	*						3		1-1 1-2					=N-	
	4	*	*					2		1-3					= 10-3	
	5	¥						1	N	~٧					= N-y	
														ے		
										Ξ	-) (N-	2+			
	ን	=1		ran	ye (1	Nーケ	+1)	= r	ran g	e (5	-1+	-1)				
	N	=5						=	rang	e (5) =	Lo	11,2	, 3, 4	2	

		for	٦	in	919	nge	C1,	N+I):				
				# 1	rint	Cı	V-9c-	H) S	two.				
				for	С	in	nan	ge CI	リース・	+1)	3		
					P	rint	(6*	, end:	=69)				
				prin	tc)								
				Patt	eun	with	L Sp	a C es					
Q 4.													
Q. (-	Co. : -					P 6	9	1 6	97				
	Qui 2.							nd=°					
				fo	en g			ange					-
						۲٦	int (649	en	= 69)		
				PT	int (6) e	nd='	9)				
		A٠	-	*	址	*	*	_					
		B.		*	*	未	术						
		C.	æ	*	K	+							
		þ.	_	4	+	*	*						
													L





	for r	in ;	eange (1	-, N+1):					
		# priv	nt (N-1) spacy					
		for	c in r	ange (N-	· ሎ) :				
			print (Ī	(= 4)				
			t a *s						
		fr (c in r	range (h 49, end:	·):				
	•		new li	ne.					
		print	(.)			J			
N=	= 3								
QG.		*							
	*	*	*						
	* *	*	* *						
	N = 4					ک ا	C*	C-2	
		•	<u></u>			3	=2-1	3 = 4-1	
× 2		* .	* *			2	3=4-1	2 = 4-2	
2	. *	* ;	* *	*		1	5=6-1	1 = 4-3	
V 4	* *	*	+ +	* *		0	7=2-1	0=4-4	
	1 2	3 (4 5	6 7		i —	1	N-~	
							22-1		
		1, ×	(,), Y, r	, K, 7					

fon x	in range (1, N+1):
	the print (N-n) spaces
	# print (2+r-1) stars
	# print (N-n) spaces
	print()

