
Twinwise

User Manual

The complete reference: how Twinwise reads files, what it masks, every setting, the safety check, AI context and RAG, the library, the command line and troubleshooting.



Version 0.2.0 · November 2026 Developed and maintained by LoopWise · Created by Suman Mondal

This manual is the complete reference for Twinwise. For a quick start, see the User Guide or the 98-second video.

Contents

1. What Twinwise is
2. Installing and starting
3. The screen at a glance
4. Creating a twin, step by step
5. How Twinwise reads a file
6. What gets masked, and how
7. How numbers change
8. Reviewing: cell and column decisions
9. The safety check
10. What you get when you export
11. Using the twin with AI tools
12. Using the twin in a RAG pipeline
13. Restoring an AI answer
14. Templates and the library
15. Command line reference
16. Privacy and security
17. Limits you should know
18. Troubleshooting
19. Frequently asked questions
20. Glossary

1. What Twinwise is

Twinwise makes a **data twin** of a spreadsheet: a copy with the same layout, where every name, ID and number is replaced. The twin still behaves like the original. Totals add up, formulas hold, and comparisons inside a column stay meaningful. That means you can give it to ChatGPT, Claude, Copilot or a RAG pipeline and get useful answers without exposing real data.

Three principles guide every design decision:

Principle	What it means in practice
Local only	Everything runs on your computer. No uploads, no cloud, no telemetry.
Fail safe	Text Twinwise doesn't recognise is masked first, then shown to you. It never quietly keeps something it isn't sure about.
You decide	Rules and your review decide what is masked. No AI model makes masking decisions.

2. Installing and starting

2.1 Download the app (no Python needed)

Get the file for your computer from the **Releases** page: `github.com/Chalkduggo/Twinwise/releases/latest`.

System	File	How to start
Windows 10 / 11	`Twinwise-Windows.zip`	Unzip, then double-click `Twinwise.exe`
macOS, Apple Silicon (M1 and later)	`Twinwise-macOS-AppleSilicon.zip`	Unzip, then double-click `Start Twinwise.command`
Linux, x86-64	`Twinwise-Linux-x86_64.tar.gz`	`tar -xzf Twinwise-Linux-x86_64.tar.gz`, then `./Twinwise/start-twinwise.sh`

First-run security prompts. The apps aren't code-signed yet, so the operating system asks once:

- **Windows:** *"Windows protected your PC"* → **More info → Run anyway**.
- **macOS:** *"cannot be opened because the developer cannot be verified"* → **System Settings → Privacy & Security** → scroll down → **Open Anyway**. Or right-click the file → **Open → Open**.

2.2 Run from source (any system with Python 3.10+)

```
git clone https://github.com/Chalkduggo/Twinwise.git
cd Twinwise
pip install -e .
twinwise ui
```


Or double-click `Start-Twinwise.bat` (Windows), or run `./start-twinwise.sh` (macOS/Linux). These create a private Python environment the first time.

2.3 Starting and stopping

Starting Twinwise opens your browser at `http://127.0.0.1:8765`. A small terminal window stays open while it runs.

- **To stop Twinwise**, close that window (or press `Ctrl + C` in it).
- **Port already in use?** Run `twinwise ui --port 8780`.

3. The screen at a glance




Area	What it does
Top bar	Logo and the *Processing locally* badge
Left menu	*Create a twin*, *Templates*, *Name library*, *Safe words*, *Restore AI answer*, *History*
Steps bar	Upload → Review → Verify → Export
Grid	Your sheet, colour-coded
Inspector (right)	*Summary*, *Cell* and *Column* tabs
Status bar (bottom)	Rows, counts, template match and mode

Colour key

Colour	Meaning
Blue	Number, will be changed
Amber	Name or ID, will be replaced
Grey	Date or period, kept
White	Ordinary text, kept
Red outline	New text Twinwise hasn't seen before. It's masked until you decide

4. Creating a twin, step by step


1. **Upload.** Drag files onto *Create a twin*, or click to choose. Accepted: `.xlsx`, `.xlsm`, `.csv`, `.tsv` and `.zip` files containing them. Several files can be processed together, and names stay consistent across all of them.
2. **Review.** Check the plan. Use **Next to review** to jump through red cells. Change cells or columns if needed (see section 8).
3. **Verify.** Click **Continue**. Twinwise saves the twin and runs the safety check (section 9).
4. **Export.** Click **Export twin**. Files are saved and can be downloaded (section 10).



5. How Twinwise reads a file

Before changing anything, Twinwise analyses each sheet.

It finds	How
Header row(s)	The row that best describes the columns below it, including two-row headers (e.g. "Beginning" above "Subs")
Report details above the table	Label–value pairs such as `Vendor Name: …`, `Vendor Number: …`
Column roles	From the header and the values: name, ID/code, count, price/rate, percentage, amount, date, text
Totals rows	Rows containing *Total*, *Totals*, *Grand Total* or *Subtotal*, checked against the rows above
Calculated columns	Columns equal to A × B, A × B ÷ 100, A − B, A + B, the average of A and B, or the larger of A and B, checked row by row
Small label rows inside a table	E.g. `Adjustments: | Month | Year | Amount`, so they aren't mistaken for data



The second header row in the grid shows what was found for each column, for example *Region · replace*, *Count · scale* or *Formula · recalc*.

6. What gets masked, and how

Data	Example	Becomes
Names in name columns (Partner, Vendor, Channel, Title, City, State, System, Person...)	`Lantern Channel`	`Title 001`
Codes inside names	`99126 - PPV CLU for New Orleans`	`10002 - PPV RWM for Region 2`
IDs and codes (Vendor Number, System ID, UBEN, Provider Code...)	`E000105-12`	`B227380-03` (same shape)
Names inside headings and notes	`Northwind Cable PPV/VOD Activity Report`	`Company 1 PPV/VOD Activity Report`
People and signatures	`Prepared by: Maya Fernandes`	`Prepared by: Name 4`
Emails, web links	`royalties@harbor…`	`user1@example.com`
State codes	`OR`, `IN`, `CO`	`REGION 7`
File and sheet names	`harbor_media_statement.csv`	`Company 1 statement_TWIN.csv`
Comments, headers/footers, author and company properties		Removed

Consistency. The same real name always gets the same label, in every file and every month, because labels are stored in your name library.

Kept on purpose. Ordinary business words (Revenue, Total, Subscribers...), industry terms (SVOD, AVOD, PPV...), months, years, dates, and numbers with one or two digits inside text.

7. How numbers change

Pick the mode in **Summary → How numbers change**.

Mode	What happens	Totals add up?	Best for
Consistent (default)	Each column is multiplied by its own hidden factor. Calculated columns and totals are then recalculated from the masked values.	Yes, exactly	Asking AI to analyse the data
One hidden factor	Every amount is multiplied by the same factor.	Yes	When ratios between columns must stay exact
Random	Each number gets independent noise.	No	Maximum privacy, layout-only questions


Details:

- **Counts** stay whole numbers. A real count is never left unchanged; even a "1" becomes something else.
- **Prices** can be rounded to real price points (3.64 → 3.99). Turn this on or off in *Summary*, or per column.
- **Percentages** change gently and stay between 0 and 100.
- **Number formats are kept**: `$1,234.56`, `55%`, `(120.00)`.
- **Stable factors** (on by default): the same column gets the same hidden factor every month, so month-to-month changes (+8%) stay true. Turn this off for maximum privacy.

8. Reviewing: cell and column decisions

8.1 Cell decisions

Click any cell. The **Cell** tab shows the original, the twin value, the reason, and three choices:




Choice	Effect	Remembered as
Automatic	Replace the names and codes Twinwise found	—
Keep as is	Leave the text unchanged	The words are added to your safe-word list
Replace the whole cell	One label for the entire text	The names inside are added to your name library

8.2 Column decisions

Click a column letter (A, B, C...). In the **Column** tab you can:


- change **what the column holds** (amount, count, price, percent, ID, names with a name type, date, text);
- choose **Keep original values**, only for data that is public or not sensitive;
- turn **price-point rounding** on or off for price columns.




Column decisions are saved in the template, so next month's file is handled the same way.

8.3 Views

Plan (colours on the original values), **Original** and **Twin**. Switch at the top right.



9. The safety check



The check runs on the **saved files**, not on the plan.


Check	Result
Every replaced name, ID and code is searched for in all cells, formulas, sheet names, the file name and document properties	Must be **0 found**
Every changed number is checked to make sure it doesn't still hold its real value	Must be **0 found**
File and sheet names are checked for any word from a replaced name	Must be **0 found**
The AI context files (section 10) are searched the same way	Must be **0 found**
Comments, headers/footers and author details	Removed

If anything is found, **export is blocked** and the exact cell is listed.

Risk warnings (they inform you, but don't block export):

- **Small counts (1–4):** very small numbers can point to a specific customer or location.
- **Percentages kept as-is:** contract terms such as a revenue split can identify a deal.
- **Kept text you may want to glance at:** capitalised words that were kept.
- **Cells masked without your review:** they're safe, but reviewing them teaches Twinwise.

10. What you get when you export



File	Share?	What it is
`…_TWIN.xlsx` / `.csv`	✅ Yes	The twin
`…_TWIN_CONTEXT.md`	✅ Yes	A data card for AI: what each column means, formulas in plain words, totals, summary figures
`…_TWIN_chunks.jsonl`	✅ Yes	Ready-made chunks for RAG / vector databases
`twin-key_<date>.json`	❌ **Never**	Private key linking fake values to real ones
`twin-report_<date>.json`	Internal	Results of every check, for your records

The default folder is `Twinwise/exports/<date_time>` in your home folder. Use **Open folder** to go straight there.

---

11. Using the twin with AI tools

1. Upload the **twin** and its **CONTEXT.md** to your AI tool.
2. Ask your question in normal words, using the labels: *"Which Region had the highest revenue? How does Title 001 compare with Title 003?"*
3. Copy the answer and restore it (section 13).

Prompt tip: start with *"The attached file is a synthetic twin; the attached data card explains each column."* AI tools give better answers when they know the formulas.

---

12. Using the twin in a RAG pipeline

`…_chunks.jsonl` has one JSON object per line:


```
{"id": "VENDOR 1 - PPV Buys - Aug-2026_TWIN.xlsx#s0-r12",
 "type": "row",
 "text": "Sheet1, row 12: System: 34829 - PPV for Region 2; Title: Title 001; Number of Buys: 40; Sale Price: 3.99; Revenue: 159.60; …",
 "metadata": {"file": "…_TWIN.xlsx", "sheet": "Sheet1", "row": 12, "System": "34829 - PPV for Region 2", "Title": "Title 001"}}
```

type	Contains
`overview`	File, sheet, size and report details
`columns`	Every column, its meaning, a summary, and the formulas between columns
`totals`	Totals rows, ten per chunk
`row`	One data row with every field

Loading it. Read the file line by line. Embed `text`, and store `id` and `metadata`. It works with LangChain (`JSONLoader` with `json_lines=True`), LlamaIndex, Azure AI Search, pgvector, Chroma, or any tool that accepts JSON lines. The `metadata` fields let you filter by file, sheet or name label.

Because chunks come only from the twin and are leak-tested, **no real value ever reaches your vector database**. Answers come back in labels. Restore them with the key.

13. Restoring an AI answer




1. Open **Restore AI answer**.
2. Choose the matching `twin-key_….json`.
3. Paste the AI's answer, then click **Restore real names**.

What	Restored?
Name labels (`Region 4`, `VENDOR 1`, `Title 001`)	✅ Always
IDs and codes	✅ Always
Numbers that appear in the twin	✅ Exactly
Numbers the AI calculated (sums, averages, growth)	⚠️ Not exactly. Percent changes and rankings stay valid in Consistent mode

14. Templates and the library

14.1 Templates

A template remembers a report **layout** (its column headers) and **your column decisions**. When a new file matches a saved template closely enough (60% or more of the headers), your rules are applied automatically. You can rename templates in *Summary* → *Template name*, and delete them from the *Templates* page.




14.2 The library

All learning is stored in the `.twinwise` folder in your home directory. You can change the location with the environment variable `TWINWISE_HOME`.

File	Contents
`safe_words.txt`	Words and phrases you marked as safe
`names.json`	Real name → fake label, with type
`ids.json`	Real ID → fake ID
`factors.json`	Hidden factors per column name (for month-to-month comparisons)
`templates/*.json`	One file per layout
`history.jsonl`	One line per export (local audit trail)

- **To share templates with a teammate:** copy `templates/` (and `names.json` if you want the same labels). These files contain real names, so share them only inside your team.
- **To reset everything:** close Twinwise and delete the `.twinwise` folder.



15. Command line reference

Command	Purpose
`twinwise ui [--port 8765] [--no-browser]`	Open the review screen
`twinwise twin FILES… [-o OUT]`	Create twins without the screen
`--mode consistent | scale | random`	How numbers change (default: consistent)
`--no-price-points`	Don't round prices
`--no-stable`	New hidden factors every run
`--no-learn`	Don't save templates or names
`--no-context`	Skip the AI context and RAG files
`twinwise restore --key KEY [FILE]`	Restore an AI answer (reads from stdin if no file is given)
`twinwise demo [-o DIR]`	Write made-up demo files

`twinwise twin` exits with code **2** if the safety check finds a leak, so scripts can stop safely.

16. Privacy and security

- The server listens only on `127.0.0.1` and rejects requests whose host isn't this computer.

- There's no telemetry, no analytics and no network calls.
- Uploaded files are copied to a temporary folder for the session. Exports go only where you choose.
- Archives are unpacked safely: paths inside a ZIP are ignored, so a file can't escape the folder.
- The key file and the library contain real values. Protect them like the original data.

17. Limits you should know

- The leak test proves that everything Twinwise **replaced** is gone. It can't know that text it judged ordinary is sensitive to you. Glance at the *Kept text* list.
- Formulas in Excel files are kept as formulas. Excel recalculates them from masked inputs, and cached results aren't stored.
- Totals that Twinwise can't link to their rows (for example a subtotal row with no "Total" label) are scaled rather than recalculated.
- Very small groups can still hint at a real customer, even when masked.
- Not yet supported: `.xls`, PDF, images, Word documents.
- Downloads are for Windows, Apple Silicon Macs and x86-64 Linux. Intel Macs: run from source.

18. Troubleshooting

Problem	Fix
The browser didn't open	Go to `http://127.0.0.1:8765` yourself
"Address already in use"	Another copy is running: close it, or use `--port 8780`
Windows blocks the app	**More info → Run anyway**. Some company laptops block unsigned apps entirely; ask IT, or run from source
macOS blocks the app	**System Settings → Privacy & Security → Open Anyway**
"Could not read the file"	The file may be password-protected, corrupt or `.xls`. Open it in Excel and save as `.xlsx`
Too many red cells	Normal the first time with a new layout. Decide once and Twinwise learns
A heading I need was masked	Click it → **Keep as is** (it's added to safe words), or add it on *Safe words*
Something sensitive was kept	Click it → **Replace the whole cell**, or set its column to **Names — replace**
Export is blocked	Open the listed cell, choose **Replace the whole cell**, and run the check again
"This session has expired"	The server was restarted. Upload the files again

19. Frequently asked questions

Does any data go to the internet? No. Twinwise has no network features at all.

Can an AI "undo" the twin? Not from the twin alone. Labels carry no real names, and the hidden factors aren't in the twin. Keep the key file private.

Why aren't AI models used to decide what to mask? Predictability. Rules plus your review behave the same way every time, and every decision is visible.

Will next month's numbers be comparable? Yes, in Consistent mode with stable factors (the default). The same column keeps the same hidden factor.

Can my team use it? Yes. Each person runs it locally. Share templates by copying the `templates` folder.

Is it free? Yes. It's open source under the Apache 2.0 licence.

20. Glossary

Term	Meaning
Twin	The masked copy of your file
Label	A fake name such as *Region 1* or *VENDOR 1*
Hidden factor	The secret multiplier used to change a column's numbers
Template	A saved layout plus your column decisions
Safe word	Text that's never masked
Key file	Private file linking labels and fake numbers to real ones
Data card	`CONTEXT.md`, which explains the twin to an AI
Chunk	One piece of text with metadata, used by RAG pipelines
RAG	Retrieval-augmented generation: an AI that looks up relevant chunks before answering

Twinwise is open source under the Apache License 2.0. Source, issues and downloads: github.com/Chalkduggo/Twinwise