


DHCP2 tabellstruktur,  
väsentliga delar som  
används idag 2013-11-06.



**Tabellkluster rpcc**  
Se sid 5

**Tabellkluster auth**  
Se sid 6

**group\_groups\_flat**  
3  
groupname  
descendant

**group\_literal\_options**  
3  
for  
value  
changed\_by  
mtime

**class\_literal\_options**  
3  
for  
value  
changed\_by  
mtime

**classes**  
2  
classname  
optionspace  
vendor\_class\_id  
info  
optionset  
changed\_by  
mtime

**pool\_class\_map**  
3  
poolname  
classname  
changed\_by  
mtime

**groups**  
2  
groupname  
parent\_group  
optionspace  
info  
changed\_by  
mtime

**Tabellkluster optionset**  
Se sid 4

**subnetworks**  
2  
id  
network  
info  
optionset  
changed\_by  
mtime

**networks**  
1  
id  
authoritative  
info  
optionset  
changed\_by  
mtime

**host\_literal\_options**  
4  
for  
value  
changed\_by  
mtime

**hosts**  
3  
id  
dns  
group  
mac  
room  
optionspace  
changed\_by  
mtime  
info  
optionset  
entry\_status

**optionspaces**  
1  
id  
type  
value  
info  
changed\_by  
mtime

**pool\_group\_map**  
3  
poolname  
groupname  
changed\_by  
mtime

**pools**  
2  
poolname  
optionspace  
network  
info  
optionset  
changed\_by  
mtime

**rooms**  
1  
id  
info  
printers  
changed\_by  
mtime

**buildings**  
1  
id  
re  
info  
changed\_by  
mtime

**global\_options**  
1  
name  
value  
changed\_by  
mtime  
id

**pool\_host\_map**  
3  
poolname  
hostname  
changed\_by  
mtime


**pool\_literal\_options**  
3  
for  
value  
changed\_by  
mtime


**pool\_ranges**  
3  
pool  
start\_ip  
end\_ip  
served\_by  
changed\_by  
mtime

**dhcp\_servers**  
1  
id  
name  
info  
changed\_by  
mtime



AdHoc  
systemstruktur





rpcc_api_version
1
version
state
comment

rpcc_session
1
id
expires

rpcc_session_string
2
session_id
name
value

rpcc_event_int_attr
1
id
name

rpcc_event_str_attr
1
id
name

rpcc_event_type
1
event
attr
value

rpcc_event_int
2
event
attr
value

rpcc_event_str
2
event
attr
value

rpcc_event
1
id
typ
created
parent

rpcc_mutex_var_val
3
var
value


rpcc_mutex_var
2
id
mutex_id
name
collection

rpcc_mutex
1
id
name
holder_session
holder_public
last_change
forced

rpcc_result
1
resid
manager
expires

rpcc_result_int
2
resid
value

rpcc_result_string
2
resid
value



## DHCP<sub>2</sub> systemstruktur

