
49.3% of the internet is English.



Introducing World Wide Search

You may search for a topic and conclude that there are not enough resources. But the topic may already be researched extensively in another language, on another search engine, and under different terms.

TARGET USERS

Graduate researchers · interdisciplinary teams · evidence reviews

Source: W3Techs, Content Languages on the Web

The missing results are not always missing.

Relevant work can be hidden by language, terminology, and search-engine boundaries. Russian content may be easier to find through Yandex; Chinese content may be easier to find through Baidu.

01

Language gap

A search in English misses research written in Russian, Chinese, and other languages.

02

Engine gap

Different search engines index different sources and rank different results.

03

Concept gap

The same idea can use different terms across disciplines and cultures.

Audience: graduate researchers, interdisciplinary teams, and evidence-reviewers who need broader discovery.

A small orchestration layer over existing sources.

01

Input

Research question plus seed concepts and languages.

02

Expand

Python service generates query variants with translation and embedding tools.

03

Retrieve

Connectors query selected APIs such as OpenAlex, Crossref, and web search.

04

Rank

Normalize, deduplicate, and group results for human review.

Prototype stack: Python + FastAPI · search APIs · translation model/API · multilingual embeddings · lightweight web UI

Make discovery broader, faster, and auditable.

- MVP: one research domain and three languages
- Two search connectors plus one scholarly index
- One researcher workflow: discover, compare, save
- Out of scope: full-text synthesis and automated conclusions

Risk	API limits or unstable search interfaces
Risk	translation quality varies by domain
Mitigation	log queries, preserve source links, and keep a manual review step

Start narrow. Learn quickly. Expand with evidence.

MILESTONE 1

Prototype

Working search loop with one domain, three languages, and two connectors.

MILESTONE 2

Test

Compare World Wide Search with current search habits on real researcher tasks.

MILESTONE 3

Evaluate

Document results, refine scope, and decide whether to scale.

Success: researchers find at least one relevant source they would likely have missed, with less setup time and a reproducible query trail.