

Registration No: 2025/CS/079
Index No: 25000799

(01)

1, 2

```
root@ubuntuuserver:~# mkdir -p UoC/UCSC/Departments/CMT
root@ubuntuuserver:~# mkdir UoC/SriPalee UoC/IHARA
root@ubuntuuserver:~# mkdir -p UoC/UCSC/Centres/ADMTC UoC/UCSC/Centres/eLC
root@ubuntuuserver:~# mkdir -p UoC/UCSC/Divisions/Admin UoC/UCSC/Divisions/Finance UoC/UCSC/Divisions/Academic
root@ubuntuuserver:~# tree UoC
UoC
├── IHARA
├── SriPalee
└── UCSC
    ├── Centres
    │   ├── ADMTC
    │   └── eLC
    ├── Departments
    │   └── CMT
    └── Divisions
        ├── Academic
        ├── Admin
        └── Finance

13 directories, 0 files
```

3

```
root@ubuntuuserver:~# touch UoC/UCSC/Departments/CMT/distance.edu
root@ubuntuuserver:~# tree UoC/
UoC/
├── IHARA
├── SriPalee
└── UCSC
    ├── Centres
    │   ├── ADMTC
    │   └── eLC
    ├── Departments
    │   ├── CMT
    │   └── distance.edu
    └── Divisions
        ├── Academic
        ├── Admin
        └── Finance

13 directories, 1 file
```

4

```
root@ubuntuserver:~# mv UoC/UCSC/Departments/CMT/distance.edu UoC/SriPalee/
root@ubuntuserver:~# tree UoC/
UoC/
├── IHARA
├── SriPalee
│   └── distance.edu
└── UCSC
    ├── Centres
    │   ├── ADMTC
    │   └── eLC
    ├── Departments
    │   └── CMT
    └── Divisions
        ├── Academic
        ├── Admin
        └── Finance

13 directories, 1 file
```

5

```
root@ubuntuserver:~# cp UoC/SriPalee/distance.edu UoC/UCSC/Centres/eLC/
root@ubuntuserver:~# tree UoC/
UoC/
├── IHARA
├── SriPalee
│   └── distance.edu
└── UCSC
    ├── Centres
    │   ├── ADMTC
    │   ├── eLC
    │   └── distance.edu
    ├── Departments
    │   └── CMT
    └── Divisions
        ├── Academic
        ├── Admin
        └── Finance

13 directories, 2 files
```

6,7

```
root@ubuntuserver:~# cd UoC/
root@ubuntuserver:~/UoC# pwd
/root/UoC
root@ubuntuserver:~/UoC# chmod 400 UCSC/Centres/ADMTC/
root@ubuntuserver:~/UoC# chmod 002 UCSC/Centres/eLC/
root@ubuntuserver:~/UoC# ls -la UCSC/Centres
total 16
drwxrwxr-x 4 root root 4096 May 29 15:11 .
drwxrwxr-x 5 root root 4096 May 29 15:11 ..
dr----- 2 root root 4096 May 29 15:11 ADMTC
d-----w- 2 root root 4096 May 29 15:16 eLC
```

8

```
root@ubuntuserver:~/UoC# chmod 505 UCSC/Divisions/Admin/
root@ubuntuserver:~/UoC# ls -al UCSC/Divisions/
total 20
drwxrwxr-x 5 root root 4096 May 29 15:11 .
drwxrwxr-x 5 root root 4096 May 29 15:11 ..
drwxrwxr-x 2 root root 4096 May 29 15:11 Academic
dr-x---r-x 2 root root 4096 May 29 15:11 Admin
drwxrwxr-x 2 root root 4096 May 29 15:11 Finance
```

9

```
root@ubuntuserver:~/UoC# cd IHARA/
root@ubuntuserver:~/UoC/IHARA# pwd
/root/UoC/IHARA
root@ubuntuserver:~/UoC/IHARA# chmod u+rx-w,o+rx-w ../UCSC/Divisions/Academic/
root@ubuntuserver:~/UoC/IHARA# ls -la ../UCSC/Divisions/
total 20
drwxrwxr-x 5 root root 4096 May 29 15:11 .
drwxrwxr-x 5 root root 4096 May 29 15:11 ..
dr-xrwxr-x 2 root root 4096 May 29 15:11 Academic
dr-x---r-x 2 root root 4096 May 29 15:11 Admin
drwxrwxr-x 2 root root 4096 May 29 15:11 Finance
```

10

```
root@ubuntuserver:~/UoC/IHARA# chmod +rw ../UCSC/Departments/CMT/
root@ubuntuserver:~/UoC/IHARA# ls -la ../UCSC/Departments/
total 12
drwxrwxr-x 3 root root 4096 May 29 15:10 .
drwxrwxr-x 5 root root 4096 May 29 15:11 ..
drwxrwxr-x 2 root root 4096 May 29 15:14 CMT
```

(02)

```
-rw-rw-r-- 1 chamal chamal 1976 May 29 16:09 index.html
-rw-rw-r-- 1 chamal chamal 1334 May 29 16:10 page1.html
-rw-rw-r-- 1 chamal chamal 2000 May 29 16:14 page2.html
-rw-rw-r-- 1 chamal chamal 1605 May 29 16:13 page3.html
-rw-rw-r-- 1 chamal chamal 1568 May 29 16:13 page4.html
-rw-rw-r-- 1 chamal chamal 2004 May 29 16:13 page5.html
-rw-rw-r-- 1 chamal chamal 1591 May 29 16:13 page6.html
-rw-rw-r-- 1 chamal chamal 1943 May 29 16:12 page7.html
-rw-rw-r-- 1 chamal chamal 1799 May 29 16:12 page8.html
-rw-rw-r-- 1 chamal chamal 18882 May 29 16:12 page9.html
-rw-rw-r-- 1 chamal chamal 58 May 29 16:03 styles.css
```

```
1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel="stylesheet" href="styles.css">
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10    
11    <p>Horton Plains National Park (Sinhala: හර්ටන් ප්ලේන්ස් ජාතික වනෝද්‍යානය, romanized: Hortan Thanna Jathika Udyanaya) is a national park in the central highlands of Sri Lanka that was designated in 1988. It encompasses an area of 31 km2 (12 sq mi) and borders Thotupalakanda Nature Reserve. It is located at an elevation of 2,100-2,300 m (6,900-7,500 ft) and encompasses montane grassland and cloud forest. It is rich in biodiversity and many species found here are endemic to the region.
12
13    The Horton Plains are the headwaters of three major Sri Lankan rivers, the Mahaweli, Kelani, and Walawe rivers. In Sinhala the plains are known as Maha Eliya Plains (මහලියා ප්ලේන්ස්). Stone tools dating back to Balangoda culture have been found here. The plains' vegetation is grasslands interspersed with montane forest and includes many endemic woody plants. Large herds of Sri Lankan sambar deer feature as typical mammals and the park is also an Important Bird Area with many species not only endemic to Sri Lanka but restricted to the Horton Plains. Forest dieback is one of the major threats to the park and some studies suggest that it is caused by a natural phenomenon.
14
15    The sheer precipice of World's End and Baker's Falls are among the attractions of the park. </p>
16    <a href="index.html">1</a>
17    <a href="page1.html">2</a>
18    <a href="page2.html">3</a>
19    <a href="page3.html">4</a>
20    <a href="page4.html">5</a>
21    <a href="page5.html">6</a>
22    <a href="page6.html">7</a>
23    <a href="page7.html">8</a>
24    <a href="page8.html">9</a>
25    <a href="page9.html">10</a>
26  </body>
27 </html>
28
```

"index.html" 28L, 1976B

1,1

All

```

1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel='stylesheet' href='styles.css'>
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10    <h2>Physical features</h2>
11    
12    <p>Horton Plains is located on the southern plateau of the central highlands of Sri Lanka.[2] The peaks of Kirigalpoththa (2,389 m (7,838 ft)) and
      Thotupola Kanda (2,357 m (7,733 ft)), the second and the third highest of Sri Lanka, are situated to the west and north respectively. The park's elevatio
n ranges from 1,200–2,300 m (3,900–7,500 ft).[3] The rocks in the park belong to the Archaean age and to the high series of the Precambrian era and are mad
e up of Khondalites, Charnockites and granitic gneisses.[4][5] The soil type is of the red-yellow podsollic group and the surface layer is covered with dec
ayed organic matter.[4]</p>
13      <a href="index.html"><1></a>
14      <a href="page1.html"><2></a>
15      <a href="page2.html"><3></a>
16      <a href="page3.html"><4></a>
17      <a href="page4.html"><5></a>
18      <a href="page5.html"><6></a>
19      <a href="page6.html"><7></a>
20      <a href="page7.html"><8></a>
21      <a href="page8.html"><9></a>
22      <a href="page9.html"><10></a>
23    </body>
24  </html>
25
~
~
~
~
~
~
~

```

"page1.html" 25L, 1334B
1,1
All

1,1

ALL

```

1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel="stylesheet" href="styles.css">
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10    <h2>Physical features - continued</h2>
11    
12    <p>The mean annual rainfall is greater than 2,000 mm (79 in). Frequent cloud cover limits the amount of sunlight that is available to plants. The mean annual temperature is 13 °C (55 °F) but the temperature varies considerably during the course of a day, reaching as high as 27 °C (81 °F) during the daytime, and dipping as low as 5 °C (41 °F) at night. During the southwest monsoon season, the wind speed sometimes reaches gale force. Although some rain falls throughout the year, a dry season occurs from January-March. The ground frost is common in February. Mist can persist for most of the day during the wet season.[6] The park has many pools and waterfalls, and Horton Plains is considered the most important drainage basin in Sri Lanka.[2] The Horton Plains are the headwaters of the Mahaweli, Kelani, and Walawe rivers.[2] The plains also feeds Belihul Oya, Agra Oya, Kiriketi Oya, Uma Oya, and Bogawantalaw a Oya.[6]
13
14 World's End is a sheer cliff with a 870 m (2,850 ft) drop.[6] Baker's Falls, a waterfall formed by Belihul Oya, a tributary of the Walawe River is named after Sir Samuel Baker.[7] The waterfall is 20 m (66 ft) high, and Slab Rock Falls is another well-known waterfall in the plains.[6]</p>
15   <a href="index.html"><1></a>
16   <a href="page1.html"><2></a>
17   <a href="page2.html"><3></a>
18   <a href="page3.html"><4></a>
19   <a href="page4.html"><5></a>
20   <a href="page5.html"><6></a>
21   <a href="page6.html"><7></a>
22   <a href="page7.html"><8></a>
23   <a href="page8.html"><9></a>
24   <a href="page9.html"><10></a>
25 </body>
26 </html>
27
~
"page2.html" 27L, 20000

```

1,1

ALL

```

1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel='stylesheet' href='styles.css'>
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10    <h2>History</h2>
11    
12    <p>The original name of the area was Maha Eliya Thenna (මහෙලියා තෙන්න - "great open plain"). But in the British period the plains were renamed after
Sir Robert Wilmot-Horton, the British governor of Ceylon from 1831 to 1837, who travelled to the area to meet the Ratemahatmaya of Sabaragamuwa in 1836,[
4] in 1834 by Lt William Fisher of the 78th Regiment and Lt. Albert Watson of the 58th Regiment, who 'discovered' the plateau.[8] Stone tools dating back
to Balangoda culture have been found here. The local population who resided in the lowlands ascended the mountains to mine gems, extract iron ore, constru
ct an irrigational canal and fell trees for timber. A 6-metre (20 ft) pollen core extracted from a mire revealed that in the late quaternary period the ar
ea had a semi-arid climate and a species-restricted plant community.[9]</p>
13    <a href="index.html"><1></a>
14    <a href="page1.html"><2></a>
15    <a href="page2.html"><3></a>
16    <a href="page3.html"><4></a>
17    <a href="page4.html"><5></a>
18    <a href="page5.html"><6></a>
19    <a href="page6.html"><7></a>
20    <a href="page7.html"><8></a>
21    <a href="page8.html"><9></a>
22    <a href="page9.html"><10></a>
23  </body>
24 </html>
25

```

"page3.html" 25L, 1605B

1,1 All

```

1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel='stylesheet' href='styles.css'>
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10    <h2>History - continued</h2>
11    
12    <p>Sir Joseph Dalton Hooker had advised the British Government "to leave all Montane Forests above 5000 ft. undisturbed" and an administrative ord
er to this effect had been issued in 1873 that prevented clearing and felling of forests in the region. Horton Plains was designated as a wildlife sanctua
ry on 5 December 1969,[4] and because of its biodiversity value, was elevated to a national park on 18 March 1988. The Peak Wilderness Sanctuary which lie
s in the west is contiguous with the park. The land area covered by Horton Plains is 3,160 hectares (12.2 mi2). Horton Plains contains the most extensive
area of cloud forest still existing in Sri Lanka.[4] In July 2010, the Central Highlands of Sri Lanka which incorporates Horton Plains National Park, Peak
Wilderness Sanctuary and Knuckles Mountain Range was inscribed on the World Heritage List.[1]</p>
13    <a href="index.html"><1></a>
14    <a href="page1.html"><2></a>
15    <a href="page2.html"><3></a>
16    <a href="page3.html"><4></a>
17    <a href="page4.html"><5></a>
18    <a href="page5.html"><6></a>
19    <a href="page6.html"><7></a>
20    <a href="page7.html"><8></a>
21    <a href="page8.html"><9></a>
22    <a href="page9.html"><10></a>
23  </body>
24 </html>
25

```

"page4.html" 25L, 1568B

1,1 All


```

1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel='stylesheet' href='styles.css'>
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10    <h2>Flora</h2>
11    
12    <p>The vegetation of the park is classified into two distinctive groups, 2,000 ha (7.7 mi2) of wet patna (Sinhalese: patana, montane grasslands and
shrublands) and 1,160 ha (4.5 mi2) of subtropical montane evergreen forests.[2] Nearly 750 species of plants belonging to 20 families have been recorded
in the park. The forest canopy reaches the height of 20 m (66 ft) and features Calophyllum walkeri, forming communities with varieties of Myrtaceae speci
es such as Syzygium rotundifolium, and S. sclerophyllum, and Lauraceae members including Litsea, Cinnamomum, and Actinodaphne speciosa.[4] The undergrowth
layer is characterised by Strobilanthes spp. The thickness of the Strobilanthes vegetation hinders the development of a herb layer. Dwarf bamboo species
such Indocalamus and Ochlandra are also found in the undergrowth layer. Rhodomyrtus tomentosa bushes especially grow in forest margin and near the mountai
n peaks. Species such as Gordonia and Rhododendron arboreum have spread to Sri Lanka, along the Western Ghats of South India from the Himalayas and are no
w common. Nearly 54 woody plant species have been recorded from the park, of which 27 (50%) are endemic to Sri Lanka.[4] Frequent fire and grazing charact
erises Plagioclimax communities of the grassland flora.[2]</p>
13    <a href="index.html"><1></a>
14    <a href="page1.html"><2></a>
15    <a href="page2.html"><3></a>
16    <a href="page3.html"><4></a>
17    <a href="page4.html"><5></a>
18    <a href="page5.html"><6></a>
19    <a href="page6.html"><7></a>
20    <a href="page7.html"><8></a>
21    <a href="page8.html"><9></a>
22    <a href="page9.html"><10></a>
23  </body>
24 </html>
25

```

"page5.html" 25L, 2004B

1,1 All

```

1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel='stylesheet' href='styles.css'>
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10    <h2>Flora - continued</h2>
11    
12    <p>Tree trunks and branches are ornamented with many species of ferns, Lycopodium, lichens, and orchids.[6] Old man's beard (Usnea barbata) hangin
g from branches adds to the beauty of the forests. About 16 of the orchid species are endemic. Other notable plants include shrubs such as Rhodomyrtus tom
entosa, Gaultheria fragrantissima, herbs, Exacum trinervium, E. walkeri, Drosera indica, and tree ferns Cyathea spp.[2] Anzia, a foliose lichen genus belo
nging to the family Parmeliaceae, which had not been recorded in Sri Lanka before, was discovered here in 2007.[3] There are conflicting views on how the
grasslands of the park came into being, whether man-made or natural. It is now believed that the grasslands on the dry slopes were created by forest clear
ance and fires while grasslands in low-lying areas were naturally created by wet conditions, frost and soil erosion.[4]</p>
13    <a href="index.html"><1></a>
14    <a href="page1.html"><2></a>
15    <a href="page2.html"><3></a>
16    <a href="page3.html"><4></a>
17    <a href="page4.html"><5></a>
18    <a href="page5.html"><6></a>
19    <a href="page6.html"><7></a>
20    <a href="page7.html"><8></a>
21    <a href="page8.html"><9></a>
22    <a href="page9.html"><10></a>
23  </body>
24 </html>
25

```

"page6.html" 25L, 1591B

1,1 All

```

1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel='stylesheet' href='styles.css'>
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10    <h2>Fauna</h2>
11    
12    <p>The vertebrate fauna of the region includes 24 species of mammals, 87 species of birds, nine species of reptiles and eight species of amphibians.[2] The Sri Lankan elephant disappeared from the region in the 1940s at the latest.[4] At present, the largest and the most commonly seen mammal is the sambar deer. Some research findings estimate the population of sambar deer to be around 1500 to 2000, possibly more than the carrying capacity of the plains.[6] Other mammal species found in the park include Kelaart's long-clawed shrews, toque macaques, purple-faced langurs, rusty-spotted cat, Sri Lankan leopards, wild boars, stripe-necked mongooses, Sri Lankan spotted chevrotains, Indian muntjacs, and grizzled giant squirrels. Fishing cats and European otters visit the wetlands of the park to prey on aquatic animals.[2] A subspecies of red slender loris, the Horton Plains slender loris (Loris tardigradus nycticeboides formerly sometimes considered as Loris lydekkerianus nycticeboides) is found only in highlands of Sri Lanka and is considered one of the world's most endangered primates.[11][12] In July 2010 a group of researchers from the Zoological Society of London was able to photograph the mammal for the first time.[13]</p>
13    <a href="index.html"><1></a>
14    <a href="page1.html"><2></a>
15    <a href="page2.html"><3></a>
16    <a href="page3.html"><4></a>
17    <a href="page4.html"><5></a>
18    <a href="page5.html"><6></a>
19    <a href="page6.html"><7></a>
20    <a href="page7.html"><8></a>
21    <a href="page8.html"><9></a>
22    <a href="page9.html"><10></a>
23  </body>
24 </html>
25
~
~
"page7.html" 25L, 1943B
1,1 All

```

```

1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel='stylesheet' href='styles.css'>
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10    <h2>Fauna - continued</h2>
11    
12    <p>Along with Ohiya, Pattipola and Ambewela, Horton Plains forms one of the Important Bird Areas (IBAs) in Sri Lanka.[15] Together with the adjacent Peak Wilderness Sanctuary, Horton Plains contains 21 bird species which occur only on Sri Lanka. Three, the dull-blue flycatcher, Sri Lanka white-eye, and Sri Lanka wood pigeon, occur only in Horton plains, while other endemic species include Sri Lanka blue magpie, Sri Lanka spurfowl, Sri Lanka junglefowl, yellow-fronted barbet, orange-billed babbler, Sri Lanka bush warbler, and Sri Lanka whistling-thrush. Many birds migrate here in winter including swiftlets, and alpine swift. Crested serpent eagle, mountain hawk-eagle, black-winged kite, and peregrine falcon are among the birds of prey found in Horton Plains. Harriers are among the migratory raptors.[2] This is a key wildlife area. All six highland endemic birds are found here, including dull-blue flycatcher, Sri Lanka white-eye, Sri Lanka wood pigeon, and Sri Lanka bush warbler. Yellow-eared bulbul and black-throated munia are widespread throughout the highlands.[4]</p>
13    <a href="index.html"><1></a>
14    <a href="page1.html"><2></a>
15    <a href="page2.html"><3></a>
16    <a href="page3.html"><4></a>
17    <a href="page4.html"><5></a>
18    <a href="page5.html"><6></a>
19    <a href="page6.html"><7></a>
20    <a href="page7.html"><8></a>
21    <a href="page8.html"><9></a>
22    <a href="page9.html"><10></a>
23  </body>
24 </html>
25
~
~
"page8.html" 25L, 1799B
1,1 All

```



```
1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <title>Horton Plains National Park</title>
6     <link rel='stylesheet' href='styles.css'>
7   </head>
8   <body>
9     <h1>Horton Plains National Park</h1>
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
```

"page9.html" 25L, 18882B written

6,51-49

Top

```
1 body {
2   color: #fff;
3   text-align: center;
4   background-color: #303030;
5 }
6
7 img {
8   width: 500px;
9   height: auto;
10 }
11
12 a {
13   color: #fff;
14   padding: 10px;
15 }
```

101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

"styles.css" 15L, 148B

1,1

All

A scenic view of a mountain range. The foreground is filled with dense, lush green forest. In the background, several mountain peaks are visible, some shrouded in mist or low clouds, creating a sense of depth and atmosphere. The sky is a pale, hazy blue.

<1> <2> <3> <4> <5> <6> <7> <8> <9> <10>

1,1 Top