

ALUMEX PLC

B 101.1

DIE NO.	ALC-1287	COE	E NO.	MCP491DI0003000		
CUSTOMER	M/s. AIS – USA	PRES	S: 1400 TON	BILLET: Ø152 mm	MATERIAL:	6063 - T5
\triangle		<u>^2</u>				



Actual Size



UNSPECIFIED RADII - R 0.38 mm

		_											
△: 0.81R	STANDARD LENGTH			5800 mm				NO. OF HOLES	02				
×: 0.2R - 08EA			THICKNESS			-				EXR. PROPORTION	46.556		
O: FR - 02EA		STANDARD TOLERANCE			BS EN 12020-2 / SLS-1410			LS-1410	EST. AREA	207.995 mm ²			
<u> </u>			VISIBLE SURFACE							EST. WEIGHT	0.562 kg./m.		
SURFACE FINISH MF			NAT		BR					EST. PERIMETER	164.912 mm.		
MICRONS			10~15 μ	ı 10)~15 μ					EST. SURFACE AREA	0.165 m ² /m		
DATE	DATE 2024 / 02 / 15 SCALE				LE	2: 1		UNIT	mm	SECTION NO.:			
DRAWN	CHE	CKED		APPROV	/ED	PRODUCT CATEGORY / APPLICATION:					AL-1046		
, indu					Į	DS-144					®		

ALC/SD/24/43

DWG. NO.: