
DIE NO.	ALC-1282	COE	E NO.	MCP482DI0003000		
CUSTOMER	M/s. AIS – USA	PRES	S: 1400 TON	BILLET: Ø152 mm	MATERIAL:	6063 - T5
\triangle		<u>^2</u>				



"V" - 0.40 Deep x 90° Groove UNSPECIFIED RADII - R 0.2 mm

Dakshima						DW	G. N	IO.:	SD	/24/3	8			
DRAWN	CHE	CKED	+	APPRO\	/ED	PROD	DUC.	T CATEGOR CA			TION:	AL-1037		
DATE	2024 / 02 / 1					ALE		1:1		UNIT	mm	SECTION NO.:		
MICRONS				10~15	µ 1	10~15 μ						EST. SURFACE AREA	0.336 m ² /m	
SURFACE FINISH MF			NAT		BR						EST. PERIMETER	335.596 mm.		
<u> </u>	VIS	VISIBLE SURFACE								EST. WEIGHT 0.926 kg./				
<u>o</u> :	STANDARD TOLERANCE				BS EN 12020-2 / SLS-1410				EST. AREA	342.959 mm ²				
<u> </u>	THICKNESS				-				EXR. PROPORTION 56.470					
			STANDARD LENGTH			5800 mm				NO. OF HOLES 01				