Risk Score: 0 / 100

Category: Critical Risk

Desktop Security Agent — Automated Assessment Report

Project: SecureGuard - Desktop Security Agent

Generated: October 14, 2026 - 07:17 PM

Target Path: C:\Users\Pasindu Rathnayaka\Desktop\doni\desktop-security-agent

Auditor: Lead Security Engineer

Executive Summary

FILES SCANNED	SECRETS DETECTED	ISOLATED SECRETS	CONFIG RISKS
1284	5	3	17

Static Configuration Security Risks

SEVERITY	RULE & ISSUE	FILE	REMEDIATION
HIGH	CFG-004: Potential hardcoded secret in Dockerfile		Supply secrets securely at runtime instead of embedding them in the image.
HIGH	CFG-004: Potential hardcoded secret in Dockerfile		Supply secrets securely at runtime instead of embedding them in the image.
HIGH	CFG-004: Potential hardcoded secret in Dockerfile		Supply secrets securely at runtime instead of embedding them in the image.
HIGH	CFG-001: Plain HTTP detected		Use HTTPS when transmitting sensitive information.
MEDIUM	CFG-005: Debug mode enabled in production		Disable debug mode in production.
HIGH	CFG-006: TLS verification disabled		Enable certificate verification and use trusted certificates.
CRITICAL	CFG-007: Weak or default credentials		Use a strong unique credential and store secrets securely.

SEVERITY	RULE & ISSUE	FILE	REMEDIATION
CRITICAL	CFG-007: Weak or default credentials		Use a strong unique credential and store secrets securely.
HIGH	CFG-001: Plain HTTP detected		Use HTTPS when transmitting sensitive information.
CRITICAL	CFG-002: Privileged container execution		Disable privileged mode unless strictly necessary.
HIGH	CFG-003: Sensitive port broadly exposed		Restrict access using a private binding or firewall.
MEDIUM	CFG-005: Debug mode enabled in production		Disable debug mode in production.
HIGH	CFG-006: TLS verification disabled		Enable certificate verification and use trusted certificates.
CRITICAL	CFG-007: Weak or default credentials		Use a strong unique credential and store secrets securely.
CRITICAL	CFG-007: Weak or default credentials		Use a strong unique credential and store secrets securely.
MEDIUM	CFG-008: Broad host/network binding		Bind to a specific trusted interface where possible.
MEDIUM	CFG-008: Broad host/network binding		Bind to a specific trusted interface where possible.

Exposed Secrets & Credential Detections

SEVERITY	PATTERN NAME	LOCATION	CATEGORY	STATUS
MEDIUM	Private Key	id_rsa : L1	private_key	Detected
HIGH	API Token	app.py : L45	access_token	Masked

SEVERITY	PATTERN NAME	LOCATION	CATEGORY	STATUS
MEDIUM	Open Port Configuration	Dockerfile : L8	configuration	Detected
HIGH	Database Password	config.json : L12	password	Masked
CRITICAL	AWS Access Key	.env : L3	api_key	Masked

Secret Isolation Vault Status

VARIABLE NAME	CONFIG PLACEHOLDER	STORAGE ENCRYPTION	STATUS
PROD_SECRET_KEY	${PROD_SECRET_KEY}	AES-256-GCM Encrypted	Masked
PROD_SECRET_KEY	${PROD_SECRET_KEY}	AES-256-GCM Encrypted	Masked
PROD_SECRET_KEY	${PROD_SECRET_KEY}	AES-256-GCM Encrypted	Masked