NETWORK SCANNING AND TRAFFIC ANALYSIS USING CYBERSECURITY TOOLS

A PROJECT REPORT

Submitted by

NOMESH BABU(24MEI10023)
SAHASRA YENUGU(24MEI10032)
PREETHI BANGALORE(24MEI10043)
SUSHANTH REDDY(24MEI10047)
CHANAKYA PUTUMBAKA(24MEI10052)

in partial fulfillment for the award of the degree

of

INTEGRATED MASTER OF TECHNOLOGY

IN

COMPUTER SCIENCE AND ENGINEERING

(CYBER SECURITY)

SCHOOL OF COMPUTING SCIENCE AND ENGINEERING

VIT BHOPAL UNIVERSITY

KOTHRIKALAN, SEHORE

MADHYA PRADESH - 466114

SEPTEMBER 2025

VIT BHOPAL UNIVERSITY, MADHYA PRADESH
SCHOOL OF COMPUTING SCIENCE ENGINEERING AND ARTIFICIAL INTELLIGENCE (SCAI)

DECLARATION

We hereby declare that the project report titled **"NETWORK SCANNING AND TRAFFIC ANALYSIS USING CYBERSECURITY TOOLS"** submitted by **" NOMESH BABU(24MEI10023), SAHASRA REDDY(24MEI10032), PREETHI BANGALORE(24MEI10043), SUSHANTH REDDY (24MEI10047), CHANAKYA PUTUMBAKA(24MEI10052) "** to the School of Computing Science Engineering and Artificial Intelligence , VIT Bhopal University, Madhya Pradesh – 466114 in partial fulfilment of the requirements for the award of **Integrated Master of Technology in Computer Science Engineering (Cyber Security)** is a bona-fide work carried out under the supervision of **DEVRAJ VISHNU .** We further declare that the work reported in this Project, has not been submitted and will not be submitted, either in part or in full, for the award of any other degree or diploma of this institute or of any other institute or University.

Name of the candidate: Nomesh Babu
Registration Number: 24MEI10023
Signature:

Name of the candidate: Sahasra Reddy
Registration Number: 23MEI10032
Signature:

Name of the candidate: Preethi Bangalore
Registration Number: 24MEI10043
Signature:

Name of the candidate: Sushanth Reddy
Registration Number: 24MEI10047
Signature:

Name of the candidate: Chanakya
Registration Number: 24MEI10052
Signature:

VIT BHOPAL UNIVERSITY, KOTHRIKALAN, SEHORE MADHYA PRADESH – 466114

CERTIFICATE

This is to certify that this project report titled **"NETWORK SCANNING AND TRAFFIC ANALYSIS USING CYBERSECURITY TOOLS"** submitted by **" NOMESH BABU(24MEI10023), SAHASRA REDDY(24MEI10032), PREETHI BANGALORE(24MEI100043), SUSHANTH REDDY (24MEI10047), CHANAKYA PUTUMBAKA(24MEI10052)"** to VIT Bhopal University, in partial fulfilment for the award of the degree of **Integrated Master of Technology in Computer Science Engineering (Cyber Security)** is a bona-fide work carried out under my supervision. The Project fulfils the requirements as per the regulations of this University and in my opinion meets the necessary standards for submission. The contents of this project have not been submitted and will not be submitted either in part or in full, for the award of any other degree or diploma and the same is certified.

Program Chair
Signature:
Name:DR. VENKATESWARA RAO
Designation: Asst. Professor

Supervisor
Signature:
Name:DEVRAJ VISHNU
Designation: Asst. Professor

Reviewer-1
Signature:
Name:DR. HEMRAJ .S.LAMKUNCHE
Designation: Senior Asst. Professor

Reviewer-2
Signature:
Name:DR. Harihara Sitaraman
Designation: Associate. Professor

The Project Exhibition II Examination is held on :- FEBRUARY-APRIL (2026)

ABSTRACT

With the increasing dependence on digital communication, network security has become a major concern in the field of cybersecurity. Understanding how networks operate and how vulnerabilities can be identified is essential for protecting systems from potential threats.

This project focuses on analyzing network behavior and identifying security aspects using various cybersecurity tools such as Angry IP Scanner, Nmap, Wireshark, Burp Suite, and Netcat. Each tool is used to perform a specific function including network scanning, port analysis, packet capturing, request interception, and communication testing.

Angry IP Scanner is used to identify active hosts in a network, while Nmap helps in detecting open ports and services. Wireshark is utilized to capture and analyze network traffic in real time. Burp Suite is used to intercept and analyze HTTP requests between the browser and server, and Netcat is used to establish communication between systems.

All activities in this project were conducted in a controlled and authorized environment for educational purposes only. The results demonstrate how these tools provide deep insights into network communication and help in identifying potential vulnerabilities, thereby emphasizing the importance of ethical cybersecurity practices.

ACKNOWLEDGEMENT

I am deeply indebted to Dr. G. Viswanathan, Chancellor of VIT Bhopal University, and Dr. T.B. Sridharan, Pro Vice-Chancellor of VIT Bhopal University, for their unwavering support and guidance. Their leadership and vision have been a constant source of inspiration throughout my academic journey.

I express my profound gratitude to Dr. Pon Harshavardhan, Dean of SCAI, for his encouragement and invaluable support at every stage, which significantly contributed to the successful completion of this project.

My heartfelt thanks go to Dr. Subash Chandra Patel, Program Chair of Integrated M.Tech CSE (Cyber Security), and Dr. D. Sarvanan, Division Head of Cyber Security, for their timely assistance, guidance, and insightful suggestions during the course of this research.

A special note of appreciation is reserved for our faculty supervisor, Mr. Devraj Vishnu, whose constant support, patience, and expertise were instrumental in completing this project. His guidance, encouragement, and clarity in addressing our queries made this journey both meaningful and enriching.

I would also like to express sincere gratitude to Dr.Hemraj and Dr. Subash Chandra Patel for their valuable feedback and constructive reviews, which helped refine and strengthen our work.

Lastly, we extend our deepest gratitude to our parents, peers, and friends, whose encouragement and unwavering support have been our driving force throughout this project. Their belief in us has been a continuous source of strength and motivation.

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	DECLARATION	2
	CERTIFICATE	3
	ABSTRACT	4
	ACKNOWLEDGEMENT	5
1	**CHAPTER-1:** **PROJECT DESCRIPTION AND OUTLINE** 1.1 Introduction 1.2 Motivation for the work 1.3 About Introduction to the project including techniques 1.4 Problem Statement 1.5 Objective of the work 1.6 Organization of the project 1.7 Summary	9
2	**CHAPTER-2:** **RELATED WORK INVESTIGATION** 2.1 Introduction 2.2 Core area of the project 2.3 Existing Approaches/Methods 2.3.1 Approaches/Methods -1 2.3.2 Approaches/Methods -2 2.3.3 Approaches/Methods -3 2.3.4 Approaches/Methods -4 2.3.5 Approaches/Methods -5 2.4 Pros and cons of the stated Approaches/Methods	13

	2.5 Issues/observations from investigation	
3	**CHAPTER-3:** **REQUIREMENT ARTIFACTS** 3.1 Introduction 3.2 Hardware and Software requirements 3.3 Specific Project requirements 3.3.1 Data requirement 3.3.2 Functional requirement 3.3.3 Performance and security requirement 3.3.4 Look and Feel Requirements 3.3.5 Future Expandability Requirements 3.4 Summary	17
4	**CHAPTER-4:** **DESIGN METHODOLOGY AND ITS NOVELTY** 4.1 Methodology and Goal 4.2 Functional Modules Design and Analysis 4.3 Software Architectural Design 4.4 User Interface Design 4.5 Novelty of the Work 4.6 Summary	20
5	**CHAPTER-5:** **TECHNICAL IMPLEMENTATION & ANALYSIS** 5.1 Outline 5.2 Technical Implementation 5.2.1 Initial Network Configuration 5.2.2 Network Scanning using Angry IP Scanner 5.2.3 Port Scanning using Nmap 5.2.4 Traffic Analysis using Wireshark 5.2.5 Request Interception using Burp Suite 5.2.6 Communication using Netcat 5.3 Working Layout of the System	23

	5.4 Prototype Execution 5.5 Testing and Validation 5.6 Performance Analysis 5.7 Summary	
6	**CHAPTER-6:** **PROJECT OUTCOME AND APPLICABILITY** 6.1 Outline 6.2 Key Implementation Outlines of the System 6.3 Significant Project Outcomes 6.4 Project Applicability in Real-World Applications 6.5 Inference	27
7	**CHAPTER-7:** **CONCLUSIONS AND RECOMMENDATION** 7.1 Outline 7.2 Limitations / Constraints of the System 7.3 Future Enhancements 7.4 Inference	29
	Appendix A Appendix B References	31 33 35

CHAPTER 1

PROJECT DESCRIPTION AND OUTLINE

1.1 Introduction :

In the modern digital era, computer networks have become an integral part of communication systems, enabling the transfer of data across individuals, organizations, and devices worldwide. With the rapid expansion of the internet, cloud computing, and interconnected systems, networks serve as the backbone of almost all digital activities. However, this increased dependency on networks has also led to a significant rise in cybersecurity threats such as unauthorized access, data breaches, packet interception, and network-based attacks.

Network security is a crucial domain within cybersecurity that focuses on protecting the confidentiality, integrity, and availability of data transmitted across networks. Understanding how networks operate, how devices communicate, and how data flows across systems is essential for identifying vulnerabilities and preventing potential cyber threats. Traditional theoretical learning alone is not sufficient to fully grasp these concepts, making practical exposure to cybersecurity tools highly important.

This project focuses on analyzing network behavior using widely used cybersecurity tools such as Angry IP Scanner, Nmap, Wireshark, Burp Suite, and Netcat. Each of these tools plays a significant role in understanding different aspects of network security. Angry IP Scanner is used to identify active hosts in a network, Nmap is used for port scanning and service detection, Wireshark captures and analyzes network traffic, Burp Suite intercepts web requests between client and server, and Netcat is used to establish communication between systems.

By integrating these tools, the project provides a comprehensive understanding of how networks function, how communication occurs between devices, and how vulnerabilities can be identified. This practical approach enhances both theoretical knowledge and technical skills required in the field of cybersecurity.

1.2 Motivation for the Work :

The motivation behind this project arises from the increasing importance of network security in today's digital environment. With the growing number of cyber attacks and security breaches, it has

become essential for cybersecurity students and professionals to understand how networks are analyzed and secured.

While theoretical concepts such as IP addressing, network protocols, and communication models provide a basic understanding, practical knowledge of tools used in real-world scenarios is equally important. Cyber attackers often exploit network vulnerabilities using similar tools, and understanding these tools helps in identifying and mitigating such threats.

This project was undertaken to gain hands-on experience with network analysis tools and to understand their practical applications. It also aims to bridge the gap between theoretical learning and real-world implementation. By performing experiments in a controlled and authorized environment, the project ensures safe and ethical usage of cybersecurity tools while building a strong foundation in network security.

1.3 About the Project and Techniques Used :

The project involves the use of multiple cybersecurity tools to analyze different aspects of network behavior and communication. Each tool is used to perform a specific function, and together they provide a complete understanding of network analysis.

1. Network Scanning:
   Network scanning is the process of identifying active devices within a network. Angry IP Scanner is used to scan a range of IP addresses and determine which hosts are active. This helps in understanding the structure of the network and identifying connected systems.

2. Port Scanning and Service Detection:
   Nmap (Network Mapper) is used to scan open ports on a system and identify the services running on those ports. Open ports indicate active services and can represent potential entry points for attackers if not secured properly.

3. Packet Capture and Analysis:
   Wireshark is used to capture and analyze network packets in real time. It provides detailed information about data transmission, including source and destination IP addresses, protocols used, and packet contents. This helps in understanding how data flows across a network.

4. Web Request Interception:

Burp Suite is used to intercept and analyze HTTP requests between a browser and a web server. It acts as a proxy, allowing users to view and modify requests before they are sent to the server. This demonstrates how web communication can be monitored and analyzed.

5. Network Communication:
   Netcat is used to establish communication between systems over a network. It acts as both a client and a server, enabling data transfer and testing connectivity between devices.

These techniques collectively provide a comprehensive understanding of network communication, security analysis, and vulnerability detection.

1.4 Problem Statement

Despite the availability of various cybersecurity tools, many students and beginners face difficulties in understanding how to effectively use these tools to analyze network behavior and identify vulnerabilities. The lack of practical exposure limits their ability to interpret network data and understand real-time communication between systems.

The problem addressed in this project is:

"*How can network behavior be effectively analyzed and potential vulnerabilities be identified using cybersecurity tools in a safe and controlled environment*?"

This project aims to address this problem by providing a structured approach to network analysis using multiple tools and techniques.

1.5 Objective of the Work :

The main objectives of this project are as follows:

- To understand the fundamentals of network communication and security
- To identify active devices in a network using scanning techniques
- To analyze open ports and services running on a system
- To capture and study real-time network traffic
- To intercept and analyze HTTP requests between client and server
- To establish communication between systems using networking tools
- To gain practical experience with cybersecurity tools in a controlled environment

1.6 Organization of the Project :

The project report is organized into multiple chapters to provide a structured understanding of the work carried out:

- **Chapter 1** presents the introduction, motivation, objectives, and overall outline of the project.
- **Chapter 2** discusses related work and existing tools used in network analysis.
- **Chapter 3** describes the hardware and software requirements needed for the project.
- **Chapter 4** explains the design methodology and approach used for implementation.
- **Chapter 5** presents the technical implementation and analysis of the tools used.
- **Chapter 6** discusses the outcomes and real-world applicability of the project.
- **Chapter 7** concludes the project and provides recommendations for future work.

1.7 Summary :

This chapter provided a detailed overview of the project, including its importance, motivation, objectives, and techniques used. It highlighted the need for practical understanding of network security and introduced the tools used for analysis. The next chapter focuses on related work and existing approaches in the field of network analysis.

CHAPTER-2

RELATED WORK INVESTIGATION

2.1 Introduction :

Network analysis and security testing have become important areas of research in the field of cybersecurity due to the increasing number of cyber threats and attacks. As networks grow in size and complexity, it becomes essential to develop effective methods for monitoring, analyzing, and securing them. Over the years, various tools and techniques have been developed to understand network behavior, detect vulnerabilities, and prevent unauthorized access.

These tools range from simple utilities for connectivity testing to advanced systems capable of deep packet inspection and intrusion detection. Each approach has its own advantages and limitations, and no single method provides a complete solution. Therefore, a combination of tools and techniques is often used to achieve a comprehensive understanding of network activity.

This chapter presents an overview of the core area of the project, discusses existing approaches and tools used in network analysis, and highlights their advantages, limitations, and key observations.

2.2 Core Area of the Project :

The core area of this project lies in network security and traffic analysis, which is a fundamental part of cybersecurity. The primary objective is to monitor network activity, analyze communication between systems, and identify potential vulnerabilities that may lead to security threats.

Network analysis involves examining data packets transmitted across a network to understand how devices communicate. It also includes identifying active hosts, scanning ports, analyzing protocols, and monitoring data flow. These activities help in detecting suspicious behavior, unauthorized access, and potential attack points within a network.

In this project, tools such as Angry IP Scanner, Nmap, Wireshark, Burp Suite, and Netcat are used to analyze different layers of network communication. Together, these tools provide a comprehensive understanding of network behavior and security mechanisms.

2.3 Existing Approaches/Methods :

2.3.1 Approach 1: Network Scanning Tools

Network scanning tools are used to identify active devices within a network. These tools send requests (such as ICMP ping) to a range of IP addresses and determine which systems respond. Angry IP Scanner is one of the commonly used tools for this purpose due to its speed and simplicity.

These tools help in mapping the network and identifying connected devices, which is often the first step in network analysis. However, they provide limited information about the system beyond its availability.

2.3.2 Approach 2: Port Scanning and Service Detection

Port scanning tools, such as Nmap, are used to identify open ports and the services running on those ports. Each service running on a system communicates through specific ports, and open ports can act as entry points for attackers if not properly secured.

Nmap provides detailed information about port status (open, closed, filtered) and can also detect service versions. This makes it a powerful tool for vulnerability assessment. However, it requires proper configuration and understanding to interpret results effectively.

2.3.3 Approach 3: Packet Analysis and Traffic Monitoring

Packet analysis tools like Wireshark are used to capture and analyze network traffic in real time. These tools provide detailed insights into how data is transmitted across the network, including protocols used, packet structure, and communication patterns.

Wireshark allows deep inspection of packets, making it useful for troubleshooting network issues and detecting suspicious activities. However, analyzing packet data requires technical expertise, as the information can be complex and extensive.

2.3.4 Approach 4: Web Application Interception Tools

Tools like Burp Suite are used to intercept and analyze HTTP/HTTPS requests between a client (browser) and a server. These tools act as a proxy, allowing users to view, modify, and analyze web requests before they are sent to the server.

This approach is widely used in web security testing to identify vulnerabilities such as data exposure and insecure communication. However, proper configuration is required, and it is mainly focused on web-based applications.

2.3.5 Approach 5: Network Communication Tools

Netcat is a networking utility used to establish communication between systems using TCP or UDP protocols. It can act as both a client and a server, allowing data transfer and testing connectivity.

Netcat is useful for understanding how communication channels are established and how data flows between systems. However, it does not provide detailed analysis of network traffic.

2.4 Pros and cons of the stated Approaches/Methods :

Approach	Pros	Cons
Network Scanning tools	Simple and fast	Provides limited information about systems
Port Scanning Tools	Provides detailed insights into services	Requires proper interpretation
Packet Analysis Tools	Offers deep insights into network traffic.	Complex to use.
Web Interception Tools	Effective for analyzing web communications.	Limited to HTTP and HTTPS traffic only.
Communication Tools	Helps in testing connectivity.	Do not provide deep analysis.

2.5 Issues/Observations from Investigation :

Based on the analysis of different tools and approaches, the following observations were made:

- No single tool is sufficient to fully analyze network behavior.
- Network scanning alone cannot detect vulnerabilities without further analysis.
- Packet analysis provides detailed insights but requires technical knowledge to interpret.
- Open ports can pose security risks if not properly secured.
- Web communication can be intercepted and analyzed if not encrypted.
- Practical implementation is essential to understand the real-world behavior of networks.

These observations highlight the need for using multiple tools together to perform effective network analysis.

CHAPTER-3:

REQUIREMENT ARTIFACTS

3.1 Introduction :

Requirement artifacts define the necessary resources and specifications required for the successful execution of a project. They provide a clear understanding of the hardware, software, and functional needs of the system. Proper identification of requirements ensures that the project is implemented efficiently and without technical limitations.

In the context of this project, requirement artifacts include hardware specifications, software tools, and specific project requirements related to network scanning, traffic analysis, and communication testing. These requirements are essential for running cybersecurity tools smoothly and obtaining accurate results.

This chapter outlines the hardware and software requirements, along with specific functional and performance requirements needed to carry out the project effectively.

3.2 Hardware and Software Requirements :

Hardware Requirements:

- Processor: Intel Core i5 or equivalent
- RAM: Minimum 8 GB (recommended for smooth multitasking)
- Storage: At least 20 GB free space
- Network Adapter: Required for network connectivity and packet capture

Software Requirements:

- Operating System: Kali Linux (preferred) or any Linux-based system
- Angry IP Scanner: For network scanning
- Nmap: For port scanning and service detection
- Wireshark: For packet capture and traffic analysis

- Burp Suite: For intercepting and analyzing web requests
- Netcat: For establishing communication between systems

3.3 Specific Project Requirements :

3.3.1 Data Requirement

The project does not require large datasets, as it focuses on real-time network analysis. However, the following data is required:

- IP addresses of systems within the network
- Network traffic data captured using Wireshark
- HTTP requests and responses captured using Burp Suite

This data is generated dynamically during the execution of the project and is used for analysis

3.3.2 Functional Requirements

The system should be capable of performing the following functions:

- Identify active devices within a network
- Scan and detect open ports on a system
- Capture and analyze network packets
- Intercept and analyze HTTP requests
- Establish communication between systems

Each tool used in the project fulfills a specific functional requirement, contributing to the overall analysis.

3.3.3 Performance and Security Requirements

- Tools should execute efficiently without significant delays
- Network scans should accurately identify active hosts and open ports
- Packet capture should provide real-time analysis of traffic
- The system should operate within a controlled and secure environment
- No unauthorized networks or systems should be targeted

3.3.4 Look and Feel Requirements

- Clear and easy to interpret
- Properly formatted with relevant details
- Supported by screenshots for better understanding

3.3.5 Future Expandability Requirements

- Integration with intrusion detection systems
- Automated vulnerability scanning
- Real-time monitoring of network activity
- Development of a graphical dashboard for better visualization

3.4 Summary :

This chapter discussed the hardware, software, and specific requirements necessary for implementing the project. It highlighted the functional and performance requirements required for effective network analysis. These requirements provide a strong foundation for the design and implementation discussed in the next chapter.

CHAPTER-4:

DESIGN METHODOLOGY AND ITS NOVELTY

4.1 Methodology and Goal:

The methodology of this project is designed to provide a structured approach for analyzing network behavior using multiple cybersecurity tools. The primary goal is to understand how different tools can be used collectively to perform network scanning, traffic analysis, request interception, and communication testing.

The project follows a step-by-step workflow starting from identifying the system's IP address and progressing through various stages of network analysis. Each stage focuses on a specific aspect of network security, allowing a comprehensive understanding of how data flows across a network and how vulnerabilities can be identified.

The goal of this methodology is not only to perform the analysis but also to understand the role of each tool in the overall process. By combining different tools, the project ensures a complete and practical approach to network security analysis.

4.2 Functional Modules Design and Analysis :

The system is divided into multiple functional modules, each representing a specific task in the network analysis process:

1. **Network Identification Module**
   This module is responsible for identifying the system's IP address and network configuration using commands such as ip a. The IP address is essential for performing further network scanning and communication tasks.
2. **Network Scanning Module**
   This module uses Angry IP Scanner to scan a range of IP addresses and identify active hosts in the network. It helps in mapping the network and detecting connected devices.
3. **Port Scanning Module**

This module uses Nmap to scan open ports and identify services running on a system. It provides insights into system accessibility and potential vulnerabilities.

4. **Traffic Analysis Module**
   This module uses Wireshark to capture and analyze network packets. It helps in understanding how data is transmitted across the network and identifying communication patterns.
5. **Request Interception Module**
   This module uses Burp Suite to intercept HTTP requests between a browser and a server. It demonstrates how web communication can be monitored and controlled.
6. **Communication Module**
   This module uses Netcat to establish communication between systems. It simulates data transfer and demonstrates how connections are formed in a network.

4.3 Software Architectural Design :

The system follows a modular architecture where each tool acts as an independent component responsible for a specific function. The architecture can be understood as a layered process:

- The input layer involves identifying the system's IP address and network configuration.
- The processing layer includes network scanning, port scanning, and packet analysis.
- The analysis layer involves interpreting captured data and identifying communication patterns.
- The interaction layer includes request interception and communication between systems.

This modular architecture ensures flexibility, allowing each tool to operate independently while contributing to the overall analysis.

4.4 User Interface Design :

The project uses both command-line and graphical user interfaces provided by the tools.

- Tools like Nmap and Netcat use command-line interfaces for executing commands and displaying results.
- Tools like Wireshark and Burp Suite provide graphical interfaces for better visualization of data

The user interface is simple and intuitive, allowing users to easily perform operations and interpret results.

4.5 Novelty of the Work :

The novelty of this project lies in the integration of multiple cybersecurity tools to provide a comprehensive analysis of network behavior. Instead of focusing on a single tool or technique, the project combines different approaches to cover multiple aspects of network security.

Each tool is used to analyze a specific layer of network communication, and together they provide a complete understanding of how networks operate. This integrated approach enhances learning and provides practical insights into real-world cybersecurity practices.

Additionally, the project emphasizes ethical usage by conducting all experiments in a controlled environment, ensuring safe and responsible application of cybersecurity tools.

4.6 Summary :

This chapter described the design methodology and system architecture used in the project. It explained the functional modules, software architecture, and subsystem services involved in network analysis. The chapter also highlighted the novelty of integrating multiple tools to achieve comprehensive network analysis. The next chapter focuses on the technical implementation and analysis of the project.

CHAPTER 5:

TECHNICAL IMPLEMENTATION & ANALYSIS

5.1 Outline :

This chapter describes the technical implementation of the project, including the execution of various cybersecurity tools and the analysis of results obtained from them. The implementation focuses on practical network analysis using tools such as Angry IP Scanner, Nmap, Wireshark, Burp Suite, and Netcat.

Each tool is used to perform a specific function, and the results are analyzed to understand network behavior, communication patterns, and potential vulnerabilities.

5.2 Technical Implementation :

5.2.1 Initial Network Configuration

Before performing network analysis, the system's IP address was identified using the following command:

ip a

This command displays all network interfaces along with their assigned IP addresses. The identified IP address was used for further scanning and communication tasks.

5.2.2 Network Scanning using Angry IP Scanner

Angry IP Scanner was used to scan a range of IP addresses to identify active devices in the network. The IP range was specified, and the scan was performed to detect reachable hosts.

The results showed that most IP addresses were inactive, while a few responded successfully. This helped in identifying active systems within the network.

5.2.3 Port Scanning using Nmap

Nmap was used to perform port scanning on the local system using the following command:

nmap -sV 127.0.0.1

The scan analyzed 1000 ports and determined their status. The results indicated that all scanned ports were closed, and no active services were detected. This suggests that the system does not expose any open ports, reducing potential attack surfaces.

5.2.4 Traffic Analysis using Wireshark

Wireshark was used to capture and analyze network traffic in real time. A website (neverssl.com) was accessed while capturing packets.

The captured packets included various protocols such as TCP, DNS, and QUIC. The analysis provided insights into how data is transmitted between the system and external servers, including request and response patterns.

5.2.5 Request Interception using Burp Suite

Burp Suite was used to intercept HTTP requests between the browser and the server. The proxy was configured using FoxyProxy, and interception was enabled.

When accessing the website neverssl.com, the request was captured before reaching the server. The website did not load until the request was forwarded, demonstrating how Burp Suite acts as a middleman in communication.

5.2.6 Communication using Netcat

Netcat was used to establish communication between two terminals. A listener was created on one terminal, and a connection was established from another terminal using the localhost IP address.

Messages were successfully transmitted between the two terminals, confirming that communication was established.

5.3 Working Layout of the System :

The working layout of the system follows a sequential flow where each tool is used in a specific stage of network analysis:

1. Identify system IP address
2. Scan network for active hosts
3. Perform port scanning
4. Capture and analyze network traffic
5. Intercept HTTP requests
6. Establish communication between systems

This structured approach ensures a complete analysis of network behavior from identification to communication.

5.4 Prototype Execution :

The project was implemented using a combination of command-line and graphical tools. Each tool was executed independently, and the outputs were analyzed to understand network behavior.

Screenshots were captured at each stage to document the results and provide visual evidence of the implementation.

5.5 Testing and Validation :

The system was tested by executing each tool and verifying its output:

- Angry IP Scanner successfully identified active hosts
- Nmap accurately scanned ports and displayed results
- Wireshark captured real-time network traffic
- Burp Suite successfully intercepted HTTP requests
- Netcat established communication between systems.

5.6 Performance Analysis :

The performance of the system was evaluated based on the accuracy and efficiency of the tools used:

- Network scanning was fast and accurately identified active hosts
- Port scanning provided detailed information about system ports
- Packet analysis provided deep insights into network traffic
- Request interception demonstrated control over web communication
- Communication using Netcat was successful and reliable

Overall, the tools performed efficiently and provided accurate results, demonstrating their effectiveness in network analysis.

5.7 Summary :

This chapter presented the technical implementation and analysis of the project. It described how each tool was used and analyzed the results obtained. The implementation demonstrated the practical application of cybersecurity tools in understanding network behavior and communication. The next chapter focuses on the outcomes and real-world applicability of the project.

CHAPTER 6:

PROJECT OUTCOME AND APPLICABILITY

6.1 Outline :

This chapter presents the outcomes of the project and highlights its applicability in real-world scenarios. The outcomes reflect the practical understanding gained through the use of cybersecurity tools for network analysis. The chapter also discusses how the concepts and techniques used in this project can be applied in real-world cybersecurity environments.

6.2 Key Implementation Outlines of the System :

The project successfully implemented multiple cybersecurity tools, each contributing to a specific aspect of network analysis. The key implementations are as follows:

1. **Network Identification:**
   The system's IP address was identified, forming the basis for further analysis.
2. **Network Scanning:**
   Active devices in the network were identified using Angry IP Scanner.
3. **Port Scanning:**
   Nmap was used to analyze open ports and services on the system.
4. **Traffic Analysis:**
   Wireshark captured and analyzed real-time network traffic.
5. **Request Interception:**
   Burp Suite intercepted HTTP requests, demonstrating control over web communication.
6. **System Communication:**
   Netcat established communication between systems, verifying data transfer.

6.3 Significant Project Outcomes :

The project resulted in several important outcomes:

- A clear understanding of how network scanning is used to identify active hosts
- Practical knowledge of port scanning and its role in detecting vulnerabilities
- Insight into how data packets are transmitted across a network

- Understanding of how web requests can be intercepted and analyzed
- Knowledge of how communication channels are established between systems

The project also enhanced technical skills in using cybersecurity tools and interpreting their outputs. It provided hands-on experience in analyzing network behavior and identifying potential security risks.

6.4 Project Applicability in Real-World Applications :

The concepts and techniques used in this project have several real-world applications in the field of cybersecurity:

- Network Security Analysis: Used by security professionals to monitor and analyze network activity
- Vulnerability Assessment: Identifying open ports and services that may be exploited
- Penetration Testing: Simulating attacks to identify weaknesses in systems
- Traffic Monitoring: Detecting suspicious activities and unauthorized access
- Web Application Security: Intercepting and analyzing HTTP requests to identify vulnerabilities
- System Communication Testing: Verifying connectivity and data transfer between systems

These applications demonstrate the importance of cybersecurity tools in maintaining secure networks.

6.5 Inference :

The project demonstrates that the use of multiple cybersecurity tools provides a comprehensive understanding of network behavior and security. Each tool contributes to a specific aspect of analysis, and together they offer a complete view of how networks operate.

The results highlight the importance of practical learning in cybersecurity and show how theoretical concepts can be applied in real-world scenarios. The project also emphasizes the need for ethical usage of cybersecurity tools by conducting all experiments in a controlled environment.

Overall, the project confirms that network analysis using cybersecurity tools is an effective approach for understanding and securing modern communication systems.

CHAPTER 7

CONCLUSIONS AND RECOMMENDATION

7.1 Outline :

This chapter presents the overall conclusions of the project and provides recommendations for future improvements. It summarizes the key findings, highlights the limitations of the system, and suggests possible enhancements that can be implemented to extend the scope of the project.

7.2 Limitations / Constraints of the System :

Despite the successful implementation of the project, certain limitations were observed:

- The project was conducted in a controlled environment, and results may vary in real-world large-scale networks.
- The tools used require manual operation and are not integrated into a single automated system.
- Packet analysis using Wireshark can be complex and requires technical expertise to interpret data effectively.
- Nmap results depend on system configuration and firewall settings, which may limit accurate detection.
- Burp Suite interception was limited to HTTP traffic and did not include advanced HTTPS interception configurations.
- Netcat communication was limited to basic local communication and did not involve remote systems.

These limitations highlight areas where the project can be improved for better performance and scalability.

7.3 Future Enhancements :

The project can be further improved by implementing the following enhancements:

- Integration of all tools into a single automated system for efficient analysis
- Implementation of intrusion detection systems (IDS) for real-time threat monitoring

- Advanced configuration of Burp Suite for HTTPS traffic interception
- Development of a graphical dashboard for better visualization of results
- Automation of network scanning and reporting processes
- Expansion of the project to include large-scale network environments

These enhancements can make the system more advanced and suitable for real-world cybersecurity applications.

7.4 Inference :

The project successfully demonstrated the use of cybersecurity tools for analyzing network behavior and identifying potential vulnerabilities. It provided practical exposure to network scanning, port analysis, traffic monitoring, request interception, and communication testing.

The results highlight the importance of understanding network communication and the role of cybersecurity tools in ensuring system security. By combining multiple tools, the project achieved a comprehensive analysis of network activity.

Overall, this project serves as a strong foundation for further learning and development in the field of cybersecurity. It emphasizes the importance of practical knowledge and ethical practices in securing modern networks.

APPENDIX-A

HARDWARE REQUIREMENTS

- A computer system with Intel Core i5 processor or equivalent
- Minimum 8 GB RAM for smooth execution of tools
- At least 20 GB of free storage space
- Network interface (Wi-Fi or Ethernet) for connectivity
- Stable internet connection for accessing websites and tools

SOFTWARE REQUIREMENTS

- Operating System: Kali Linux / Linux-based OS
- Tools Used:
    1. Angry IP Scanner
    2. Nmap
    3. Wireshark
    4. Burp Suite
    5. Netcat
- Browser: Mozilla Firefox / Chrome (for Burp Suite testing)
- Proxy Tool: FoxyProxy extension

These software components were used to perform network scanning, traffic analysis, and communication testing.

FUNCTIONAL REQUIREMENTS

- Ability to scan network for active hosts
- Ability to detect open ports and services
- Ability to capture and analyze network packets

- Ability to intercept and analyze HTTP requests
- Ability to establish communication between systems

PERFORMANCE REQUIREMENTS

- Fast and accurate network scanning
- Real-time packet capture and analysis
- Efficient execution of commands
- Reliable communication between systems
- Minimal system lag during tool execution

APPENDIX-B : GLOSSARY

1. **IP Address:**

   A unique identifier assigned to a device on a network.

2. **Port:**

   A communication endpoint used by services on a system.

3. **Network Scanning:**

   The process of identifying active devices in a network.

4. **Port Scanning:**

   The process of identifying open ports and services.

5. **Packet:**

   A unit of data transmitted over a network.

6. **Protocol:**

   A set of rules governing data communication (e.g., TCP, HTTP).

7. **HTTP:**

   HyperText Transfer Protocol used for web communication.

8. **TCP:**

   Transmission Control Protocol used for reliable communication.

9. **DNS:**

   Domain Name System used to translate domain names into IP addresses.

10. **Proxy:**

    An intermediary between a client and a server.

11. **Interception:**

    Capturing network communication before it reaches its destination.

12. **Vulnerability:**

A weakness in a system that can be exploited.

13. Packet Capture:

The process of collecting data packets from a network.

14. Host:

A device connected to a network.

15. Localhost:

The local machine is identified by IP address 127.0.0.1.

REFERENCES

BOOKS

1. Computer Networking: A Top-Down Approach

   Kurose, J. F., & Ross, K. W. (2021). *Computer Networking: A Top-Down Approach*. Pearson.
2. Network Security Essentials

   Stallings, W. (2017). *Network Security Essentials: Applications and Standards*. Pearson.
3. The Web Application Hacker's Handbook

   Stuttard, D., & Pinto, M. (2011). *The Web Application Hacker's Handbook*. Wiley.

OFFICIAL TOOL DOCUMENTATION

4. Nmap Documentation

   Gordon Lyon (Fyodor). *Nmap Reference Guide*. Available at: https://nmap.org/docs.html
5. Wireshark Documentation

   Wireshark Foundation. *Wireshark User Guide*. Available at: https://www.wireshark.org/docs/
6. Burp Suite Documentation

   PortSwigger. *Burp Suite Documentation*. Available at: https://portswigger.net/burp/documentation
7. Angry IP Scanner Documentation

   Angry IP Scanner. Official Website: https://angryip.org/documentation/
8. Netcat Manual

   OpenBSD Project. *Netcat Manual (nc)*. Available at: https://man.openbsd.org/nc

ORGANIZATIONS / STANDARDS

9. OWASP

   OWASP Foundation. *Web Security Testing Guide*. Available at: https://owasp.org
10. NIST

    NIST. (2020). *Guide to Intrusion Detection and Prevention Systems (IDPS)*.

RESEARCH / CONCEPT-BASED

11. Scarfone, K., & Mell, P. (2007).
    Guide to Intrusion Detection and Prevention Systems. NIST Special Publication.
12. Behl, A., & Behl, K. (2017).
    Cybersecurity and Cyberwar: What Everyone Needs to Know. Oxford University Press.