


CSA0905 : Java Programming

CO4-AT-1

Name : D. Chand Basha

Reg No : 192424218

Task 1:Employee Payroll dashboard



Code:

```
import java.awt.*; import
java.awt.event.*;
```

```
public class EmployeePayroll extends Frame implements  
ActionListener {
```

```
    TextField id, name, salary, days;
```

```
    Choice department, designation, rating;
```

```
    TextArea report;
```

```
    Button generate, reset;
```

```
    EmployeePayroll() {
```

```
        setTitle("Employee Performance and Payroll");
```

```
        setSize(600, 600);
```

```
        setLayout(new GridBagLayout());
```

```
        GridBagConstraints g = new GridBagConstraints();
```

```
        g.insets = new Insets(5, 5, 5, 5);
```

```
        Label title = new Label("EMPLOYEE PAYROLL  
DASHBOARD");
```

```
        title.setFont(new Font("Arial", Font.BOLD, 18));
```

```
        g.gridx = 0;
```

```
g.gridy = 0;  
g.gridwidth = 2;  
add(title, g);
```

```
g.gridwidth = 1;
```

```
// Employee ID
```

```
g.gridx = 0;  
g.gridy = 1;  
add(new Label("Employee ID:"), g);
```

```
id = new TextField(15);  
g.gridx = 1;  
add(id, g);
```

```
// Name
```

```
g.gridx = 0;  
g.gridy = 2;  
add(new Label("Employee Name:"), g);
```

```
name = new TextField(15);
```

```
g.gridx = 1;  
add(name, g);
```

```
// Department
```

```
g.gridx = 0;
```

```
g.gridy = 3;
```

```
add(new Label("Department:"), g);
```

```
department = new Choice();
```

```
department.add("CSE");      department.add("HR");
```

```
department.add("Finance");
```

```
department.add("Marketing");
```

```
g.gridx = 1;
```

```
add(department, g);
```

```
// Designation
```

```
g.gridx = 0;
```

```
g.gridy = 4;
```

```
add(new Label("Designation:"), g);
```

```
    designation = new Choice();  
designation.add("Manager"); designation.add("Developer");  
designation.add("Tester"); designation.add("Intern");
```

```
    g.gridx = 1;  
add(designation, g);
```

```
// Salary
```

```
g.gridx = 0;  
g.gridy = 5;  
add(new Label("Basic Salary:"), g);
```

```
salary = new TextField(15);  
g.gridx = 1;  
add(salary, g);
```

```
// Working Days
```

```
g.gridx = 0;  
g.gridy = 6;  
add(new Label("Working Days:"), g);
```

```
days = new TextField(15);
g.gridx = 1;
add(days, g);

// Rating
g.gridx = 0;
g.gridy = 7;
add(new Label("Performance Rating:"), g);

rating = new Choice();
rating.add("Excellent");
rating.add("Good");      rating.add("Average");
rating.add("Poor");

g.gridx = 1;
add(rating, g);

// Buttons
generate = new Button("Generate Report");
reset = new Button("Reset");

g.gridx = 0;
```

```
g.gridy = 8;
add(generate, g);

g.gridx = 1;
add(reset, g);

// Report
report = new TextArea(8, 35);

g.gridx = 0;
g.gridy = 9;
g.gridwidth = 2;
add(report, g);

generate.addActionListener(this);
reset.addActionListener(this);

addWindowListener(new WindowAdapter() {
public void windowClosing(WindowEvent e) {
    System.exit(0);
}
```

```
});
```

```
setVisible(true);
```

```
}
```

```
public void actionPerformed(ActionEvent e) {
```

```
    if (e.getSource() == generate) {
```

```
        if (id.getText().equals("") ||
```

```
name.getText().equals("") ||
```

```
salary.getText().equals("") ||
```

```
days.getText().equals("")) {
```

```
            report.setText("Please fill all fields!");
```

```
return;
```

```
    }
```

```
    try
```

```
{
```

```
double
```

```
basic =
```



```
Double.parseDouble(salary.getText());

    int workingDays = Integer.parseInt(days.getText());

    double gross = basic + (basic * 0.10);

    double bonus = 0;

    if (rating.getSelectedItem().equals("Excellent"))
bonus = basic * 0.20;
        else if (rating.getSelectedItem().equals("Good"))
bonus = basic * 0.10;
        else if (rating.getSelectedItem().equals("Average"))
bonus = basic * 0.05;

    double net = gross + bonus;

    report.setText(
        "EMPLOYEE PAYROLL REPORT\n\n" +
        "Employee ID   : " + id.getText() + "\n" +
        "Name           : " + name.getText() + "\n" +
        "Department     : " +
        department.getSelectedItem() + "\n" +
```

```
        "Designation  : " + designation.getSelectedItemAt()
+ "\n" +
        "Basic Salary : " + basic + "\n" +
        "Working Days : " + workingDays + "\n" +
        "Rating       : " + rating.getSelectedItemAt() +
"\n\n" +
        "Gross Salary : " + gross + "\n" +
        "Bonus        : " + bonus + "\n" +
        "Net Salary   : " + net
    );
```

```
    } catch (NumberFormatException ex) {
        report.setText("Enter valid numbers for salary and
working days!");
    }
}
```

```
    if (e.getSource() == reset) {
id.setText("");      name.setText("");
salary.setText("");
days.setText("");
report.setText("");
```


```

    }
}

public static void main(String[] args) {
    new EmployeePayroll();
}
}

```

Task 2: Food Order




The image displays two screenshots of a Java Swing application titled "Food Ordering and Billing".

The top screenshot shows the initial form with the following fields and buttons:

- Customer Name:
- Table No:
- Next

The bottom screenshot shows the form after adding an item, with the following fields and buttons:

- Food Item:
- Quantity:
- Add Item
- Previous
- Next



Code :

```
import java.awt.*; import
java.awt.event.*;
public class FoodOrder extends Frame implements
ActionListener {
    CardLayout card;
    Panel cards;

    TextField customer, table, quantity;
    Choice food;
    TextArea bill;
```

Button next1, next2, previous, add, generate, clear;

double total = 0;

```
FoodOrder() {  
    setTitle("Food Ordering and Billing");  
setSize(500, 400);
```

```
    card = new CardLayout();  
cards = new Panel(card);
```

```
// FIRST SCREEN
```

```
Panel p1 = new Panel(new FlowLayout());
```

```
p1.add(new Label("Customer Name:"));  
customer = new TextField(15);    p1.add(customer);
```

```
p1.add(new Label("Table No:"));  
table = new TextField(5);    p1.add(table);
```

```
        next1 = new Button("Next");  
p1.add(next1);
```

```
// SECOND SCREEN
```

```
Panel p2 = new Panel(new FlowLayout());
```

```
p2.add(new Label("Food Item:"));
```

```
        food = new Choice();  
food.add("Pizza");  
food.add("Burger");  
food.add("Biryani");  
food.add("Coffee");    p2.add(food);
```

```
p2.add(new Label("Quantity:"));
```

```
        quantity = new TextField(5);  
p2.add(quantity);
```

```
        add = new Button("Add Item");  
previous = new Button("Previous");    next2 =  
new Button("Next");
```

```
        p2.add(add);  
p2.add(previous);    p2.add(next2);
```

```
// THIRD SCREEN
```

```
Panel p3 = new Panel(new FlowLayout());
```

```
    bill = new TextArea(12, 40);  
p3.add(bill);
```

```
    generate = new Button("Generate Bill");  
clear = new Button("Clear");    p3.add(generate);  
p3.add(clear);
```

```
    cards.add(p1, "one");  
cards.add(p2, "two");    cards.add(p3,  
"three");
```

```
    add(cards);
```

```
    next1.addActionListener(this);  
next2.addActionListener(this);
```

```
previous.addActionListener(this);  
add.addActionListener(this);  
generate.addActionListener(this);  
clear.addActionListener(this);
```

```
        addWindowListener(new WindowAdapter() {  
public void windowClosing(WindowEvent e) {  
            System.exit(0);  
        }  
    });
```

```
        setVisible(true);  
    }
```

```
public void actionPerformed(ActionEvent e) {  
  
    if (e.getSource() == next1)  
card.show(cards, "two");  
  
    if (e.getSource() == next2)  
card.show(cards, "three");
```



```

        if (e.getSource() == previous)
card.show(cards, "one");

        if (e.getSource() == add) {

            try {

                int q = Integer.parseInt(quantity.getText());

                double price = 0;

                if (food.getSelectedItem().equals("Pizza"))
price = 250;

                else if (food.getSelectedItem().equals("Burger"))
price = 120;

                else if (food.getSelectedItem().equals("Biryani"))
price = 200;           else           price = 80;

                double amount = price * q;

total = total + amount;

                bill.append(food.getSelectedItem() +
                " x " + q + " = Rs." + amount + "\n");

```

```
        quantity.setText("");

    } catch (Exception ex) {
        bill.setText("Enter valid quantity!");
    }
}

if (e.getSource() == generate) {

    double gst = total * 0.05;
    double finalAmount = total + gst;

    bill.append("\n-----");
    bill.append("\nSubtotal : Rs." + total);
    bill.append("\nGST 5%   : Rs." + gst);
    bill.append("\nFinal Bill: Rs." + finalAmount);
    }

    if (e.getSource() == clear) {
customer.setText("");
```

```
table.setText("");
quantity.setText("");
bill.setText("");      total = 0;
    }
}
```

```
    public static void main(String[] args) {
new FoodOrder();
    }
}
```