

Level 1 — 25 marks/question

L1-Q1. (E) Square-Cube

j
CODE

```
import java.util.Scanner;
class Main
{
    public static void main(String[]args)
    {
        Scanner sc=new Scanner(System.in);
        float n=sc.nextFloat();
        float square=n*n;
        float cube=n*n*n;
        System.out.println("Square Number : "+square);
        System.out.println("Cube Number : "+cube);
    }
}
```

INPUT -0.5

OUTPUT Square Number : 0.25
Cube Number : -0.125

L1-Q2. (E) Full Pyramid

j
CODE

```
import java.util.Scanner;
class Main
{
    public static void main(String[]args)
    {
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=n;i>=1;i--)
        {
            for(int j=1;j<=n-i;j++)
            {
                System.out.print(" ");
            }
            for(int k=1;k<=(2*i-1);k++)
            {
                System.out.print("*");
            }
            System.out.println();
        }
    }
}
```

INPUT 5

OUTPUT *****

**
*

L1-Q3. (E) String Reverse

j

CODE

```
import java.util.Scanner;
class Main
{
    public static void main(String[]args)
    {
        Scanner sc=new Scanner(System.in);
        String s1=sc.next();
        String rev="";
        for(int i=s1.length()-1;i>=0;i--)
        {
            rev=rev+s1.charAt(i);
        }
        System.out.println("Reverse String : "+rev);
    }
}
```

INPUT

TEMPLE

OUTPUT

Reverse String : ELPMET

L1-Q4. (E) Matrix Addition

j

CODE

```
class Main
{
    public static void main(String[]args)
    {
        int a[][]={{1,2},{5,3}};
        int b[][]={{2,3},{4,1}};
        int c[][]=new int[2][2];
        for(int i=0;i<2;i++)
        {
            for(int j=0;j<2;j++)
            {
                c[i][j]=a[i][j]+b[i][j];
            }
        }
        for(int i=0;i<2;i++)
        {
            for(int j=0;j<2;j++)
            {
                System.out.print(c[i][j]+" ");
            }
            System.out.println();
        }
    }
}
```

OUTPUT

3 5
9 4