Technical Software Product Management

Prof. Dr. Dirk Riehle

Friedrich-Alexander University Erlangen-Nürnberg

PROD C03


Licensed under CC BY 4.0 International

Technical Product Management (Recap)

- Key processes
 - Detailed product planning
 - Detailed release planning
 - Feature validation
- Example practices
 - Feature specification
 - Feature prioritization
 - PRD maintenance

Key artifacts

Product Requirements Document (PRD)





Product Requirements Document (PRD)


- Functional Specification
- Technical Specification
- Whole Product Package

Functional Specification (PRD 1 / 3)


- Types of requirements
- Structure of document
- Individual requirements
 - Feature definition
 - Feature prioritization
 - User experience design











How the project

was documented







How it was supported



What operations installed


How the customer was billed

What the customer really needed

Cartoon Lessons

- Understanding project requirements is hard
 - Understanding market requirements is even harder!
- Innovative products cannot be predicted easily
 - Certainly customers don't always know what they want
- Product management orchestrates many stakeholders

Agile / Scrum Product Planning



Release Plan

- Functional specification of a release
 - Consists of all features considered part of that release
- Agile / Scrum release plan
 - Structures the release into sprints by theme and purpose
 - Is a planning and communication tool, not a strict plan
 - Evolving: Is adapted in reaction to changes in team and environment

Example Release Plan

Release	Mid-term						
No Sprints	6						
Due Date	12.04.11						
Sprint	Sprint Theme	User Stories	Pred. Size	Pred. Burn- Down	Real Size	Real Burn- Down	Dev. Speed
0				136		134	_
1	Basic Visitor Self-Admin	1, 2, 3, 4	21	115	21	113	21
2	Basic User Self-Admin	5, 6, 7, 8	21	94	23	90	22
3	Basic Photo Management	9, 10, 11, 12	25	69	21	69	22
4	Basic Visitor Photo Rating	13, 14, 15	24	45	24	45	22
5	Basic System Administration	16, 17, 18, 19	21	24			18
6	Basic Complaint System	20, 21, 22, 23	24	0			15
Total			136		89		
Release	Final						
No Sprints	6						
Due Date	24.05.11						
Sprint	Sprint Theme	User Stories	Pred. Size	Pred. Burn- Down	Real Size	Real Burn- Down	Dev. Speed
6	Optime Theme	OSCI OTOTICS	i ica. Gize	155	rtcur Oize	Down	Dev. Opecu
7	Viral Marketing Features	24, 25, 26, 27	25	130			
8	Advanced Photo Management	28, 29, 30, 31, 32	25	105			
9	Basic Community Forums	33, 34, 35, 36	23	82			
10	Advanced System Management	37, 38, 39	27	55			
11	Advanced Photo Tagging	40, 41, 42, 43	28	27			
12	Search Engine Optimization	44, 45, 46	27	0			
Total		. ,	155		0		

Agile / Scrum Product Backlog (Functional Specification)

- Product backlog
 - Is a prioritized list of features for upcoming relaase
 - Scrum's PRD and the product owner's primary work artifact
 - Does not contain any task descriptions or assignments
 - Is a living document (rather than static) and keeps evolving

Example Product Backlog

	Α	В	С	D	Е	F
1	ID	Theme	Short Name	Item Description	Acceptance Criteria	Size
2	13	Photo Showing and Rating	Show Next Photo	As a visitor, I am presented with a random photo when I go to the website	Repeated visits to the site provide different photos	8
3	14	Photo Showing and Rating	Rate Photo and Proceed	As a visitor, I can rate a photo with a numerical value 1-10; after rating another photo is shown	The rating is stored and an average value is computed	8
4	15	Photo Showing and Rating	·		8	
5	16	System Create Default Administration Admin		As a sysadmin, I can create a default application administrator from the command line	After running the command, a default "admin" account with default password "dingdong" exists and can be used	5
6	17	System Administration	Startup and Shutdown Scripts	As a sysadmin, I can startup and shutdown the service from the command line	Three consecutive startup and shutdown command line invocations leave the system in a consistent state	3
7	18	System Administration	Reboot and Shutdown UI	As a administrator, I can reboot or shutdown the service using a graphical UI	The command is only available to the administrator role and shuts down the system to a clean restartable state	5
8	19	System Administration	Cold Backup and Restore	As a sysadmin, I can backup all data to files and reload it fresh while the system is down, using the command line	Running restore after backup recreates the same identical system	8
	20	User Feedback	Flag Photo	As a user, I can flag a photo as	The flagged photo cannot be	8

Domain Glossary

Domain glossary

- A list of concepts and their definition from the product being developed
- The missing link between the vision and the product backlog
- Is a "poor man's approach" to a domain model

Glossary term

- Have a clear fully-defined name for glossary entry
- Have a crisp "is a" definition, followed by secondary properties
- Definitions are short; rarely longer than a paragraph
- Glossary entries are human readable, not machine-processable

More entries

- Synonyms are listed as their own entries
- Shorthands point to the full name (not the other way around)

Example Domain Glossary

Term	Definition
Individual Photo Rating	A photo rating by a single user of a particular photo at a given point in time.
Overall Photo Rating	A photo rating that represents the community's ranking of the photo in question. Over time, a photo accumulates a large number of individual ratings
Photo	A photo is a flower photo that has been uploaded (and is owned) by a system user. A photo has a status that determines its accessibility.
Photo Rating	A numerical value 110 that rates a given photo.
Photo Sharing Policy	Flowers has a photo sharing policy. The policy determines what an acceptable photo is. Photos are unacceptable if they are unrelated to the Flower's purpose (e.g)


Connecting Product Vision with Backlog Through Glossary




Types of Product Backlog Entries

- Feature
 - A feature is a distinguishing characteristic of a software item (for example, performance, portability, or functionality) [IEEE 829]
- Epic
 - An epic is a large feature awaiting break-down into smaller features; in a product backlog, it acts as a placeholder for these smaller features
- (User) story
 - A user story is a feature presented using a the user-story-pattern that is small enough to be implemented in a sprint
- Refactoring
- Bug report

Model of Product Backlog Items



Example Product Backlog Item



Flowers / Tell-a-Friend Implemented




Tell a friend!

	From Email Address:	dirk@riehle.org	
	To Email Address:		
	Email Subject:		
		http://localhost:8585/	
NO ACC	Message:	http://localhost:8585/x1ac5.html	
		Tell!	


This website is to show the best in photos!

```
[\underline{blog}] - [\underline{about} | \underline{contact} / \underline{imprint} | \underline{terms}] - [\underline{language} : en | \underline{de}] - [\underline{photo size} : \underline{XS} | \underline{S} | \underline{M} | \underline{L} | \underline{XL}] - [\underline{debug} : \underline{reset}]
                                                                                                 [ processing time: 0.012 seconds ]
```

Agile Sentence Template (User Story)



Classic Requirements Specification Sentence Template




Acceptance Criterion

- An acceptance criterion for a backlog entry
 - Is a proposition that must be true
 - Before the entry can be accepted (signed-off on)
- Acceptance criteria
 - A set of criteria that need to be fulfilled


Feature Priority Categories

- 1. Essential / High
- 2. Conditional / Medium
- 3. Optional / Low

Prioritizing Features by Value and Risk



Classifying Features by Kano Model



Technical Specification (PRD 2 / 3)

- Definition of platform, language, tools
- Required services and capabilities

Definition of Done

- Definition of Done (DoD)
 - An auditable check-list of results
 - Built from value-adding activities
 - That everyone previously agreed to
 - It is about the non-functional aspects of work

Example DoD for Product Release

- 1. Project builds, deploys, and tests successfully
- 2. Component test coverage is 70% or higher
- 3. Database upgrade in test environment succeeded
- 4. Software documentation passes external review
- 5. User manual passes external review

Example DoD for Single Feature

- 1. Unit tests for feature have been written and are passing
- 2. Code review has been completed
- 3. Feature branch has been tagged and merged
- 4. Project builds, deploys, and tests successfully
- 5. Feature was demoed and accepted by product owner

Definition of Done vs. Acceptance Criteria

- DoD (Feature)
 - Specific to a particular type of artifact
 - The same for all instances of that type

- Acceptance Criteria
 - Specific to a particular artifact

The Whole Package (PRD 3 / 3)

- Product package and collateral
- Ancillary services

Review / Summary of Session

- The Product Requirements Document (PRD)
 - Functional Specification
 - Technical Specification
 - Whole Product Package

Thank you! Questions?

dirk.riehle@fau.de – http://osr.cs.fau.de

dirk@riehle.org – http://dirkriehle.com – @dirkriehle

Credits and License

- Original version
 - © 2012-2018 Dirk Riehle, some rights reserved
 - Licensed under the Creative Commons Attribution 4.0 International License
- Contributions

• ..